








D IV 7/C

40 Fables, Carlyle's wks 40
Intellect 42 & Constn of Man
Poems 44
Plays 46
Italy 48. Manchester 54 Westmd
~~Medals 50~~, India 70 Travels
Temple & Templars 52 Topog 76
Theol. 56 Bibles celeb 57,9 Lond. 77
Architect 58 Sculpt 96. Painters
Sports 60 Draughtsmen 95 97
Histy Brith 62, 6 French 66
Bible Histy 64 Eccles Hist 64 Genl 98
Geol 68 & Mineralogy Conchology 69
Medals 50 & Coins
Classic Choice Edns 72
Biog 80 Autos 90 Diarists 90
Lexicog Eng 81 Italn, Cant
Curious & Rare 84 Bibliog 100 & Lit 184
Humorists 86 5, 91, 131 Scarce 84 9 202
Botanists 88 & Educ
Animals 92 93
Medical 102 Homoeopathy &
Political Econy 106
Moral Retura 108 Philosy.

Encord &c 110. 1755
Oratory 112 1759
'6
Chemistry 114 26477
Complete Works 116
Cookery 118
74.

Astron 124, Logarithms 126
Engraven 96 b, Printers 43 & Types
Woodcuts 97 + Binding 107

Genealogies 120 Antiq[illegible] 122

Anecdotes 90
Hym 82 Eng Grammar 81a

Haywood
25/5/11

Anaty 144 Antipapal C
Abbreviatns D Autograph D
Anti Popish G
B. Edmd Bksy Repute y Baum D 9
Bible translatns 57
" Hebrew Rare "
Brt places of Lity men 121
Characters 194
Clocks, &c 138 Carpentyn 142 } C
Christn Creds 57 Cyclopedias G Chess 204
Commerce D C Clergymen F Cautions L
Divines Nonconformist D Chronog 2
Drama 3
Educ 73 Eccles Biog D Epitaphium D
Ethics 134
Egyptn Histy 70
Xn Fathers 65 Facetiae S
French Dics 7
" large D
Greek Water Cures 128 Test S
" Learning — " 209
Germany D German 2
Geog S
Glossaries C
Hazlitts Wks L
Heraldry L
Hunt Leigh S
Heb Grammars G
Jewish Theo D
Jobs 495
Inspiratn 140
Law
Linguist Russian 146 Logic &c 7
Lity Ns 119 Lat 7 Learng C
Loc L Language L 181a

Medical 102 Martyrdoms d
Musical treatises 130
Military 149 Monumental L
MSS 45 Mis. offic 7
ΣΑΜΥΕΛ
New Test. d Novels e
Old Divinity L Oriental learning Le
ΚΑΣΥΕ
Popr. wks g Registers 436
Periodicals 7 Palestine L6
Queries 49. 205 Polemics L1
Quakers 7 Physiology L6

Rhetoric 58

Scenic art A
Sizes L
Surveying, Books on 132
Swedish Books in or abt L
Sundries Le Bibliog — e
Short Hand &c 2
Technological Dict 47
Terms / Books 113
Trifons 6
Think Math. 193

Veterinary Surgeons &c. 148
Wine 142, 192
Wives 2
Writs 8

Any person finding this Book, if last
by restoring it to the owner
V. Bryceson —
at Highbury Coal Depot, Islington
or at 24 Edward's Cottages Behind Compton
~~or at~~ Terrace, Islington
or at
shall receive One Shilling for
their trouble

COMPENDIUM
ANATOMICUM
NOVA
METHODO
INSTITUTUM.

Ubi Ars ipſa capitibus & diviſionibus ita illuſtratur, ut omnia uno quaſi intuitu conſpiciantur, & eo firmiùs idcirco retineantur.

Figuris æneis illuſtrata.

Authore J. CASE. *D. M. Londinenſi.*



AMSTELODAMI,
Apud GEORGIUM GALLET.
M. DC. XCVI.

Advantages of Learning
Eliz the Hollow in Rationality & Religion
& Alexis

Of Sin
" Error admissible in Relig. Doctrine
" Justification by Wise Chief men
Huntington's Style apply Fluent
but ofb Coarse & ungrammatical
Script but perhaps for this
not always unblamable

Origin of Sin & violation of Conscience
Reconcile app. inconsistency of Eternal
Decree giving & Chap for
of Man's faculties Imagination &c
Desire & Ideas as Chivalry &c
In Imagination excitable towards
human objects as John Locke &
Excitability of Feelg in R. novels
& Sexy Treaty &c

Intellect proper dominator of the
Affections, Bloodshed & Rapes the
result mainly of Feelgs being
in an thro. ineffect exercise of
the Understandg
Abdial for Nebuly
Julian the Apostate (192

AD

LECTOREM.

Lector Benevole,

Plurimos librorum moles à legendo deterrent, alios ignavia premit, nonnullique præjudicato animo laborant; quisque suos patitur manes ——— Duobus vero prioribus, ut mihi visum est; in hoc meo libello obviamivi, osque eorum prorsus obturavi, quodque ad postremos attinet hoc obiter dicam, indignos esse ut legant, qui iniquo animo legunt. Interea de Methodo quam secutus

ſum candide legenti pauca referre haud ſupervacaneum duco; non revera me latuit, quantum oneris in humeros meos ſuſcepturus eram, cum primum in animum induxerim hoc opus adoriri, breviter enim & benè ſcribere maxime arduum eſt. Primum vero, Deo aſpirante, exegi, quod ad alterum, non meum, ſed tuum eſt, Lector, ſententiam ferre. Græci olim, Humanum Corpus, Microcoſmum *appellabant, quaſi Cæterarum Creaturarum compendium eſſet, non mediocris forſan occurret analogia inter hoc meum opuſculum, iſtamque appellationem, cum jam totam artem*

artem Anatomicam, quæ ut vulgo ſumpta, nihil aliud eſt quam Humani Corporis partium explicatio, in anguſtius, quam unquam antehac, ſpacium contraxerim, idque, ni fallor, diſpoſito modo, totum enim ſecundum naturam ſitumque uniuſcujuſque rei in totidem diviſiones ſive capitula diſtribui, ita ut quod in ingentibus aliorum voluminibus fuſe continetur, uno quaſi intuitu cernas, ſed ſi cui in animum incideret mihi materiam deeſſe hunc tractatum amplificandi, eique molem conciliandi, reſpondere poſſem, fruſtra fieri per plura quæ fiunt per pauciora, at fateor me

ex consulto, abstinuisse quasi brevitati omnino studentem coque magis cum ad memoriam adjuvandam tale opusculum magno usui futurum esse arbitrarem; præterea non desunt Authores tam conterranei quam Peregrini satis multi, qui de rebus Anatomicis verbosiùs scripserunt, angustiùs vero unquam nemo; adhæc æneis typis exornari, quo melius omnia pateant; utque etiam studentis visivam facultatem oculari inspectione non minus quam animum contemplatione relaxarem.

Cum vero de duabus Physicæ partibus, Hygiena, scil. *& Therapeutica, More Institutionis,*

ba
ca
da
fa
ga
ha
ja
Ka
la
ma
na
pa
ra
sa
ta
va
wa
ya
za
32

ſtitutionis, nonnihil præpoſui quibus tres alias Partes, i. e. *Phyſiologiam, Pathologiam, & Semeioticam, dilucidationis cauſa, adjungere mihi neceſſe erat, cumque etiam nonnulli tale Primordium ab Anatomiâ longe alienum reputent, de qua hîc præcipuè tractavi; pro certo habeant meum eſſe inſtitutum de arte medendi, quoad praxin ſaltem, fuſius poſthac ſcribere, ſi modo Deus Opt. Max. mihi vivendi ſpatium nec non facultates clementer conceſſerit; ſi quis præterea indignè feret eo quod capitulo de Internis Venis, aliud de Externis ſive Phlebotomia ſubjunxi, quaſi res ab eadem*

arte longe diverſa, ſciat non adeo eſſe diverſam, quin exinde nonnihil commodi aſſiduè legenti exſurgat, incommodi vero nihil, ſed quoad regulas de Venis ſecandis inſtitutas, quiſque eis pro ſuo lubitu, caute tamen monerem, utatur.

Demirari porro, Lector, nolito eo quod veterum ſententiis prætermiſſis de fæminarum ſemine, recentiorum opinionem, idque ſumma cum ratione, ni me longè fallit animus, complexus ſum, ſemen etenim fæminis deeſt, iſtæque veſiculæ, de quibus ſomniabant veteres, quaſi ejuſdem receptacula forent,

tale

tale quidpiam non continent; ſed quod ſint ova veriſſima, avium vel aliarum Creaturarum ovis Analoga, Probavi tam experimentis, quam argumentis & exemplis: & quoad teſtes (ſic dictas) quod non ſint teſtes ſed Ovaria, ubi propria virtute ova nutriuntur, præcedentibus conceſſis, hæc deinceps facile conceduntur, cum vero nullius ſcriptoris opinionem contortè retulerim, aut livide Perſtrinxerim, utinam par pari mihi referretur; ſecundum etiam nuperorum ſententiam nonnihil de Sanguinis Circulatione interſeritur, nec dubito quin Lector hoc grata mente ac-

cipiat, quamvis vero curtiori ſpacio complectitur quam vellem, & tale ſubjectum merito poſtulet: quod ad reliquum, mihi ſufficit quod æquo animo totum conſcripſerim, & ſi ullo modo reipublicæ literariæ, hujuſve facultatis candidatis hiſce meis conatibus benefecerim, ſcopum feliciter attingam. Vale.

Ex Muſæo meo prope
Januam Londinenſem
quæ vulgo vocatur
Ludgate 3°. die
Novembris, 1694.

TABULA.

TABULA.

Capita LIBRI Primi.

LIB. II.

LIB. III.

More

ente = duck zahm tame
Hans John
~~Lene Magdalena~~
zwei 2
drei 3
vier 4
fünf 5
acht 8
neun 9
elf 11
zehn 10
dick thick
dünn thin
kurz short
link left
voll full
leer empty
süß sweet
rein clean
kalt cold
wahr true
klug prudent
grob rude
faul lazy
gelb yellow
toll mad
müde weary
dann / denn } then
fast almost
oben above
6

MORE INSTITUTIONIS.

PHyſicæ partes ſunt duæ. Hygiena & Therapeutica; Hygiena docet ſalutem conſervare.

Therapeutica docet morbos ſanare.

Hæc autem cum non perficiantur ſine corporis & morborum ſcientiâ, tres aliæ partes his adduntur; Phyſiologia, Pathologia & Semeiotica.

Phyſiologia naturales corporis conſtitutiones oſtendit.

Pathologia inſpicit naturam, cauſam & morborum ſymptomata.

Semeiotica demonſtrat præterita, præſentia & futura ſigna.

Hygiena annumerat ſex non naturales res, & varios earum uſus, in ægrotantibus & ſanis, ſenibus & juvenibus.

Therapeia docet curare morbos Diætâ, Pharmachiâ & Chirurgiâ.

In Physiologiâ considerantur Elementa, Temperamenta, partes, humores, spiritus, facultates, actiones, de quibus ordine pauca loquimur.

PHYSIOLOGIA.

Elementum est simplex corpus, ex quo mixtum componitur, & in quo denique resolvitur; Hæc sunt quatuor, ignis, aer, aqua, terra; quæ Hippocrates libro Naturæ humanæ nominavit, calida, frigida, humida, arida.

Ab his inter se mixtis oritur Ovidii dictum; concordia discors unius corporis, quod secundum Qualitatis mixtionem, obtinet talem, atque aliam naturam: Unde oriuntur novem differentiæ temperamentorum, octo intemperamentorum, quatuor simplicium; calidorum, frigidorum, humidorum, aridorum; quatuor compositorum, calidorum & hu-

ich esse I not eat

humidorum, calidorum & aridorum, frigidorum & humidorum, frigidorum & aridorum.

Primo differentiæ temperamentorum, vel ſic ſimpliciter, vel ſecundum pondus, cum qualitates ſint æquales; quod potius Utopianum quam reale, vel ad minus momentaneum, vel ſecundum Juſtitiam; in qua eſt moderatio Elementorum congrua Naturæ humanæ, Beſtiæ, Plantæ, *&c.* Hujus varii ſunt limites, quos ultra citraque nequit conſiſtere ſanum. Dividitur in ſanguineum, pituitoſum, melancholicum; atque ita Analogum Elementis humorum.

Cum omnia innatâ caliditate recreentur, & ut penetret omnes partes corporis, permanet in ſpiritu, cujus definitio (quicquid Argenterius dicat) hæc eſt.

Spiritus eſt Aereum, ſubtile & ſplendidum Corpus ſimile vapori, ſedes & aſſertio facul- tatum,

er isst he eats
ich gehe I go
gilt ~~[illegible]~~ is worth

tatum, & primum instrumentum functionum, cujus Basis est humidum radicale.

Quidam instituunt tres spiritus. 1. Vitalis missa à corde per Arterias omnibus partibus. 2. Naturalis ex qua nascitur vitalis, inspiratione aeris; de qua Galenus dubitavit quasi in vitali comprehendatur, sed spiritus alimentorum non debent denegari ad sanguinem, unde calidior est sanguis à vino, quam à lactuca.

Pars perfectè definitur à Docto Fernelio, corpus adhærens toto, ornatum communi vitâ, datum corporis functioni & usui; ita crines, ungues, pinguedo, medulla, *&c.* nec non Hippocratis humores & spiritus strictè habent nomen partium.

Humorem cum Philosophis nè intelligatis, qualitatem oppositam sicco, sed corpus; tamen non omnem humorem; nam,

nam chyle, ſemen, lac, ſudor, urina non ſunt propriè humores, ſed tantum alimenta cum ſuis excrementis; temerarium eſt denegare iſta cum affectant nos in quantitate, qualitate, & generantur ex mixtione alimentorum, quatuor generaliter.

1. Naturalia continentur ſub nomine ſanguinis, cujus calidæ, frigidæ, denſæ, tenues partes vocantur phlegma, bilis, ſerum, vehicula; expelluntur urinâ, ſudore, lachrymis: Sanguis purus facit homines lætos, floridos, prudentes, ſed ſi ſuperfluus ſtolidos.

2. Excrementitia evitantur propriis locis, phlegma quaſi nutrimentum uſque ad dimidium coctum, atque ita renovatur, ſed id in inteſtinis locis inconcoctum abluitur bile, & id quod à cerebro manat, vocatur mucus, hoc facit homines tardos, ſomnolentos; bilis habet locum in felle, veſica;

Ut purgat sanguinem ab aurigine, & irritet ventrem & abstergat phlegma; facit homines iratos, acutos, *&c.*

Melancholia, fæx sanguinis nigra locata est in splene, si non evitatur Hemorrhoidis, *&c.* totum corpus nigrescit; facit dolosos, mœstos, invidos, timidos, sed cum mixta sit cum sanguine aut bile, constantes & ingenuos; adjuvat concoctionem, cum sit acida, & astricta, cum acerbitate facit famem; Soranus dicit hæc habere potestatem in corpore certis temporibus; sanguis manè, bilis tempore pomeridiano, Melancholïa vespere, phlegma nocte.

Sanguis naturaliter & simpliciter sic vocatur, sed malè affectus, biliosus, pituitosus, melancholicus, ita factus putrefactione, adustione, refrigeratione, obstructione.

Et cum abundet in qualitate vel quantitate, Præternaturalis

lis, cujus phlegma est quadruplex; sudor sæpe expuitur, acidum minus frigidum, quam vitrarium, plus quam sudorificum; vitrarium valde frigidum, adhærens intestinis partibus, facit tormenta, & tandem fit implastrium, unde tophi in articulis; salsuginosum à putrefactione vel mixtione seri salsuginosi.

Bilis quadruplex vitellina adusta in venis; porracea à stomacho procedens; Æruginosa, glasto incocta, aliquando fit in ventriculo, aliquando in venis.

Est tantum una Species atræ bilis; valde injuriosa, acida, fovens terram tamquam acetum, procedens ab adustione vel putrefactione aliorum excrementorum; vitellina bilis fit porracea, æruginosa, glasteosa, & tandem nigra, composita à parte densiore sanguinis, ut bilis tenuiori; non componitur

tur à phlegmate nisi salsuginoso.

Anima est forma, & causa omnium operationum, quibus noscitur, aliter ejus essentia lateret.

Galenus vocat illud temperiem à quo conservatur, intemperie fugit è corpore; sed tempeties & innatus calor, sunt tantum causæ sine qua non permanet operari.

Facultas est causa undè actio prodit, vel naturalis potestas animæ per semetipsam instituta operari; unde Actio in activa motione procedit; operatio perficitur actione; sic caro, sanguinis Actio quidem est operatio, ut sanguificatio, *&c.* non è contra sicut caro est operatio, non actio Naturæ.

Facultas & actio est triplex. 1. Naturalis, etiam in plantis & brutis, vocata concupiscibilis, & variatio diffusa in quacunque parte à jecore, & habet

quatuor

quatuor subservientes partes, attractantes, retinentes, conquoquentes, expellentes; quædam communes partes habent facultates, sicut stomachus, sibi & aliis; quare utuntur fibris, sed coctio perficitur calore & facultate.

2 Vitalis emittens vitam à corde. 2. Animalis, à cerebro per nervos emittit sensum & motionem.

Nunc actiones considerantur in salute & ægritudine cum illæsæ & læsæ ostendunt se; & ob prædictionem.

Actio nunquam est læsa in naturalibus organis, ubi facultates insitæ, sed pars afficitur; sed animalia organa habent principalem sensum & motionem aliundè, sic Actio destruat partem illæsam.

Naturalis facultatis actio est triplex. Nutritio, conversio alimenti in substantiam viventis ponderis, quæ facta est

triplici coctione. Chylefacta quæ nutritio adjuvatur à jecore, & partibus calidis, eſt ſedes jejunii, propter exquiſitum ſenſum, nam jejunium eſt dolor concupiſcendi cibum, nutritur à ſanguine, non chylo, feces mixtæ chylo extruduntur & tinctæ bile; urina eſt excrementum hujus coctionis; chylus coctus detruditur à piloris ad inteſtinas partes, meſeraicæ venæ ſibi attrahunt quicquid ſervile eſt, & tunc vertitur ad jecur & ibi fit ſanguis.

Et ita eſt ſecunda coctio & emittitur ad omnes partes corporis, ſicut in Anatomia quæ eam aſſimulat, quæ meri nutrimentum eſt: ita in venis & arteriis ignotus eſt humor haud abſimilis ſanguini liquefaciens partes ſubſtantiæ, vocatur Ros, adhærens, Cambium, perfecte aſſimulatus gluten, & hi ſunt Arabiorum humores ſecundarii.

2. Auctio

2. Auctio, quæ est amplificans corpus in longitudine, & latitudine, & profunditate, donec acquirat plenam magnitudinem; sed Calor & Humor decrescunt, donec pondus cesset.

3. Generatio est opus naturalis facultatis propter propagationem specierum, vel motio novæ substantiæ; cum animalia non sint perpetua, quicquid non possunt efficere in individuis, obtinent in speciebus.

Nunc Generatio perfectorum animalium procedit à mixtione sanguinis masculini cum fæmineo, & consistit in alteratione, reddens substantiam & formam, & conjunctionem partium formæ.

Semina junguntur in vulva unde conceptio prodit, tunc plastica facultas facit tria membrana involventia fætus, & conformat omnes partes, nam carent alterna ope, neque for-

mantur primo vegetativâ anima, tunc sensitivâ, denique rationali, nam organa ex his omnibus sunt. Et nunc habens locum paratum incipit nutriri, per spatium trium mensium movet, nam antea nec habet animam, nec motionem; septimo mense anima est vitalis.

Vitalis facultas est media inter naturalem & animalem & est in corde; huc refertur puls & respiratio: Quarum in Anatomiâ.

Animalis virtus est motio principalis, sensus & intelligentia, quia juncta est phantasei, aliter non est facultas organica. 1. Sensitiva, externi sensus sunt visus cujus objectum est aliquid visibile, calor vel lux; Organon est oculus, Crystallinus humor, aliæ partes tantum subjectæ.

Auditûs objectum est sonus. Olfactionis objectum est odor, Gustûs objectum est sapor,

ſapor, tactus objectum eſt, primæ & ſecundæ qualitates, organon, membrana & nervi.

Internus ſenſus ſive principalis facultas eſt triplex, phantaſis, ratiocinatio, memoria: communis ſenſus eſt tanquam aliorum centrum & judex, diſtinguit inter calorem, ſonum, & alia objecta.

Phantaſis diſtinguit & apprehendit omnia objecta & formas productas ab externis ſenſibus.

Ratioeinatione meditamur in receptas ſpecies: memoria conſervat res cognitas.

22/9/18

[N]atural Philosophy or an acquaintance [wit]h the innermost ~~[illegible]~~ remote operations of Nature, tho. it may be Conducive, is not Essential to Human Happiness

HYGIENA.

PRoximè res non-naturales conſiderari debent, ita vocantur quia non in corpore ſecundum naturam, ſicut facultas; nec præter naturam, ſicut morbi; ſed inter utrumque, nam cibus parcè ſumptus nutrit corpus, ſi non, offendit.

Sex ſunt uſus alimentorum. Aër conſideratus in ſubſtantia, qualitate, occaſione, & uſu; aër purus & pellucidus ſi loci ſitus ſit ad Orientem vel Boream; alti loci ſalubriores; calidi augent bilem & febrim, *&c.* frigidæ diſtillationes obtrudunt tranſpirationi, promovent infirmam coctionem, ſed offendunt infirma corpora.

Motio comprehendit omnia exercitia; undè tres commoditates; duritia inſtrumentorum à mutuâ attritione; auctio inſiti

ſiti caloris, & vehemens motio ſpirituum.

Actiones & ſalus ſequuntur duritiem inſtrumentorum; coctio, diſtributio, nutrimentum, expulſio ſequuntur auctionem caloris; & vehemens motio ſpirituum purgat renes, expellitque Excrementa.

Cibus & potus alimenta vocantur, & reficiunt corpora; non nimis diſſimilia corpori eſſe debent, ſicut Lapides, *&c.* ſed animata, ſicut plantæ, vel animalia, vel indè prodeuntia ſicut lac, vinum, *&c.* ſubſtantiæ tantum quantum bonum ſuccum producit.

Quantitatis tantum, quantum natura requirit, nè morbos efficiat.

Potus ſitim expellit & eſt vehicula cibi:

Ut vites pœnam, de potibus incipe (cœnam,
Incipe cum ſucco, ſucco finire me- (mento.

Somnus concoquit cibum & humores, & corrigit mentis morbos.

Paſſiones ſunt turbidæ motiones animi.

PATHOLOGIA.

MOrbus eſt præternaturalis affectio, lædens primo actiones, quorum tria ſunt genera. Similar, Organicus, & communis.

Similar eſt morbus, & eſt æqualis in omnibus partibus & abſque dolore, ſicut in febre, vel inæqualis ſicut Anaſarara, tumores, *&c.* & eſt cum vel ſine materia ſimplici vel compoſita ſicut in Phyſiologia.

Organicus in mala conformatione eſt quadruplex; compoſitio, numerus, magnitudo, ſitus.

Mor-

Morbus Communis, ad ſimilarem & Organicum vocatur Solutio unitatis; cujus ſortis ſunt vulnera.

Cauſa eſt præternaturalis affectio, producens morbum; quadruplex eſt.

Materialis, formalis, finalis, & efficiens; ſicut Solis calor producit febrim; ut enſis externa eſt certa cauſa vulneris ſed non procatarctica quia non requirit diſpoſitionem.

Antecedens eſt ipſa morboſa diſpoſitio inventa in humidis morbis, & ſæpe avertitur remediis, ut non offendat; cum actualiter lædit, vocatur conjuncta vel continens, qua poſita, ponitur morbus, ſublata tollitur; eſt tantum in humoralibus, ſemper immediata non contra; ſicut enſis immediata eſt cauſa procatarctica: Plethora antecedens, ſanguis fluens ad latus continens.

Nunc evidens est contingens ut ensis, &c. necessaria ut sex naturalia, quibus addi potest contagio, &c. & antecedens offendit in quantitate vel primâ vel secundâ qualitate, cui addi potest putrefactio.

Quantitas (si non in defectu sicut in febre) vocata Plethora, qualitas Cacochymia.

Plethora est æqualis redundantia omnium humorum, vel solius sanguinis.

Cacochymia fit defectu concoctionis, vel sex non naturalium &c.

Differentiæ Accidentales sunt necessariæ, ut noscantur Causis & subjectis.

Morbus est magnus symptomatibus, causis, excellentiâ partium; si brevis & magnus, est acutus; cujus sortis sunt perperacuti, desinentes intra quatuor dies, peracuti intra septem, acuti intra quatuordecim, post acutos exdecidentia.

Morbi

Morbi ſunt vel ſporades (*i.e.*) varii generis invadentes multos ſimul; ut unum cum Ophthalmiâ, alterum pleuritide, aut communes ejuſdem generis & opprimunt varios ſimul; & ſunt vel endemei (*i. e.*) familiares eidem regioni, ſicut ſtrumæ Hiſpanis.

Denique morbi habent quatuor tempora ſecundum motionem morbificarum cauſarum.

Symptoma ſequitur morbum ſicut umbra corpus; cujus tres ſunt partes; 1. actionis, læſæ partis, diminutæ per ægram facultatem; 2. Excrementorum offendentium in ſubſtantia, cum bonus ſanguis evacuetur; vel lapides, vermes &c. 3. Qualitatis mutatæ ab actionis læſa parte & excrementis.

SEMEIOTICA.

SIgnum oſtendit aliquid aliud naturale ut flens.

Pars malè affecta noſcitur actione læsâ, excreta, ſitu, dolore, proprio ſymptomate, cui additur ſexus, ſenectus, mos, &c.

Idiopatheticus (*i. e.*) primarius morbus eſt permanens, ſympatheticus irritus morbo alterius partis, eſt quietus, vel affligit invicem.

Species morbi noſcitur, Excretione. Dolore. Naturâ partium. Propriis accidentibus. Præcedentibus cauſis, diſpoſitione corporis, &c.

Morbus malignus noſcitur, 1. Naturâ, ut lues venerea. 2. Cauſis, ut aër putrefactus, corrupti humores. &c. 3. Symptomatibus.

Pulſio

Pulsio ostendit vim cordis, Urina naturam jecoris, renis, splenis; tamen semper memento quod pulsus incertus, urina fallax, dejectiones fideles; sed omnia hæc variantur naturalibus, non naturalibus, & præternaturalibus rebus.

Inspicias urinam manè calidam intra sex horas.

Prognostica sunt valdè difficilia, colligi possunt à prædictis; in acutis non sunt certæ prædictiones vitæ & mortis, nec in principio morbi non cessat in quarto die. Errores ægrotantis & ferventes mutationes, quas nec artifex prævidet nec imperat.

Si eventûs est signum Crisis vel Lysis, necessarium est perscribere diætam & remedia; vehemens pugna est Crysis, nulla Lysis; Crysis est subita mutatio ad salutem vel mortem; præcipuè salutem.

Man
woman
child
Boy
Girl
father
mother
sister
brother
~~[illegible]~~
son
daughter

Si intercepta Alvus pauca nigra & in ſpiras circumducta dimiſerit, & per nares eruptio fiat, malum, ob magnum incendium viſcerum.

THERAPEUTICA.

INſtruit medicos cito ſanare, tuto & jucundè aptis remediis & indicationibus.

Prima indicatio contrarietatis removens cauſam, vocatur præſervatio.

Similar morbus requirit mutationes humore; calida potius quam frigida, arida.

In Organico, obſtructio optat aperientia, in connexis morbis aliquando aliquis cum curetur, alter non ceſſat, ſicut inflammatio in ulcere primo removi debet.

In cauſis, ſubſtantia, quantitas, qualitas, locus, motio inſpiciuntur.

Vapo,

Vapor, discussio, quantitas, vacuatio, qualitas, alteratio, motio movendi, si immoderatè abstringuntur, vel revelantur.

1. Pars mittens, indicans revulsionem in motione denota: 2. Recipiens, adstrictio, vel derivatio. 3. Pervia, interceptio; si humores sunt nimis quieti accipe attenuantia. 1. Febris in frigido corpore difficilior est, & requirit frigida medicamenta. 2. Actio si privata est, accipe remedia fortiter, si publica contra; non omnia semel, sed variis temporibus, nec omittens corroborantia.

Quoad remedia nihil hanc nobilem Artem tam reddit conjecturalem, quam quantitas, tempora, motiones; symptomata morborum, ostendunt quando sunt necessaria.

Hæc de duabus Physicæ partibus, *scil.* Hygiena & Therapeutica breviter præposui quibus etiam tres alias addidi, Phy-

Physiologiam , Pathologiam & Semeioticam , quo melius sequentia pateant ; si quis id genus plura cupit , consulat Authores satis multos , qui de hisce fusiùs , vix autèm , ni plurimùm fallor, succinctiùs scripserunt.

Sq. Roots wh remrs reduced to Decimal & Vulgar fractn.

6, 25 (2, 5
4 2, 5
45) 2. 25 1, 2 5
2. 25 5, 0
6, 25

$6\frac{1}{4}$ ($2\frac{1}{2}$
4 $2\frac{1}{2}$
$4\frac{1}{2}$) $2\frac{1}{4}$
$2\frac{1}{4}$ 5
De $\frac{1}{4}$
$6\frac{1}{4}$

8/11/58

De Anatomia in Genere.

C A P. I.

STudium Anatomicum omnibus Naturæ Myſtis jucundiſſimum eſt, ſed Medicis & Chirurgis ſummè neceſſarium.

In hoc quædam præcognita ſunt valde neceſſaria, & ſine quibus Ars ipſa (ut hodie tractatur) non poteſt intelligi, ſed in his ea quæ notatu tantum ſunt digniſſima breviter, ſecundum Methodum à nobis inſtitutam attingamus.

Præcognita ſunt definitio & neceſſariæ diviſiones totius Artis in genere.

Anatomia est artificiosa separatio partium sectione, instituta ut totum Corpus, ususque partis cujusque melius cognoscatur.

Pars est Corporea & solida substantia, participuus de vita totius, & alicui functioni vel usui subserviturus.

Pars dupliciter dividitur, vel respectu substantiæ vel Functionis.

Respectu substantiæ, in similares vel dissimilares.

Partes similares sunt quæ in partes sibi similes dividuntur, ita ut earum particulæ sint ejusdem naturæ & substantiæ.

Partes similares sunt decem; *Os, Cartilago, Ligamentum, Membrana, Fibra, Nervus, Vena, Arteria, Caro, Cutis.*

Partes dissimilares constant ex diversis partibus, ut Caput, Brachium. Digitus.

In respectu Functionis dividuntur in Organicas & Inorganicas.

Organicæ sunt quæ peragendis actionibus sunt destinatæ.

Non Organicæ, quæ simpliciter usum habent, nullam vero actionem obeunt, ut Cartilagines, Pinguedo, Pili.

CAP. II.

De Ossibus.

OS similaris pars est; frigida & sicca, constituta ex semine, ut corpus redderet firmum, & ejus motum adjuvaret.

Naturaliter. 1. Durum est. 2. Periostio investitum. 3. Album, rubedine aliqua interstinctum. 4. Cavum aut spongiosum. 5. Circa extremitates cartilagine incrustatum. 6. Læve. 7. Pingui humore humectatum.

Nutri-

Nutritur à ſanguine per Arterias, (quæ ubique præterquam in maxillâ inferiori, tam exiles exiſtunt, ut eas omnino oſſibus denegent Scriptores magni) ſed præſertim à Medullâ in oſſibus contenta.

Medulla hæc membranâ continetur, & omni prorſus ſenſu caret. In fiſtulis majoribus rubicunda eſt, in minoribus alba, in oſſibus ſpongioſis mollis & ſucculenta.

Senſum à tunica tegente mutuatur, nervos enim vel acutiſſimus nondum vidit.

Connectuntur Oſſa partim ad firmitatem majorem, partim ad meliorem motum.

Conjunctio quæ eſt ad firmitatem eorum *Syntheſis* dicitur, eſtque duplex.

1. *Sutura*, qualis eſt in oſſibus Cranii.

2. *Harmonia* quæ eſt per lineam, rectam aut obliquam, qualis in maxillâ ſuperiori.

3. *Gomphosis*, qualis dentium cum maxillis.

4. *Synchondrosis* quæ fit mediante cartilagine, in ossibus Pubis, Sterno.

5. *Syneurosis* quæ ope ligamenti, ut Ossis Femoris cum Ischio.

6. *Syssarcosis*, quæ accessione carnis, ut in Osse Hyoide.

Conjunctio quæ ad motum *Articulatio* vocatur, estque duplex.

1. Diarthrosis sive Articulatio laxior.

2. Synarthrosis sive Articulatio strictior.

Utraque tribus modis perficitur. Horum, 1. Enarthrosis cum sinus Os excipiens magnus, processus Ossis excipiendi insignis, qualis est Femoris cum acetabulo Ischii.

2. *Arthrodia*, cum sinus superficialis; processus minor, qualis est in occipitis Osse, & vertebrâ primâ colli, &c.

3. Gin-

-thum Substantive Suffix
Irre = Err verb
Irrthum = Error

3. *Ginglymus* cum Os unum excipit ſuo ſinu proceſſum alterius, & contra, Os alterum ſinu proceſſum prioris, qualis in oſſe Femoris, & tibiâ, in humero & ulnâ.

Numerus Oſſium in pueris major eſt, quam in adultis, nam ſucceſſu temporis plurima eorum firmiter adeo coaleſcunt, ut ſeparari amplius nequeant; in his quoque imminuitur numerus, cum proceſſuum variorum oſſiculorum nulla omnino habeatur ratio. Hinc eſt quod alii 360, alii 304, alii 249, oſſa numerent.

Uſus oſſium, 1. Fundamentum præbere Corpori. 2. Cum carne eidem formam dare. 3. Motum adjuvare. 4. Partes varias defendere.

Oſſa licet ſuis locis in ſpecie nobis deſcribenda, attamen cum Anatomicus perfectus evadere nullus poſſit, niſi ante omnia optimè oſſa cognoverit, Skele-

ton

ton hic loci exhibere confultum judicamus.

CAPITIS Offa dividimus in Cranium & Maxillas.

Cranium octo offibus conftat.

1. Os Frontis.

2, 3. Offa Sincipitis.

4, 5. Offa Temporum.

6. Os Occipitis.

7. Os Sphænoides.

8. Os Ethmoides.

Maxilla fuperior, 11. Offibus conftat, utroque nempe latere quinque funt, quibus accedit unum impar. Horum

1, 2. *Os Zygomaticum.*

3, 4. *Os Lachrymale.*

5, 6 *Os Maxillare.*

9, 10. *Os Palati.*

11. *Vomer.*

Maxilla inferior unico tantum offe gaudet, fuis Alveolis excipiens *Dentes* 32 quorum

4. *Primores.*

2. Canini, five Oculares.

Reliqui omnes Molares, five Maxillares.

AURIS,

AURIS, internè quatuor officula continet, quæ vocantur.

1. Malleus.
2. Incus.
3. Stapes.
4. Os orbiculare.

Os unicum exhibet os, Hyoides dictum.

Collum vertebris componitur septem, ex his.

1. *Atlas* dicitur.
2. Epiftropheus.
3. Axis.

Reliquæ nomine carent.

Pectoris Offa funt fuperiùs *Claviculæ duæ* in Latere *Coftæ veræ* 14. *Spuriæ* 10. in univerfum viginti quatuor. Anteriùs Sternum cum cartilagine enfiformi.

Dorfum parte fuperiore *Scapulas* duas offert, mediâ *vertebras* 12.

Abdomen pofteriùs exhibet vertebras Lumborum quinque quibus cohæret *Os Sacrum*, uti huic *Os Coccygis*.

A

A Latere Offis facri *Os innominatum*, five *Coxæ* quod dividitur, 1. In *Os Ileum* quod maximum eft. 2. *Ifchion*, quod infimum. 3. *Pubes* quod Anticum.

Brachium unico offe conftat quod Os brachii five Humerus vocatur.

Cubitus duobus, quorum fuperius Ulna, inferius Radius.

Metacarpus octo officula continet, quibus nomina nondum impofita funt. *Carpus* quatuor.

Digiti quindecim, quivis enim internodia tria habet.

Præter hæc, circa articulos digitorum Offa Sefamoidea, 10, 12, 15 aut 20. reperiuntur.

Femoris Os unicum eft.

Crus duplici Offe conftat; horum unum, quod internum *Tibia*, alterum quod externum *Fibula* dicitur.

Hæc inter & os femoris anteriùs collocatur *Patella*.

Tarfus

Tarsus septem ossa habet quæ sunt. 1. *Tarsus* sive Astralagus. 2. Calx, sive Os calcis. 3. Os Naviculare, sive Cymbiforme. 4. Os Cuboides, sive Tesseræ, 5, 6, 7. Ossa cuneiformia, sive Sphænoidea.


Metatarsus ossa exhibet quinque.

Digitorum ossa 14. sunt, in Pollice enim duo tantum.

Ossa Sesamoidea, & hic 10. 12. aliquando 15 aut 20, inveniuntur.

Skeleton Figura.

CAP.



b
a
d
g
f
m
1
1
m
11
11
11
o
o
y
z
u
t
12
12
z
A
B
B
y
y
B
3
3
I
I
z
z
B
A
A
B
8
8
o
n
o
n

Novels

Jeaffreson J.C. Novels & Novelists
b. p. Eliz^th r. Victa 2 v p 8vo
21/ Aub 1858

Trollope Mr. One Fault new i publ.
1858

Fielding. Tom Jones 1st edn 4v 1749 2-8/58

113

Weibe =	Woman
Gehe	Go in.
Bleibe	Stay
Bluhe	Bloom v
Sie	= he, it, them &c.
Statt	place
gleich	= even
Fahre	= Go in
dahin	= thither
Heu	= Hay
Dorre	= (Dry. v
Welk	= withered adj

Figura Skeleton.

aa Os Frontis.
b Os temporis.
cc Duo offa Nafi.
dd Offa jugalia.
ee Offa Maxillæ fuperioris.
ff Maxilla inferior.
gg Dentes in duabus Maxillis.
hhhh Vertebræ Cervicis, Thorax, Lumbi, & Os Sacrum.
ii Clavicula.
kk Scapula.
ll Proceffus earum primus qui Offe humeri articulatur.
mm Secundus, dictus Acromium.
nn Offa Sterni.
oo Os Humeri.
pp Caput fuperius interiufque quod cum fcapula articulatur.
qq Caput ejus fuperius & exterius quod implantationi ligamentorum infervit.
r Caput interius Appendicis ejus inferioris quæ ulnam recipit.

s Caput exterius ejusdem Appendicis quæ Radium recipit.

t u Duo Tubercula Ossis humeri. *t* internum. *u* externum.

x Ulna.

y Radius.

z z Ossa octo carpi.

A A Ossa quatuor Metacarpi.

B B Digiti quatuor & pollex, quæ duo ex tribus ossibus consistunt.

12 12 Costæ duodecim.

α α Os Ileum.

β β Coxendix.

γ γ Os sacrum.

δ Os pubis.

ε ε Convexio Ossis Ilei & coxendicis cum sacro.

ζ ζ Tubercula coxendicis.

ξ ξ Interiora, *η η* exteriora.

θ θ Femora.

ι ι Cervix Femoris.

κ κ Caput superius Ossis femoris quod in Acetabulum coxendicis receptum est.

λ λ μ μ Throchanteres duo.

De Articulorum Glandulis Mucilaginosis

In articulationibus mobilis observantur multa de genere glandulas ipsi tam circa articulos mucilaginosos liquorem ad motum facilitandum secernentes. talia tuberculi sive glandulae majores minoresque vix visibiles inveniuntur. minores ligamentis tanquam fulcimentis inhaerent majores in acetabulis tanquam corpusculis distincta deteguntur.

Utraque species admodum tenaces, molles et friabiles, externa magis quam in alteris glandulis levigatae, et simplices et conglomeratae, folliculo cavo, luminario confecto liquorem in cavum articuli et vagina tendinum emittente donatae.

Locus Tribus in locis hoc genus glandularum inveniuntur. 1° in ligamentis articulorum 2° capsula tendinis 3° cavo articulorum quae omnes partes in alterna motu membrorum comprimuntur et dimittuntur.

quo major est articulatio eo majores et copiosiores inveniuntur, unde circa genu a satis magnae glandulae deteguntur

simplices unicum suo habet luminatorium et compositae in toto suo ambitu exiguis multis praeditae unde patet compositas glandulas meram esse aggregationem simplicium.

Ex tis venis canaliis et lymphaticis atque atque nervis munifice in se mistis hae compositae sunt glandulae.

humor

In cav. articulor. fundit hu. q. vt. Smegmatis instar obducit ossi. ptes in motu articuli terentes, ex qbq v. a fontib. venire vdr. 1o. hic transudat oleu medulare 2o. Ex tota iam superficie ligamentor. ~~[struck]~~ sine glalar. structura etiā depositq humor. 3o. deniq ex glātis simplicibq et compositis.
NB 2o. Ligamenta dorsi annularia q. longa exercitatione q. si arida fiunt, ga gluten Naali dissentiat qd. torporem caloremq causat et emollientq ole[...] sesq curandq.

Cartilagines raro morbis obnoxiæ sunt nisi ossa in extremes inficiunt qu[...] juxta ea morbq participant et curantur. aliqnde tamen nimis exsiccatæ et indurant, aliqndo etiā nimea humiditate relaxantq. de qbq qdr hic seqnt exempla. de Epiglott. vide pag. 115

Cartilago Ensiformis sub sterno locata frequenter qm. multi putant immediate hor. relapsa post. unde incurvata vel premend. appetitq. defini[...] vt vomitq ft impleoq. dolorem vti, macie pallorem, ingratitudinem etc. causa[...] unde ego dictitasse crucerari pss. de qbq orbq si modo ea destuta

λλ interior. μμ exterior.
νν Capita duo inferiora Oſſis Femoris.
ξξ Patella.
οο Tibia.
ππ Fibia.
ρρ Talus.
σσ Os naviculare.
ττ Oſſa alia Tarſi.
υυ Oſſa quinque Metatarſi.
ωω Oſſa quatuordecim digitorum.

CAP. III.

De Cartilagine.

C*Artilago* pars eſt ſimilaris ſpermatica; ligamento ſiccior duriorque, at oſſe humidior, molliorque, articulationem faciliorem reddens, parteſque varias ab externis injuriis defendens.

Differentia. Molliores quædam ſunt, præſertim circa articulos, quædam duriores, & arti-

à Naturâ ossium haud multum recedentes.

Nutritur per *Arteriolas.* et venas

Nec nervis nec membranis, adeoque nec sensu gaudet.

Usus est facilitare motum, & partes quasdam ab injuriis externis tueri, unde ipsa injuriis vix obnoxia.

CAP. IV.

De Ligamentis.

L*Igamentum* pars similaris est, spermatica, sicca, ossibus firmiter adhærens, & partes Corporis mutuo colligans.

Differentia. Lata quædam sunt & *Membranosa*, quædam *rotunda* & *nervosa*.

Notandum hic, quod hæ voces *membranosum*, & *nervosum*, scriptoribus & practicis sint usitatissimæ, & quod quam plurimos illorum seduxerint: at scire oportet, solam formam exter-

in paucas horas sanantur. Curae
dicturbatules Caeis v antea pneu-
matica instituit. q. pt applicata
subito avellunt, sic primo o praedict
vice repetandi e donec aeger me-
lius se hbt. quod Emplastrum e baceis
propriis applicandum R. rad. ~~bistortae~~ nucis
cupress. adde mast. Thuris ad ℥ flor
Balaust. ʒi ol. nuc: Express ʒiij
Picis navalis q. s. ℥m f. s. a. Empl.

Ligaa pressimi in Senibus multisq
Excitatio affectis, in calli gstringit
rigidi cartilaginemm abfesq durationi
Immitatae respiciunt membra: v relax-
ata utr in Leucophlegmatis Sorbuticus
permittunt nimis ~~fld~~ dilatationem q
et minutulis Iotam: rumpuntur valida
vi, contundunt, vulnerant, infam-
mant, torquentur suppuratione unde
multa mala de Gorter &c.

Ligae Laesae ob suas in sensilitatem paucas
i condens, trahunt alias partes. cave ideo
ne negligantur nam propter nimiam m: v
t calorem deficientem multos scaturi
tiones & difficultas adferunt symptomata
gli easi pulverem nostrum restaurativum
egregie habeo R. Erad: Cons: m.- aloes suc:
calcis vivae a ℥i mast. angiartn mumiae
adde praecipit. vulg ℥i m:

Ligam Uteri sive Laxantur cum diffi-
cilem plerumq in gravidis excitant-
sic etiam hepar vinct, expirationem suis ligamentis juvans
descendere potest, multis enim in morbis
hepaticis respiratio difficilis nascitur
dolor sciaticus saepenumero laxitate
Ligator dislocatio, potiusve sublaxa-
tionem causavit. teste Barbette qui cataplasma
Emplastro robor. discutiente uti sole-
bat quando q.q. 4. 5. et Laxantibus eidus
fuit.
summopere est observandum in lesi-
one plerumq, resinosa et balsa-
mica oleosa distillata regni omnia
in penguia ut nervi respiciunt.

C———————————————

Membranae, [struck] praeter Testis
membranam ut vulnera com-
bustionem contusionem: [struck]
omnibus fere aliis morbis obnoxia
. &c. Membrana cellulosa sub cuta
immediate jacens materie oleo-
sa et pinguedinosa impleta
ad motum Musculorum facilitandum
et cutem mollionem facere
saepe Musculis, [struck] mu-
tatis curationem concrescit
quod etiam de panniculo carnoso
dici potest. unde tales fiunt.
si copiosi fuerint pinus efflux
sub regibus Wadinot vide d. Tissot
pag 424

externam hic respici, neutiquam internam essentiam, utraque enim Ligamenta, membranacea æque ac nervosa, omni sensu carent, qualia minime essent, si verâ nervi aut membranæ substantiâ constarent.

Ligamentum nullum cavum est, si *teretia Ligamenta* Uteri excipias, ex se quoque omnia *motu sensuque* destituuntur.

Usus est partes Corporis, ossa imprimis, connectere, atque à continuâ luxatione conservare.

CAP. V.

De Membranis.

Membrana pars est similaris, spermatica, lata, mollis, dilatabilis, alba, partes investiens, sensumque iis adferens.

Differentia. Tenues valde quædam sunt, aliæ crassiores,

 non-

nonnullæ carneæ, pleræque non item.

Partes quæ inveſtiunt propriæ *Membranæ* dicuntur, quæ humores continent *Tunicæ*, quæ cerebrum ambiunt *Meninges*.

Senſu prædita ex ſeipsâ, membranæ enim omnes ſenſiles ſunt, imo ipſi Nervi quod ſentiant membranaceæ eorum ſubſtantiæ debetur.

Membranæ itaque ſolæ tactûs verum organum, huic ſpiritus animales inſerviunt.

Uſus eſt, 1. Partes corporis inveſtire. 2. Ab injuriis defendere. 3. Conjunctas ſervare. 4. Roborare. 5. Senſu donare. 6. Vaſorum oſcula claudere, ut ſanguis nutritius ſubito nimis in partem deferatur, aut ex ea in venam ipſam. 7. Partes quaſdam ſejungere.

CAP.

Fables
Esop Price 1/3

Anfänge he (that)
Hart —— Hard
Nie = sep Variable
Dulde = suffer
Geduld = [illegible] tience
Erschweren = aggravate
Elend miser-y-able
Doppelt = Double
wegen = on a/c (such)

Carlyle's Wks

Chartism 2 — 7/57 8
Past & Pres
Passages selected fr his writgs wh Biog
Memr by T. Ballantyne p 8vo
1855 2 — 8/18 cl 3/6

4 Blinde Blind
indem = bec
Kein = no
Mittel = Remedy
Suche = Seek
Fürchte = Fear

Fibra 1° e v Automatica seu simplissima vel minima iterum in minutissimas divisibilis. vel e composita ex minimis constituta, qb ex fibris partes naturis corporis solidae vel divisiones vel moliones cohaerentes, constituuntur. nam prout varia conficiunt partes varia accipiunt nomina ut fibra villosa motrix, tendinia, muscularis, ossea, medullosa, nervosa ligamentosa: membranosa vasculosa &c.
Anatomici raro de automaticis loquuntur sed de iis ex qb componuntur: illa corpuscula oblonga tenera gracilia q oculis vel microscopiis videri possunt ex multis simplicibus in fasciculos collecta, imo vasa la minima oculis conspicua saepe pro fibra accipiuntur.
Multis hae fibrae morbis sunt obnoxiae a unitate soluta, nimia vel [illegible] tenacitate, debilitate, fragilitate q e periculosa, nimia flexilitate [illegible] in ossibus periculosa, rigiditate nimia in cartilagine et [illegible] mollioribus difficiles e curatu, adimatione majori [illegible] in senibus, elongatione et expansione nimia et in [illegible] nimia humiditate expanduntur [illegible] in oedemate, nimia si siccitate laborant fragiles et rigidae evadunt, &c.

Spermatica Veteres Estimant fibras esse spermaticas et sanguinolentas, q. gaudent colorem alb. erant primo generi qq. cum Albent rubr. fuerint sanguinolentae hac po opinio ab neotericis refutata.

CAP. VI.

De Fibris.

F*Ibra* est pars similaris, spermatica, per cutem, carnem, & membranas dispersa, quæ firmiores eas reddat, distensasque naturaliter, naturali modo contrahat.

Differentia. Quædam sunt rectæ, quædam obliquæ, quædam Transversæ, & quædam rotundæ.

Rectæ attrahunt, obliquæ expellunt, transversæ retinent, rotundæ constringunt. Et hoc efficiunt haud adeo virtute propriâ & singulari, quam quidem communi toto membro, cui inserviunt, & à quo sensum alimentumque suum nasciscuntur, nam per se sensu omni carent.

Usus est, membranas, cutem & musculos roborare, & ubi di-

latatæ fuerint in naturalem ſtatum deducere.

Ipſe ſanguis an fibras habeat, uti multorum eſt opinio, & nobis valde veriſimile videtur, aliàs opportunior erit dicendi locus.

CAP. VII.

De Venis.

VEna pars eſt ſimilaris, ſpermatica, membranoſa, rotunda, cava, Arteriis ubique per Anaſtomaſes juncta, ſanguinem ulteriori coctione indigentem ex iis recipiens, cordique & Hepati adferens.

Differentia. Quadruplices in corpore noſtro venæ reperiuntur. 1. Vena Cava. 2. Vena Portæ. 3. Vena Pulmonalis. 4. Vena Lacteæ, poſtremas hic enumeratas infrà deſcripturi ſumus,

Intellect
Abercrombie
Baker Wm Peregrinations of the mind 1770c

Sogar	=	even
Haufe	=	crowd
(Schmeichel)	=	Flatter
hin	=	forth
dringe	=	crowd. v
um	=	in order, to

Constitution of Man
Lyall Revd W on the Intellect the Emotions & the Moral nature Edin 1855 2 7/6

bis vor	=	as far as
lang	=	long
Schatz	=	treasure
Wahl	=	choice
vorzüglich	=	~~preference~~ especially
Leute	=	people
Hinlänglich	=	sufficient
Lasse	=	allow
Leicht	=	easy

Printers Celeb
Guttenberg
Fust
Hainbrun c 1470 2 — 7/58 No 9
Barkerville c 1772 —
Didot Fr c 1798

154 lieb + reich = kind
gefallig = pleas
ausser = without
betrage = behave
ge-Muth-sart = disposition
manchmal = Some time

Typog: celeb
Stramberry hill Press
Atkyns Rd author of the "Origl & Growth of Printg in Engld 4to 1664

Fainer's Roderici Speculum Vitae Humanae MCCCCLXXI
Typogr — A Rare & Beautiful Specimen of Early typography

Cotton Rev Dr Typog Gazetteer 1st ed 8vo S. 1825 2 — 8/58 ½
½ cf uncut 15/
2nd Ed — 1831 2 — 8/58 / 5

mus, ubi multo commodior nobis erit occaſio.

Vena Cava & Porta ex Hepate originem ducunt, ſunt qui illam ex corde prodire volunt, argumento ſatis infirmo, & à nondum in Lucem editis embryonibus deſumpto. At vero cum radices ejus plurimas in Hepate reperiam, paucas aut nullas in Corde, imo minime eam Cor ipſum intrare obſervem, ſed tantum auriculæ ejus dextræ conjungi, antiquam potius ſententiam amplector, Hepati honores eos libens concedens quos ipſi competere cenſeo.

Radices Venæ cavæ & Portæ in Hepate Anaſtomaſibus multis uniri, Anatomici diligentiſſimi apud ſeculum prius ſibi perſuaſerunt, at curioſa poſterorum inquiſitio clare & invenit & demonſtravit, eas quidem ſibi mutuo attingere, ſed nequaquam hoc modo inter ſe uniri,

ut ſanguis ex unâ in aliam tranſeat; & interim extremitates dictorum vaſorum, mediante parenchymate hepatis tantum ſibi invicem participare, ut lac aut aliud quid liquidi in venam portæ Syringa immiſſum, ad oculum ſine aliqua Hepatis & venarum læſione in venam cavam leniter urgeri & flari poſſit, qua de re vide Gliſſenii Anatomiam Hepatis. p. 272.

Tunica tantum unicâ venæ præditæ ſunt variiſque intus valvulis, maxime in externis artubus.

Nutriuntur ſanguine per *Arteriolas* accedente, minime Venis ipſis contento.

Tactu gaudent & à ſeipſis & aliquando etiam à Nervis.

Uſus eſt ſanguinem non ſatis elaboratum ab Arteriis excipere, cordique ac Hepati quo perfectiùs coquatur reſtituere.

Methodi melioris in ſequentibus

Poetic

Poems

Antley Christie

Howitt - Homes of the Poets — W

Milton - 1st Edition P. Lost 1669 July/57

Chaucer Canty tales 1845 scarce " /58

" poems modernized by L Hunt &c "

Rural Poetry of the Eng Langt — by

Prof Jenks 1856 2-7/58 — 7

Song of Roland as chaunted bef the

Battle of Hastings by a Norman

Minstrel trans by Mr March

Sm 4to ~~[illegible]~~ new clo, / 2 - 8/58 1854 Supplemt 4

Thomson's Seasons & Castle of

Indolence 8vo 2 - 8/58 Supplemt

Clo. 8/ hf morocco 9/6 1841

Wordsworth W. Poetic Wks compl

6 v 18mo 1849 2 - 8/58 Supplemt

new clo. g. leaves 14/

Coleridge & Hartley Poetic Wks 1/2

40 fcap 8vo 1851 2 - 8/58

Cowper's compl thick p 8vo 1857

2 - 8/58 morocco g.e.

Crabbe's compl 6 v 8vo 1823

2 - 8/58 - bds 16/

Mss
Cat. of the Harleian in B Museum
2 — 7/58 6

Astle Thos Pref & Index to the
Cat of the Harleian Mss
" ——— Mss in the
Cottonian Liby 8vo

26/12/58
Επειδηπερ conj. Forasmuch as
πολλοι = many
χειρ = Hand
εν pref. changes somet. into εγ or επ
— ησαν = (they) have — ed
ταξις = order
ανα verbal prefix
-ασθαι = infin. to —
πλεος = full
~~πε—~~ = ~~verbal prefix~~
~~-πεπληροφορημενων~~ = ~~are — ed~~
or ~~have been — ed~~
πρασσω root = I do
πραγμα = act, &c
—— των = gen pl —

tibus obſervandæ gratiâ, venas omnes in ſpecie hic deſcribere, ſuoſque dividere in ramos, cogimur.

Vena Cava, ex Hepate uti jam ſupra diximus, originem ſuam trahit, & in *Truncum* dividitur *aſcendentem* & *deſcendentem*.

Aſcendens qui major, diaphragma perforat, in quatuor ramos dividendus. Horum

1. *Phrænica* dicitur, per diaphragma& Pericardium ſe diffundens.

2. Coronaria, cordis baſi dicata, ex ipſo trunco, poſtquam Pericardium penetravit, orificioque amplo, &carnoſo, auriculæ cordis dextræ interiùs unita procedens.

3. Azygos, ſive ſine pari, à trunci ejuſdem, ubi aſcendens Pericardii partem ſuperiorem tranſiit, latere dextro prodiens. Præcipuos ramos coſtis octo inferioribus exhibet,

hinc, circa diaphragmatis appendices carneas, ventris imi cavitatem intrat, ubi in latere finiftro venæ emulgenti, in dextro trunco cavæ, inferitur.

4. Subclavia, ex qua furfum deorfumque Ramuli varii prodeunt. Horum fuperiores funt

1. *Mufcula fuperior.*

2. *Jugulares externæ & internæ.* Externæ utroque latere, (modo fimplex, modo duplex) collum, caput, & faciem accedunt; internæ meningem craffam cerebri, cujus finui tertio major ejus ramus unitur.

Inferiores funt

1. Intercoftalis, coftis quatuor fuperioribus, earumque intercoftalibus mufculis, inferviens.

2. Mammaria, quæ ad mammas defertur.

3. Mediaftina, quæ ad Mediaftinum & Thymum.

4. Cervicalis, quæ ad cervicem.

5. Muf-

Foote: (Dramatic wks compl 6 (1800) 2 – 8/58 | 2 v 8vo 9 7/
Centlivre: Mrs: (Dramatic wks 3 v 12mo S 2 – 9/58 ng 7/

Plays

Addison

Otway

Cibber Colley Dramatic wks Compl. 5 v 12mo 1735 2 – 7/5

{ Ayscough Saml 1745 – 1804
Gl Indx to Shakesp. c

Baker, David Erskine compiled a useful bk entitled "the Comp. to the Playho." 2 v 12mo aftds improved by I. Reed & printed in 1782 in 2 v 8vo a subseq but infer. edn has app. in 4 v 8vo

Collier Jno. Hist early Eng Dramatic Poetry & Annals of the Stage tthe Restoration 3 v p 8vo 1831. 2 – 8/5 } Cfex flearing 30

Scarce

Dryden's Comedies & Tragedies 1st Collectd Edn 2 v fo 1701 2 – 8/5 Cf 18

German theatre contg most favte plays of Kotzebue, Schiller, Iffland, Goethe, &c trans. by Thompson 6 v 1806 2 – 5/5

Marston's Tragedies & Comedies 1st collectd Edn 1633 12mo 2 – 8/5 R Cf R – 61

Technological Dicty.
Crabb's B Ed. 1832 7/58
Craik's — 55 " "

100
aeltern = parents
aufwand = spend...
vornehm = Illustrious
Herkunft = Descent
genug = Suffict
Glossaries
DuCangii Glossarium ad Scriptores
Mediæ & Infimæ Latinitatis
3 v. fo 1681 2 8/58 7 36/

leite = guide v
traue = trust

on Learng
Baker Thos wrote Reflectns on Learng
Anonym 1st print 1710 c

Reihe = ~~Row~~ Course
(meide) = avoid
sturze = precipitate v

170

5. Mufcula inferior, quæ ad cervicis Mufculos.

6. 7. Thoracica fuperior & inferior, quæ ad Thoracis mufculos.

Subclavia, hæc Thorace egreffa Axillaris dicitur, brachia hinc accedit, ubi in ramos tres, infignes valdè, dividitur. Sunt hi——

1. *Cephalica*, in manu, inter digitum minimum ipfiq; vicinum falvatella dicta, Rami ejus variè ramis medianæ mifcentur.

2. *Bafilica*, five Jecoraria.

3. *Mediana*, quæ fimiliter ac ramuli alii, ex Bafilicâ prodit.

Defcendens truncus, qui minor indivifus ad vertebram Lumborum quartam ubi devenit, communicat

1. *Adipofam* membranæ renum.

2. *Emulgentem*, mediocri orificio præditam, renibus ipfis.

3. *Spermaticam* teftibus.

4. *Lumbares duas tres* aut *quatuor*

tuor lumbis eorumque vertebris.

Offi facro vicinior in ramos duos magnos, *Iliacos* feparatur. Hi antequam pedes accedant truncus ipfe exhibet.

1. *Mufculam fuperiorem* mufculis lumborum & Peritonæo.

2. *Sacram modo fimplicem, modo geminam*, offi facro.

3. *Mufculam mediam* natibus.

4. *Hypogaftricam veficæ*, ejufque collo, fphincteriani, utrique collo.

5. *Epigaftricam* mufculis abdominis, & Peritonæo.

6. *Pudendam* pudendis.

7. Mufculam inferiorem Coxæ articulo.

Iliaci rami quam primum ventris cavum reliquerunt Crurales vocantur.

Ab his procedunt.

1. Ifchiatica minor coxæ, cuti, & mufculis.

2. Ifchiatica major coxæ, deinde omnibus pedis digitis.

Italy

Addison

29/12/58

Glaube = Belief

(Furchte) = Fear v

(Aufwand) = Expense

verfuhre = mislead

(Nimmen) = Take inf.

Nehmen ar —

French Dic

Levizacs Fr Eng revd & amended shewg the irregularities of the Fr Pronunctn By N Lambert 1 ed. Pub 8/18

Meadows Pronoune Fr E 33 Edn entirely re-edited 18mo pub 8/58 4/6

Befehl = Command imp

Schwer = Hard, difficult

Kenne = Know

weisen = Know

Bestimme = Appoint

Weihe = Consecrate

Pr

Queries —
Who is Hallam | see
2 Jul 58 No 86
Sprinkled Edges 2 7/58 —
New Kee Calf Gilt 2 8/58 —
Fcap 8vo 2 8/58 —

180 Trieb = Impulse
helfe = Help. v
Hindern = to Hinder —
ueberwinde = overcome —
Bein = Leg
Gestatt } = the shape
Wuchs }
Gang = gait
Lache = Laugh v
Lacheln = Smile
Seufze = sigh v
Thrane = a Tear
Enkel = Grandson
Schwieger — — in law
190

3. Poplitica popliti.

4. Suralis, musculis suræ.

5. Saphæna, genu, malleolo, pedis extremi parti superiori, pollicique dicata.

Vena Cava ubi Cor egreditur, Valvulas tres interiora spectantes, tricuspidales, accipit, ad id, ut sanguis liberè Cor intrare, redire minimè, queat.

Usus ejus est sanguinem crudiorem ab Arteriis accipere, cordique remittere.

Vena Porta, venâ cavâ longe minor & laxior, ex venâ Umbilicali oritur, variisque radicibus Hepati inseritur. Extra id in Truncum & ramos dividitur, quorum omnium distributio ad partes imo ventre contentas varias.

Ex Trunco prodeunt.

1. *Gastro-ipiplois*, omento & Ventriculo.

2. *Intestinalis*, Intestino duodeno.

3. *Cysticæ gemellæ*, vesicæ felleæ.

4. Ga-

4. *Gastrica minor* latere sinistro ventriculi inservientes.

Dividitur deinde Truncus hic in ramos duos magnos Splenicum & Mesenteriacum.

Splenicus Ramus Pancreati quandoque adsitus, aliquando id transiens, quatuor ramulos promit, quamprimum Pancreas reliquit. Suntque hi

1. *Vena Gastrica major* quæ Lienem accedit, *Venas* tres quatuorve *breves*, inde ventriculo communicans, hæ, in animalibus vivis, cadaveribusque inflatæ, manifestissimè declarant, nihil omnino cavitatem ventriculi intrare posse, adeoque nec humorem aliquem à Liene accedentem, quod jam longo nimis tempore docuerunt, judicarunt, & scripserunt viri docti, cum intra ventriculi tunicas terminentur, neutiquam in cavitatem ipsam hient.

2. *Epiploica dextra.*

3. *Coronaria stomachica.*

4. *Epi-*

Medals & Coins - Coin dealers
Addison
Hawkins - Coins
Pinkerton

(Bestgemme) = Appoint
Schwager = brother in law
Stief — = Step —
Verwandte = Relatives
Oheim = Uncle
Base } = Aunt
Muhme }
Neffe = Nephew
Nichte = Niece
Vetter = Cousin

Martyrdoms
Ll. & Memoirs of Lives &c of most emt. Protestant Martyrs fr 1637 - 1660 to 1668 2 8vo. V. of 6/c
Fox's Acts & mon^ts of the Ch. wh preliminary Dissertation by Rev. G. Townsend ed. by Cattley 8 v 8vo 1844 2 8vo Best readable ed. Bk Martyrs

Periodicals

Dickens Household Narrative

2 7/58

Geschwister Kinder = 1st cousins

Ehe = Marriage

Gemahl = Husband

Gattin = wife

Diener = servt

Magd = female servt

Kammer = Chamber

—— madchen. Lady's maid

Pfortner Porter

Hüte = guard

Law

Ballow Rd pub "the Grounds & Rudiments of Law & Equity alphabetically digested wth 3 tables fo. Cont: Compy wth Akenside

Kleid = cloth, Coat

Stucki = article

Hemd = Shirt, Shift

Rock = Petticoat

Stiefel = Boot,

Schnupfe = Snuff. ?

Tuch = Cloth

(Trieb) = Impulse

4. *Epiploica finiſtra.*

Meſentericus ramus ſimiliter in quatuor diſtribuitur alios. Horum

1. Antiquam appellationem retinet, ramulis quatuordecim pluribuſve per Meſenterium diſtribuendus.

2. Vena Hemorrhoidalis Lienem, uterum, atque Inteſtinum rectum.

3. Vena Cæcalis, Inteſtinum cæcum.

4. Ramus Meſocolicus, inteſtinum colon accedens.

Uſus Venæ Portæ eſt, ſanguinem minus debito elaboratum ab Arteriis aſſumere Hepatique ad perfectiorem coctionem, biliſque ſeparationem adferre.

Vena Pulmonalis (quam Antiquiores perperam Arteriam Venoſam appellarunt cum unica tantum Tunicâ conſtet, ex ſe non pulſet, neque ſanguinem reducat) ex Ventriculo

Cordis

Borde = Pun...
Stock = Stick. Can...
Schnu... = Lau...
(Leib) = ...

Cordis ſiniſtro prodiens, patente orificio, pulmones accedit, ſanguinem imperfectiorem ex Arteriâ Pulmonali accipere, cordique afferre apta.

Antequam Corde egrediatur *Valvulis* gaudet *duabus Mitratibus* mucrone exteriora ſpectantibus, ſanguinis ad pulmones regreſſum impedientibus.

Uſus ejus, ſanguinem ex Arteriâ Pulmonali acceptum, in ſiniſtrum Cordis ventriculum deferre. Want by f.

Above
About

220

(Haufe) = Crowd.
(Hinlanglich) = Suffect.
(Gefallig) = Pleasure
(aufwand) = Expense
(leite) = Guide. v
(Schwager) = Brother in law

CAP.

220

Temple & Templars
Addison

Wiederfang = West
Fuhllend = Feel
Last = Load n
Katze = Cat m
Vieh = Cattle

German lang.
Finiguer [illegible] Concise & Easy Grammar & System of learng German 12mo pub 8/58 –/–
t
Von Andlau's (Baron) Key to the " Gr lang. 3 ed 12mo –/–
Thus F Remodelled Gr Grammar wh exercises & lessons on a " most simple & comprehensive plan by A C Meissner 2 ed 12 mo 1/ pub 10/58

Fullen = Colt
Hoehle = Den
Heerde = Flock
Bock = Goat
Ziege = She Goat
&c

Short Hand &
Reporting Aids to or the Student's Guide
to Prof. Occupation by a Parliamentary
230 Veteran 18mo Pub 8/58 1/-

Wind-hund = Greyhound
Hase = Hare
Huf = Hoof
Loewe = Lion
Spanferkel = Pig
Kaninchen = Rabbit
Schaf = Sheep
Haut = Skin
Schwanz = Tail
Schnauze = Snout

Origins 240
Brand J. Illustr. the Origin of Vulgar Customs &c. Bl. 2 v 4to 18[illegible]
2 8/58 1/2 moroc 30/

CAP. VIII.

De Venis Externis.

HActenus de Venis Internis, *viz.* Vena Cava, Vena Porta, Vena Pulmonali, Vena Lacteæ, & ejus Ramis.

Nunc pauca loquemur, de Venis Externis, vel propriis pro Sanguinatione vel Phlebotomia.

In Phlebotomia, necessitatis tempus est cum morbus inducias nullas dat, ob gravitatem ut in peste, squinantia, Pleurisi, Phrenesi, Apoplexia, & id genus aliis in quibus, electum expectare tempus periculosum; eo quod citissimè interimunt, tempus vero Legis urgens necessitas non recipit, quare omni tempore, omni hora, & interdiu & noctu vena inciditur.

Figura.

A In

A In medio frontis aperta, confert oculorum abſceſſibus, hemicraniæ, cephalalgiæ, phrenesi, veſaniæ, delirio & lepræ.

B Venæ temporum inciſæ ex utraque parte frontis, valent contra dolores Aurium, & nimium oculorum rheuma.

C In angulis oculorum, venæ ſectæ conducunt in viſu clarificando, fluxuque avertendo, nebulam ſeu albulam quam ungulam dicunt, diſcutiunt palpebrarumque inverſionem corrigunt.

D Aurium concavitas utrinque venis referta ſingularibus quæ tuſæ ex utraque parte capitis tremorem tollunt, tinnitum aurium auferunt, & novellam ſurditatem accreſcere prohibent.

E Gravedinem capitis & oculorum fluxum curat vena in ſummitate naſi ſecta.

F Venæ

Manchester

Aikin 30/12/58

Tchurtze = Apron
Muetze = Cap
(Kleid) = Coat
Baumwolle = Cotton
(Stiefel) = Boots
Frauen = Women
Schlaf = Sleep
~~10~~

Westm Abbey
Tottingham
Hart

Beutel = Purse
Schere = Scissors
Seide = Silk
rmel = Sleeve
Pantoffel = Slipper

50

French langᵉ

Tiessot C. Tables f. the Conjugatⁿ of the
Fr. Verbs by wh. upwards of 5.00
verbs may be conjugated acc.
to the same gl rules 2d Pub 8ᵛᵒ

-/ £

Einlade 250 = Invite
(Bleibe) = stay
Hätte = m.t have
Ihre = their, 2
Sollen = to be obliged
(Weinen) = to weep
Herzog = Duke

Epitaphium

Le Neve's J. Monumenta Anglicana
1719 bef Inscriptⁿˢ on Monuᵗˢ of
Emint Persons since 1600
in evy pt of Engᵈ to 5 vol.
2 10/58 nw panelled of gil.
70/ Dent's Copy sold for £10.

Stehen = to stand
Mogen = to care
Tanz = Dance
Dürfen = to be permitted
Zimmer = Room
Lassen 260 = to leave

F Venæ duæ retro aures ex utraque parte valent ad bonam memoriam, & ad mundificandam vultum, à pustulis, & omnes alias maculas faciei.

G Venæ labiorum incisæ apostemata ore existentia & gingivas infestantia tollunt.

H Faucibus oris conferunt pustulis faciei, scabiei capitis, doloribus dentium & mandibularum, Gravedini Capitis, Gutturis & Oris.

I Sub lingua sectæ valent ambæ contra dolorem dentium, & gingivarum, & contra rheuma capitis, contra apostemata gutturis, contra squinantiam, & omnia oris vitia.

K Venæ sub mento conducunt maxillarum dolori, pruritum auferunt, & narium fætorem, dolores faciei & pustulas, item pectoris dolores.

L Sub axillis sunt venæ balfores dictæ, quas si quis incidi curaret

curaret ridendo vitam claudderet quare ſemper fugiendæ.

M. Tranſiens vena ſiniſtro & curvo modo in ambobus brachiis debet incidi contra dolores pectoris & pulmonis, confectis qui graviter ſpiritum trahunt.

N Vena cephalica à capite habet principatum, hinc inciſa valet contra fluxum oculorum, & contra omnes dolores capitis, & contra caducum.

O Hepatica vena ſi non bene incidatur locum facit tumeſcere, nec non & apoſtemata generantur, & ſpaſmus in brachiis & digitis, feliciter inciſa conducit omnibus doloribus jecoris & ſtomachi & ſplenis, fluxum reſtringit è natibus, tollitque puncturas lateris, inciſio ejus præcipuè & principaliter debet fieri Nonis Maii die poſt feſtum ſancti Chryſoſtomi id eſt 7. Maii.

P. Me-

Theol (Jewish see) [illegible]

A Kempis De Imitatione Xti

Croly -

Da Costa - Harmony of the Gospel,

Hone Apocryphal New Testamt

Hooker's Wks Bp Ed 1705 2-7/58

Laborde's Journey thro Arabia Petraea

Anti Protest 2-7/58

Worley

Watson's Catholyke Doctryne concerny the
BL 7 Sacraments 1558 2-8/58 [illegible]

Anti Xtn

Hitchell

Semi Xtn

Thomson

James Bp Calcutta Semi Sceptic 2-7/58

Xy Anti Deism &c

Leland

Forster Patriarchal Evid of Revealed
Relign 1844 2-7/58

Bible Translators - Greek
Howard H.E

Bibles celeb.
Guttenberg's
Bagster's Eng Hexapla
conts Orig. Grk & 6
impt. Trans. in
Parallel Columns
2 Jul 15 No 81

Pict. Ed. with copious
ns by Kitto & Geo. [illegible]
eng. steel 4to 4 v.
8vo 1855 Last Ed.
2 8/58 do. 4 5/

Nw Eds.

Birch Rev. H.
Ball John a Puritan wrote on the
grounds of the Xn religion

Hebrew Bibles rare
Berol Jablonski 1711 Rare & curious
as bei the smallest ed per 2 Jul 56
Athias Joseph pub one held in g.
esteem 2 v 8vo, 1667 c

(Bible

P Mediana si non bene incisa fuerit dat spissiorem sangui- nem, bene vero tacta pro- dest contra omnes dolores membrorum cordis, stomachi, costarum & laterum, ex er- rore incisionis saniem pessi- mam nutrit, & vulnera sa- niosa, & ad perniciem ho- minum producit, principa- liter fieri debet ejus incisio Nonis Septembris circa fe- stum nativitatis beatæ Mariæ Virginis.

Q Venæ in ambobus lateribus corporis inciduntur contra pu- stulas aquaticas & contra Lien- teriam.

R Vena inter pollicem & ma- num in utraque manu ape- ritur contra dolorem capitis, oculorum, contra febres & fel- lis effusionem.

S Vena inter medium & An- nularem in utraque manu nunquam incidenda, nisi quod

quodſummum ſe præcipitaut velit periculum.

T Vena inter minimum digitum, dicta ſalvatella in utraque manu, aperitur contra Iſteritiam, item vitia ſplenis, febribuſque qualitercunque ſubvenit: ac ſi melancholia peccaverit in ſplene nimia repletione, tum in ſiniſtro Latere tundenda, item quando uterus nimis repletus, nec non in apoſtematibus & doloribus renum: In dextra vero parte ſeu manu ſalvatella venit aperienda quando ſanguis peccat in qualitate vel in quantitate vel in utraque; ſi quidem Hepar in dextram, matrix, Splen & Ren, ad ſiniſtrum declinat latus.

U Sub præputio vena ſecta valet contra Hydropiſim & corporis tumores.

X Vena ſuper priapum, commode ſecatur in tumoribus &

(Hinlänglich) . Suffect

Schaf = Sheep

Einladen = Invite

Sollen = to. Oblige

Architect
Aldrich
Colli,
Gwilt
(Petit, Ch

vor = Before
Reiten = to Ride, horseback
Lenen = [illegible]
Vetter) = Cousin
(Bestimme) = appoint
(Weihe) = initiation
Rhetoric
Bulwer

(Verfuhre) = Misbead
(Befiehl) = Command
(weissen) = to show
(Bestimme) = appoint
Weihe = initiation
Schwieger — — in law
Schwager = Brother in law
Stief — Step —
Verwandte = Related
Schnur = Lace

Bibles celeb + Books relative
Pictorial Dic of Bible
2 — Jul 58 No 82

Struempffe = Stockings
Faden = Thread
Sammt = Velvet
Weste = Waistcoat
Gerste = Barley
Scheuer = Barn
Sumpf = Bog

270

New Test —
in Englyshe & Erasmus' Latin
in parallel Colmns the Eng in
Blk Letter 1550 Very scarce
2 7/58 }
Bagster's Analytical Gr Lexicon
{ an alphabet arrangement of ev
wd & inflection in N.T. 4to
pub 25/ 2 — 10/58 blue cf 6/
Revised (Inappropriate) Versions of Scriptures
being printed See New Bk
Pub. 2 — 10/58 under the
hd — American

& inflammationibus testiculorum, & vitiis vesicæ ex urina & calculo generatis.

Y Duæ venæ coxarum & tibiarum, in utroque pede evacuatæ tollunt coxarum, tibiarum & crurum dolores, prosunt Nervorum contractioni & tumoribus.

Z Vena sub utroque genu aperitur contra apostemata & dolores renum, lumborum, & coxarum, & vesicarum, arthriticas præcisiones mirabiliter curat.

1 *A A* Duæ venæ sectæ in utraque parte conjunctæ pudibundis valent contra omnia vitia; stranguriæ, lienteriæ vesicæ & testiculorum dolores.

2 *C C* Duæ venæ interiores sub talis in utroque pede quælibet proficua in arena & calculo, mulieribus quinetiam post partum non bene purgatis

malèque diſpoſitis ad recipiendum ſemen.

3 *BB* Venæ duæ exteriores Zaphenæ ſub talis in utroque pede phlebotomantur contra dolores Ancharum, & contra inflammationes & apoſtemata teſticulorum.

4 Vena utroque pede ſupra pedicam majorem valet contra ophthalmiam & contra faciei puſtulas, item crurum, nec non contra conceptionem.

5 Vena in utroque pede ſupra pedicam minimam, ſecta contra colicam magnum confert emolumentum.

ÆTAS.

Denus ſeptenus vix phlebotomiam
(petit annus;
Ætatis mediæ multum de ſanguine
(tolle;
Si puer atque ſenex tollet uterque
(parum;

Ver

Sports
Alken
Kentfield on Billiards 1839 2 – 7/88
Angling Anglers vade mecum 1681 " 8/58
" Brookes Art of Angling 1774 " —
" The Gentn Angler 1786 " —
" North's Disc. of Fish & 1714 " —
70 " Walton & Cotton's Compl Angler 1772 " —

Vogel = Bird
Huechlein = Chicken
Hahn = Cock
Ei = Egg
Fluegel = Wing
Bad = Bath
Bruecke = Bridge
Bauen = to Build
Schloss = Castle
Stadt = City
Huette = Cottage

Pope wks
Defoe's Relig. Courtship 1737 2 — 7/35
Burton's Anaty of Melancholy 3rd ed
augmented by the Author fo. 1632
2 — 858 — cf 21/
280

Ecke	=	Corner
Wirthshaus	=	Inn
Muhle	=	Mill
Pallast	=	Palace
~~Fuss~~	=	Foot
Weg	=	Way
Kram	=	Shop
Thurm	=	Steeple, To[wer]
Vorrath	=	Store
Stadt	=	Town

Ver tollat duplum, reliquum tempus
(tibi ſimplum
Æſtas ver dextras Autumnus Hy-
(emſque ſiniſtras.

TEMPUS.

Quatuor hæc membra, cephe cor pes
(hepar vacuanda
Ver cor hepar Æſtas, ordo ſequens
(reliquas
Hi ſunt tres menſes Maius, Sep-
(tember, Aprilis.

USUS.

Uſum phlebotomiæ ſequentia docent.
Lumina clarificat, ſerenat phlebo-
(tomia
Mentes, & cerebrum, calidas facit
(oſſe medullas
Viſcera purgabit ſtomachum ventrem-
(que coercet.

CAP. IX.

De Arteriis.

ARteria pars est similaris, spermatica, membranosa, rotunda, Cava, osculorum ope venis ubique juncta, sanguinem nutritium cum spiritu vitali, continens, omnibusque corporis partibus adferens.

Differentia. Duplex hæc est, *Magna* sive *Aorta*, & pulmonalis.

Arteria magna ex ventriculo Cordis sinistro prodit; duplici ubique præterquam in Cerebro, partibusque aliis mollioribus, *Tunica* constat: Narium exterior illi quæ venarum crassitie similis est: at interior quintuplo crassior est, ne, circa partes duras atque consistentes continuo

Histy Eng. Sco. Salet[t] to Hist[y] &c

Amos - temp. Chas II.
Anderson, Mary Q Scots
Clanricarde - Chas II
Clarendon - Rebell[n]
Hall. 2[d] bef Eng
Turner - Angl Saxon
Chapmell H

Buckle Hist Civilizatn in Eng[d] 2 7/58 No 118
Fairfax's Letters + fle 1st part 1848-9
2 7/58 4v 8vo

Godwin's Hist Commonwealth & the
Restoratn 1824 2 - 7/58 2

Harington Sr J Nuga Antiqua
Collectn of Orgl papers
written in tms Hen VIII - Jas I
both incts 1804 2 - 7/58

Hervey Dr mem[rs] of Geo II. 1848 2 - 7/58
the Boswell of " & Caroline

Husband + Paynne's Collectn of papers
betw Chas I + Parlt 1642 2 7/58

Mattw Paris' Eng Hist 1235 - 1273
1852 - 4 2 7/58

Saxon Chronicle. Anct Eng[h] Histy exemplified by a dissectn of it
2 7/58 (...)

Old Divinity

Godly Sayings of &c 1550 — 7/5 8vo

12mo

Schwartz = Black

Helle = Clear

Farbe = Color

Dunkel = Dark

Bleich = Pale

Glanz = Brightness

Weiss = White

Carmasin = Crimson

Scharlach = Scarlet

Fleischfarbe = Chestnut

Anti Papal

Whately Abp. Errors of Romanism

1830 — 8/58 [illegible]

Barclay Wm 1541-1606

De Potestate Papae 8vo

of wh his son Jno wrote a

Defence of Bellarmin

Barclay Jno 1582-1621

Write a Narrative of the

Gunpowder Treason

(Geiste) = Barley

Sumpf = Bog

300

continuo pulſans, rupturam inſanabilem incurrat.

Valvulas tres, *Sigmoides*, exteriora ſpectantes, accepit.

Orificio vaſto Cordis ex Ventriculo procedens, antequam, Pericardio perforato, in Truncum aſcendentem, & deſcendentem dividitur, cordi coronariam exhibet.

Truncus aſcendens, qui minor, *Tracheæ* incumbens in *ſubclavias* duas ſeparatur, à quibus adhuc Thorace detentis, proveniunt.

1. *Intercoſtalis ſuperior*, coſtis quatuor ſuperioribus.

2. *Cervicalis* muſculis cervicis.

3. *Mammaria*, mammis.

4. *Carotis externa & interna* Laryngi, Linguæ, collo, capiti, & cerebro dicatæ.

Thoracem ubi reliquerunt, Axillares vocantur, pectorique nutrimentum adferunt.

1. 2. Per *Thoraciam ſuperiorem & inferiorem*.

3. Per *Scapularem.*

4. Per *Humerariam.*

Deinde tendunt ad Brachia, in quibus venæ cavæ ramis accumbunt atque succumbunt, eodem itaque nomine quo illi dignæ.

Truncus descendens qui major, thorace adhuc detentus.

1. *Intercostalem superiorem* octo inferioribus costis exhibet.

2. Phrenicam diaphragmati atque Pericardio.

Hinc, diaphragma ubi perforavit, communicat

1. Cæliacam ventriculo, à quâ Splenica & Gastro-Epiploica dextra.

2. 3. Mesentericam superiorem & inferiorem Mesenterio.

4. Emulgentem renibus.

5. Spermaticam testibus.

6. Lumbares Lumbis.

7. Musculam superiorem Abdominis Musculis.

Tandem in ramos duos Iliacos dividitur, circa divisionem hanc exhibens

1. Mus-

1. Mufculam inferiorem.
2. Epigaftricam.
3. Hypogaftricam.
4. Umbilicalem.
5. Pudendum.

Extra Abdomen nomen fuum mutant & Crurales vocantur, ficque per pedem defcendunt, venis ubique comites, à quibus nomina mutuari poffunt.

Ufus eft fanguinem nutritium cum fpiritu vitali ad omnes corporis partes deferre.

Arteria ulmonalis, (quæ malè *Vena arteriofa* appellatur, nam pulfat, & idcirco duplici conftat Tunicâ, & intra fe fanguinem nutritium continet) ex ventriculo Cordis finiftro emergens, duplici ramo Pulmones ingreditur, perque eos variis ramulis diftribuitur, fanguinem nutritium ipfis adferens; hic quod in fanguine non fatis coctum venæ Pulmonali exhibet, quo, ea mediante, cor-

dis ventriculo ſiniſtro reddatur ; & denique per Arteriam magnam omnibus Corporis partibus communicetur.

Valvulæ antequam è Corde egreditur ipſi conceſſæ ſunt *Sigmoides* tres , foras ſpectantes ne ſanguis eam ingreſſus in Cordis ventriculum relaberetur.

Uſus eſt, ſanguinem ex ventriculo Cordis dextro in pulmones deferre, ut eo nutriantur, & quod à nutritione ſupereſt, mediante vena pulmonali in Cordis ventriculum ſiniſtrum deducitur.

Hoc loco Anatomiæ cultoribus notificare placet , præter Valvulas 11 quas in vaſis 4 enumeratis dari indicavimus , *varias alias* in Corde inveniri, proprio adhuc carentes nomine.

300

Baid = Foon
Spiegel = Looking glass
Haube = Cap
Seide = Silk

CAP.

History French
Anquetil

Prêcomand = I Volon
Prêdige = Preach
Dew = whom
Haufig = Frequent
wer = who
: = is
Hin ~~[illegible]~~ = ~~[illegible]~~ forth / thither
of = whether

Histy Eng

Knight C Roper Hist Eng an illust
Histy of Society & Gvt Vol 4
fr 1642 - 1689 Mal 8/58

Heaths Chronicle of the Civil wars in
Eng &c & Restoratn wh con-
tinuatn t 1675 by J Phillips
Miltons nephew) front. eng
&c portraits fo 1676 2-8/58 (6

Henry Dr Hist of Britn fr the 1st invasion
by the Romans 12 8vo - 1788
2 8/58

Clarendon's Hist of Rebellion 6 v 8vo 1712
2-8/58 cf 21

(122

65) – Wr fathers
Augustin
BE Whs 10v fo
1679 & 1690

St Ambrose 397
Barbeyrac Jno | a Treatise in
th Morality of th Fathers
4to 1728

Schau = Show
Gast-~~hof~~ = ~~Inn~~ Guest
Hof = [illegible]
Edel = Gentle
Gebaude = Building
Wand = Wall
(Dach = Roof
Fenster = Window
Trepp = Staircase
Tisch = Table
Bett = Bed

CAP. X.

De Nervis.

NErvus eſt pars ſimilaris, ſpermatica, membranoſa, rotunda, alba, cava, ſpirituum animantium deductioni inſerviens, ut ita partes corporis mobiles ac ſenſiles evaderent.

Originem ſortiuntur Nervi ex cerebro, dividuntur intra Cranium in 8 paria, extra idem, qui nempe ex ſpinali Medullâ proveniunt in paria 30, horum 7 ex vertebris cervicis, 12 ex Vertebris Dorſi. 5 Ex vertebris Lumborum. 6. Ex oſſe ſacro.

Paria octo intra Cranium à cerebro prodeuntia ſunt.

1. *Par olfactorium* quod proceſſibus Mamillaribus adhæret.

2. *Par opticum*, quod maximum, in medio unitum.

3. *Par oculos movens.*

4. *Par guſtatorium primum.*

5. *Par guſtatorium ſecundum.*

6. *Par Auditorium.*

7. *Par Vagum*, quod Membranis robuſtis inveſtitum, per foramen oſſis occipitis deſcendit ad jugulum, ramulos poſtquam collo Laryngis, Linguæ, oſſiſque Hyoidis muſculis impertivit, hinc in ramum internum & externum dividitur in utroque latere.

Ramus externus dexter dimiſſis aliquot ſurculis ad muſculos pectoris, *Nervum* conſtituit recurrentem dextrum. Confert hic ad ſonum, imo ad tactum quoque in pleura, tunica pulmonis. Pericardio atque orificio ſuperiori ventriculi, cum partes illæ omnes ab eo ramulos nanciſcantur.

Ramus externus ſiniſter recurrentem ſiniſtrum efficit, ad eaſdem ferè partes accedens, quas accedere dextrum diximus, ad

Ventri-

Geol Cont @

Ansted Profr. Gosse P.H. 58 Huntingdon St Caledn r'd

Tilton

Mantell Geol of the S E Coast of Engld 2 7/58 1833 scarce

Dela Beche 2 7/58

Mineralogy

Dana

Scriptl Geol

Baylfe

Conchology. Shell,

Kerry

Dillwyn's Descriptive Cat: 2 7/58

Lamarc trans by Crouch "

over

Tizer

Imp 8vo Household Narrative

Teller = a Plate

Schussel = Dish

Messer = Knife

Gabel = Fork

Loffel = Spoon

Hand-tuch = Towel

Dorf = Village

9) Conchology

Reeve (Lovell) Elements 10 pts Royal 8vo a.
pub 1845 .. 7/3s

Wiese = Meadow

Weizen = Wheat

Getreide = Corn

Ventriculi orificium dictum delatus dextro jungitur, ſicque progreditur, & ad ventriculi orificium inferius, & ad Hepatis partem inferiorem.

Ramus internus dexter intercoſtali cuivis muſculo propaginem exhibet, Diaphragma ubi perforavit, infimi ventris partes omnes nervo inſtruit circa os ſacrum finem aſſumens.

Rami interni ſiniſtri eadem eſt diſtributio.

8. *Par* linguam movens.

Nervi *Cavitate* gaudent; at vero viſu eam dignoſcere non licet, niſi in Nervis Opticis, atque pudendi.

Uſus eorum eſt ope ſpirituum animalium toti corpori ſenſum & motum exhibere.

CAP. XI.

De Musculis, ejusque partibus in genere.

1. MUsculus si rectè definiatur, dissimilar vel Organica pars est, (à suâ propriâ membranâ, fibrosa carne, tendone, venâ, Arteriâ & Nervo formatus,) à natura velut liberi motûs instrumentum constitutus.

2. Sunt vel communes vel proprii, communes Musculi sunt 3. Vena, Arteria & Nervus: Proprii 3. *viz.* Caro fibrosa, Membranæ ac Tendines.

3. Arteriæ tam musculis, quam reliquis humani corporis partibus, vitalem calorem nec non nutrimentum deportant.

4. Hæ

India – E I Coy & other go / to India

Chapman J

Heber

() Mosen = to able

Schurtz = Apron

Seide = Silk

Reiten = Ride, horseback

Weissen = " Show

Sammt = Velvet

Scheur = Barn

Schloss = Castle

Muhle = Mill

Thurm = Tower

Vorrath = Store

Schwartz = Black

Egyptn Hist

Syncellus 0800

Chronography

Gr & Lat. h. 1652

Val fast of the

Egyptn Dynasties

2

Abbreviations ^ - -) (^ | ~ o

c Watkins Biog Dicy

2 Willis' Catalogue

S Scarce

VS Very Scarce

R Rare

C Curious

o Circulation or abt.

cg Calf gilt

Cat. Catalogue

CN Calf neat

BE Best Edition

N Neat

BL Black Letter

P Portrait

nd No Date

npcg new panel calf gilt

hm half morocco

Rex Russ extra

ncegl new calf extra gilt leaves

bcg blue calf gilt

4. Hæ communes musculorum partes appellantur, quoniam æque eis, ac ceteris corporis partibus communes sunt, quæ eodem vasculorum genere præditæ.

5. Partes propriæ sic vocantur, quia musculo propriæ & peculiares sunt.

6. Quarum prima est fibrosa caro, vel Carneæ fibræ quæ à nonnullis in duas partes distinguuntur; *scil.* Fibras & Carnem, iterumque fibræ in carneas & membraneas; fibram jam præcedentibus capitulis definivimus.

7. Unicuique musculo sit propria sua membrana, quâ involvitur, atque eam ab aliis distinguit cui ejus origo debetur.

8. Ultima Musculi pars propria, tendo est.

9. Omnibus Musculis, qui ad ossium motus designantur, sunt tendones quæ iisdem ossibus

bus inſeruntur, quæ moturæ ſunt.

10. Tendones nonnunquam rotundæ ſunt, prout in muſculo bicipiti, nonnunquam etiam latæ ut in obliquo & tranſverſo ventris muſculo.

11. Uſus ſive actio Muſculi eſt libera motus.

Muſculorum differentiæ à variis rebus ſumuntur.

1. Ab eorum ſubſtantiis, nonnulli enim ſunt carnei, *ſcil.* Linguæ & Laryngis, alii membranei, velut conſtrictores, aut interni adducentes naſi; alii etiam partim carnei, partimque nervoſi, velut temporales.

2. Qualitatibus, quidam ſunt longi, ut eſt rectus abdominis muſculus, longiſſimus dorſi, *&c.* & alii breves, velut Pyramidalis, abdominis imo; nonnulli lati, alii Anguſti, quidam vero denſi, aliique tenues.

3. Situ, nonnulli vocantur interni, alii externi, quidam ob-

Sallust by Barclay D 155 c

obliqui, arcti, vel transversi.

4. Principio, nonnulli ab ossibus proveniunt, alii cartilaginibus, prout isti Laryngis, aliique à membranis quæ alicujus aliûs musculi tendonem invertunt.

5. Insertione, ut oculorum musculus.

6. Compositione, seu partium varietate.

7. Actionibus, unde quatuor musculorum differentiæ sumuntur. 1. Enim nonnulli fraterni sive congeneres appellantur, quia alii alios in eorum actionibus adjuvant. 2. Alii sese movent ut sphincteres. 3. Quidam unicam habent actionem ut maxima pars musculorum, alii varias actiones, velut Masseter & Trapezius.

Istorum actionum causa efficiens est anima, vel loco-motiva animalis facultas quæ cum à quodam objecto provocetur aut repugnetur, totum corpus

vel

vel aliquod ejuſdem membrum movet, cujus motûs muſculi immediata ſunt inſtrumenta. At Nervi ſpiritus animales muſculis deportant, nec non mediata ſunt.

De Muſculis ipſis nihil hic addam, ſatis dicturus ſum ſuo loco, ſed duas figuras adjunxi quibus tot muſculos exhibui quot in tam anguſto ſpacio contrahi potuit.

Prima Figura.

Figura


a
k
k
l
l
m
m
g
i
l
l
o
o
r
s
s

Latin · 74

White Rev J. T. Lat. Suffixes
t p 8vo Rnb 8/58 2/

Figura prima Musculos in anteriori Corporis parte repræsentat.

a *Musculus Frontalis.*
b *Temporalis.*
c *Masseter.*
d *Mastideus.*
e *Deltoides.*
ff *Biceps.*
g *Extensor Carpi.*
h *Carpi constrictor.*
* *Pollicis constrictor.*
i *Juncturæ tertiæ Pollicis extensor.*
kk *Musculi Pectorales.*
llll *Musculi abdominis recti.*
mm *Linea alba.*
nn *Oblique descendentes.*
oo *Musculus Sartorius sive Fascialis.*
pp *Musculi* Femoris *recti.*
qq *Triceps.*
r *Pars Membranosi.*
ss *Vastus internus.*
t *Vastus externus.*

Figura

Figura secunda Musculos posterioris corporis partis repræsentat.

aa *Trapezius.*
b *Deltoides.*
c *Supraspinatas.*
d *Infraspinatus.*
e *Teres Major.*
f *Brachii extensor.*
g *Brachialis.*
h *Carpi extensor exterior.*
i *Carpi alter extensor.*
k *Musculus radii longus.*
ll *Latissimus dorsi.*
mm *Oblique descendens.*
n *Quadratus.*
oo *Glutæus maximus.*
p *Vastus externus.*
q *Pars Membranosi.*
rr *Seminervosus.*
ss *Semimembranosus.*
t *Gracilis.*
u *Triceps.*
x *Biceps.*
y *Subpoplitæus.*
zz *Gastrocnemius.*
a *Peronæus.*

CAP.

Topographers —

Coker — Dorsetsh
Cooper — Winchelsea
Cramer — Anct Greece
" " Italy
Garrow. Croydon
~~Humboldt~~ America and
Ashmole's Antiq of Berksh 3v 8vo 1717
1 v fo. 1736
Hutton Hist Bromingham 1806 2 — 7/58
A Domesday Bk of Oxfordsh is
publ trans by Bawdwen
Vol 2 8/58

Nineveh
Desprez Rev 1/5
Bonomi

London

Arnolde 1811

Tanswell J. Histy & Antiq^s of Lambeth
8vo pub 8/58 7/6

Bayley's Hist & Antiq^s of the Tower
2v. sm. 4to 1821-5 2-8/58

Prickett F. Hist & Antiq^s of Highgate
1842 plans 8vo 2-10/58 clo 1/-

CAP. XI.

De Carne.

CAro pars est similaris, sanguinea, mollis, crassa cum ossibus corpori firmamentum præbere, spermaticasque partes tegere, apta.

Differentia. Caro triplex est

1. *Musculosa.*
2. Glandulosa.
3. Viscerosa.

Caro viscerosa, *sive Paronchymatica* rubra est, & subdura vasorum fulcimento; variisque operationibus, nempe pulmonis, Cordis, Hepatis, Lienis, renum, *&c.* inserviens, de quibus suo loco dicetur.

CAP. XIII.

De Cute.

CUtis est pars similaris, spermatica, sanguine exiguo permista, rubicunda, alba, laxa, corpus investiens, & tactui tanquam pro instrumento inserviens.

Cuticula est instructa, ut tanto magis corpus nostrum tueatur, porisque ubique perforata, ut fuliginibus, vaporibusque inutilibus exitus detur, *Foraminibus* itidem prædita manifestis, qualia sunt Os, Nasus, Auris, *&c.* quorum unus unicuique satis est perspectus.

Venas Arteriasque possidet Cutaneas, imo & Nervos.

Usus est Corpus investire, præterquam quod etiam instrumentum sit tactûs.

CAP.

Hist. Dict.
Collier

Science & art
Year Bk. of Fact, therein pub; ann'y

Jewish Theo.

{Fleury's Customs of the Israelites
{trans'd by R^d Gough 1750 – 1758

Asser compil'd the Talmud in
the 5th Century. wh with
" Commentaries makes
in the Amsterdam Ed of
1644 12 v. fo –

CAP. XIV.

De Pinguedine, *Unguibus*, & *Pilis*.

PInguedo, Pili, & Ungues an partibus corporis annumerari debeant, an vero mutilibus corporis excrementis diu multùmque inter doctos agitatur. Verùm ego nemini bene curatam & pinguedine obſitam cutem invideo, neque de Pilis rixari ſoleo, imo non lacerantem unguibus, non facilè lacerabo. Qua de cauſa, ea nec excrementa habenda cenſeo, nec partes propriè dictas.

Non ſunt excrementa dico; corpora enim ſunt communi cum reliquis vitâ nutrimentoque gaudentia, neutiquam alia nutrientia, publicumque in com-

commodum usus obtinent singulares.

Non Partes sunt propriæ dictæ circumscriptione enim certâ destituuntur, nullamque operationem specialem edunt Pinguedo tempore necessitatis & inediæ nutrimentum præbet, Pili vero & ungues sine læsione totius decurtari queunt.

Adeps, Sive *Pinguedo similaris pars est, sanguine constans, mollis, alba, insensilis, calorem nativum conservare, Chylificationem adjuvare, motum facilitare, partes siccas humectare, & tempora inediæ corpus nutrire apta.*

Pilus pars est similaris, ex abjectissima sanguinis parte productus, partes quasdam tegens, & aliquomodo exornans.

Exterius quadratus est, intùs cavus, coloris varietas temperamento hominum, ætati, aerisque sive Regionis constitutioni debetur.

Unguis

Biog^y

Coxe of Sir R^t. Walpole
Cromwell " O Cromwell
Cunningham " Painters
Malcolm. Eng Topog^l. & Antiq^s.
Wright — Saxon & Norman Literati
Rose's life 1716
Costello Miss Mem^rs of em^t Englishwom^n
2 7/58 1

Gaskell Mrs Life of Charl^te Bronte — alias Currer Bell 1857 2-7/58
Goldsmiths O. Life & times by J Forster 1855 2 7/58
Asserius Life of Alfd pub^d by Abp Parker fo. 1574 by Camden in his Anglia Normanica 1603 & by Wise Ox 8vo 1722
Gazette's Life of Napoleon 2-7/58
Meara's Napoleon in Exile or a voice fr St Helena be^g the Opinions & Reflexions of N in his own w^ds 2 7/58

(2)

6) Eccles. Histy
St Gregory introd'd Xy into England
1 in VI Century 2—7/58 —

{Bede's Eccles Hist Eng trans. by Rev.
½ morocco J A Giles 1840 8vo pub 12/ 2—8/58
6/6

Fuller's Ch Hist of Britain fr Birth Xt Origl
E Bldr 1655 thick fo 2—8/58 with t...
Brook B. Hist Relig Liberty fr the 1st prom.
C. of Xy in Britn 2 v 8vo 5 2—9/..
(1800) hf cf ... 82

Presbyterians
Heylyn P Hist of them fo. 1670 2—8/58 9/9

Eccles Biog
Fuller's Worthies of Engld BE 2 v 4to
E 1811 2—8/58 + Ruf Ex 50/
Godwin Bp Cat of Eng Bps since 1st
C plantg of Xy wh their Lives & Acts
thick sm 4to 1615 2—8/58 5/

Unguis pars est similaris, ex parte itidem sanguinis impurissima genitus, flexilis, durus, digitos ab externis injuriis defendens, & quodammodo exornans.

Radix ejus ligamento cuidam jungitur, & ob vicinos adsitosque ei tendines sensilis est.

Liber Secundus.

DIVISIO

81a

Eng. Grammars

Ash easiest introd. t Low 1st

12mo Walkins

Adams E Elements of the Eng lang.
pub. Aug 1858

Etyms.

Ablepsy p. 7

Lexicog: Eng 82

Craig
Crabb Technologica
Ash Jnr 2v 8vo Watkins

Cant Dic

Carew
Grose

Italian & Eng
Millhouse, Pronouncing

Etym

Skinner
Minsheu's Guide into the tongues the Etyms &c in 11 langs fo 1617
2–10/5 8. cf 6/6
A very curious & useful old wk comprising Eng Welsh Highdutch Dutch Ital Spanish Portuguese Lat Gr Heb. &c

Geol cont f. 4

Marton Geol Mem^r of Western Sussex 1828 2 — 7/58

Geikie A Gleanings fr the Note Bk of a Field Geologist 12° Edinb. pub 8/58

Buckland (Dean Vindiciae Geologicae or the Connex^n of Geol. with Religion explained — 4to 2 — 8/52

No 272 — t

DIVISIO
Corporis Humani.

LIB. II. CAP. I.

CORpus humanum commodissimè dividitur in *Ventres* & *Artus*.

Ventres tres sunt.

1. *Caput*, sive Regio, aut Cavitas suprema, cui Collum additur quod ejus fulcinamentum est.

2. *Thorax*, sive Regio Media.

3. *Abdomen*, *Venter imus*, sive Regio infima.

Artus sunt *Manus* duæ, *Pedes* totidem.

Sed quia partes in ventribus contentæ, sunt maximè fluidæ,

& putrefactioni obnoxiæ, hæ partes primo per Anatomicos dissectæ sunt; sed ante omnes Abdomen, quia intestina continens, citiùs corrumpit, & Nares Artistæ offendit, & ideo secundum Methodum Anatomicam, cum illo, quamvis infimo, incipiemus.

CAP. II.

De Abdomine.

De partibus Ventris hujus externi.

INfima cavitas propriè *Vente* vocatur, dividiturque exteriu in tres partes.

1. *Epigastrium* est, cujus late *Hypochondria* dicuntur.

2. *Regio Umbilicalis*, cujus late *Ilia* dicuntur.

3. Hypogastrium, cujus late *Inguina* appellantur.

Pa

Curious & Rare Books — 85

Crowley 87

Gower 1493 R

Boccacio o 1470 " & 1520 2 jul 58

Chaucer + 6 "

Arnolde 1502 C

———— 20 "

Copernicus, o-43 "

T. More — 18 "

" — 67 "

" — 63 "

Caxtons R

Scarce — 89

Isidori missal

& Breviary —

Edinburgh scarce Watkins

Bannatyne Club Books of wh only 100 copies printed seem to consist of Reprints of Early Books illustrative of Scottish History see 2 jul 58 p 3. They seem to take the name from the Author who seems thus to be Historians & 1500 - 1600

Bischoff Hist of the Woollen & Worsted manufactures &c — jul 58

Damvilliers Elzevir 1667 2 — 7/58 — x

-84) Rare

Bunyan's Holy War 1752 2 — 7/58
" Come & welcome — 62 "
" Law of Grace — 0 "
" Pilg Prog 7 "
Early Edns of Bunyan of consid[ble]
Rarity
a/c Bunyan's Imprisnt in 1660.
1st ed 1766 — 2 — 7/58
Burchiello 1553 " " —/
Calvin on St John & Jude 1560
Engd . . . . J Kyngstone & ... fr J Harrison Jr 2 7/58
Caracioli. Hainbrun mcccc-Lxx.
2 — July/58 No 151
Dante Divina Comedia 1555 2 —
" Le terze Rime 1502
th. vy Rare Lionese Counterft of
the 1st Aldine Edn & ...
Decretalium Libri Koberger
mcccclxxxv-vi. A fine Specim
of Koberger's Press 2 — 7/58
Fryth's Boke agt More
blk letter 1545 2 7/58

Pars inferior Pilosa *Pubes* nominatur.

Abdomen sub integumentis communibus *musculos* habet decem, utroque latere quinque, ad excrementorum crassorum intestinis contentorum exclusionem magnopere utiles. Suntque hi

1. *Oblique descendentes*, quos superiùs Umbilicus, inferiùs in Viro, processus Peritonæi, in muliere ligamentum uteri teres perforat.

2. *Oblique ascendentes.*

3. *Recti*, lineis transversis in tres quatuorve divisibiles.

4. *Pyramidales.*

5. *Transversi.*

In medio Abdominis, inter utrumque Musculum rectum, ex concursu Tendinum latorum, tenuiumque musculorum reliquorum *Linea alba* oritur, sensilis admodum.

De *Venis*, *Arteriis* & *Nervis*, imi Ventris partium interna-

rum æque ac externarum, libro primo egimus, & ibi etiam quædam de offibus adduximus. Hæc curiofiùs examinanti, primo *Vertebræ* occurrunt *quinque Lumborum*, foraminulentæ admodùm, reliquis omnibus longe ampliores, craffiorefque.

Hifce fubjacet *Os facrum* triangulare, in adultis ex unico tantum offe, in junioribus ex quinque aut fex conftans.

Connexum huic *Os Coccygis*, in muliere extrorfum magis flexum, in viro magis introrfum.

Lateribus offis facri adftat *Os innominatum* five coxæ, ex tribus offibus cartilagine junctis compofitum. Horum

1. Eft *Os ileum*, multo craffius in muliere quam in viro.

2. *Os Pubis*, faciliùs feparabile ab anteriore parte in Muliere quam in viro.

3. *Os Ifchion* five *Coxæ*, finu præditum amplo, qui *acetabulum*

five

Humourists
Cruikshank

Facetiæ
Brown Tom Wks Prose & verse 1715
 4 12mo 2 | 10/58 ½ c/n 1/

Locks & Keys
Price G. Illustd Hist of them
2 – 8/ 1856 Supple. to. 4. Publ 50/ 1856
New do. 2/6 / 6

Curious

(Collier Jane) Art of Tormenting 2 — 7/58
(Famous Shoemakers in old time" 8/" 3
Rare 2 — 7/58 x 172 —5

(Lindy's Philosy of Mystery 2 — 7/58
(Diary & Horrors of the Ladye Adolie
1552 Reprint 1853 2 — 7/58

Ferguson R on Eng Surnames 2 — 7/58
Hoyland J on the Gypsies 1816 " "
Hudleston R Short & plain way unto
the Faith & Ch 1688 2 — 7/58

Popery - Staveley's Romish Horseleech
1769 8vo — 2 — 7/58

Aubrey Jno On Apparitions magic &c 1696
1721 & 1784 8vo c

Record R on Arithmetike Bk
1590 Scarce — 2 7/58

Reynard. Shifts of Reynard ... the ...
of Reynard the Fox - 1684
7/58 Rare

(Reeves Bruno) Englands Ruine. by
Sectaries 12mo 1647 2 — 7/58

Augustus D 1666 pub Steganographia

sive *Pyxis* dicitur, capiti ossis femoris recipiendo dicatum.

CAP. III.

De Abdominis partibus internis.

INternarum partium prima *Peritonæum* est omnes alias anterius & posteriùs superiùs atque inferiùs comprehendens.

Peritonæum est Membrana duplex. Origo ejus potiùs à vi membranificâ deducitur, quam à Meningibus cerebri.

Connectitur Diaphragmati & vertebræ primæ tertiæque, Lumborum.

Crassius in Muliere ab umbilico ad Pudendum adeoque fortius, circa Pubis ossa terminum adsumens.

In viro robustius ab umbilico ad Diaphragma, & postquam

vaſa Spermatica tanquam in Vagina exceperit, exteriorem Membranam deorſum ad teſtes dimittit, ubi tunicam eorum primam conſtituit.

Intra Peritonæi hujus duplicaturam vaſa quatuor umbilicalia recumbunt.

1. Vena Umbilicalis.

2. 3. Arteriæ duæ Umbilicales.

4. Urachus ab Umbilico proveniens, qui nihil eſt niſi nodus induratus vaſorum dictorum.

In infantibus hæc aperta, in adultis clauſa & in Ligamenta mutata.

Vena Umbilicalis Hepar accedit, Urachus veſicam urinariam, Arteria utraque Umbilicalis arteriæ magnæ ramos Iliacos.

Omentum, ventriculum atque inteſtina calefaciens, pinguis admodum eſt & duplex. Tunicis tamen conſtat tenuiſ-

ſimis

Botanists.

Curtis

Parkinson's Herbal 1640

Gordon G. & Glendinning R

Lindley J. Descriptive Botany or the art of describing plants correctly in scientific language 8vo 1/ Pub. 8/58

ornamental [illegible] viad a Celiaca to [illegible] gardens

Attiret [illegible] of Empr China's Gdns of wh a trans. pub Lond 1752

-824 Scarce Cont'd

[Defoe]. Compleat Mendicant 1st ed 1699 2 – 7/58

Digby's Mores 1826 2 – 7/58

Douce's Illustns of Shakespr &c 2 v 8vo 1807 2 – 7/58

D'urfey's Collin's walk thro Lond & Wm 1690 2 – 7/58

Le Napolitain ou le Defenseur de sa Maitresse 1734 2 – 7/58

Forbes Hist Brith Star Fishes &c 1841 2 – 7/58

Forster's Mahometanism Unveil 2 v 8vo 1829 2 – 7/58

Gay's Fables 1793 2 – 7/58

Heineken Fr 1771 " "

Hardn R Memrs Gall 2 v 8 vo 1830 very 2 – 7/58

Hume's Essays D 1822 2 v 8vo " "

Shore's Ns on Indian affrs 1837 2 " "

Jameson's Characteristics of Wn 2 7/

Jeffries Judge Bloody Assizes 1689 "

Langham's Garden of Health 1570.

ſimis foraminulis multis pertuſis.

Originem ſumit ex Peritonæo, ſub quo etiam decumbit, plerumque ſe eo uſque extendens, quouſque inteſtinum colon, quandoque tamen etiam ipſi oſſi pubis accumbit.

Ventriculus, chyli officina, tribus componitur tunicis; externa communis ipſi cum Peritonæo, intima cum dura Meninge, media propria eſt, iſta Craſſior, illa carnoſa, hæc rugoſa.

Fibras omnis generis habet, carne ſpongiosâ intus incruſtatus.

Situs agnoſcit in Medio hypogaſtrii, vertebris Lumborum incumbens, orificium ejus ſiniſtrum, Os ſive Stomachum dicitur, dextrum Pylorus.

Ventriculo continata ſunt inteſtina Chylum vehentia, excrementaque expellentia. Ejuſdem fermè cum Ventriculo

ſubſtantiæ ſunt, omniumque optimè in craſſa & tenuia dividuntur.

Tenuia reperiuntur tria.

1. *Duodenum*, in quo finem ſuum ſortiuntur veſica fellea, cum ductu Ch ledocho, & ductus novus Pancreaticus.

2. *Jejunum*, in quo venæ lacteæ copioſiores quam in aliis.

3. *Ileon*, quod omnium longiſſimum.

Craſſa etiam tria conſpiciuntur.

1. *Cæcum* cum Appendice vermiformi.

2. *Colon* cum ligamentis duobus externis, & valvulâ internâ.

3. *Rectum*, cum Muſculis duobus Anicratoribus, & conſtrictore ſive Sphinctere uno.

Inteſtina hæc omnia, ope Meſenterii & inter ſe & cum vertebris Lumborum connectuntur.

Meſenterium, membrana conſtat duplici, valida, plurimiſ-

que

Auto-Biog.

Cumberland
Castillo memrs. by himi. Eng. 2 - 7/58 L
Wolsey's 2 - 7/58
Herbert Ld of Cherbury 1809 2 - 7/58
Hunt Leigh 3 v post 8vo 1850 " "
Aubigne's Print 1431 s
Gough J B's 12mo pub 1/6 8/58
Lola Montez Auto Biog & Lectures 12mo pub 8/58
Digby Sir K. memoirs temp Cha 1. 1827
8/58

Diaries

Pepys Diary 2 - 7/58
Ward
Ashmole's 1 v. 1717

Anecdotes

Seward
1

85) Rare Bks.

Gardiner R. Englds Grievance 1655 2 7/58

Heures al'usaige de Rome 1500 2 7/58

Hori..e a Lat wk on Egypt Hieroglyphics 1517 2 7/58

Isiodori Ethimologiarum 1472 2 7/58

" anoth. Latin wk 1578 2 7/..

Leyden's Passio Xti (1520) "

Lucanus Aldine Edn 1502 "

Lupton T Answ of the Jesuit 1582

Martialis Aldine Edn 1501 "

(Mather) (Dr) Remarkble Relatn. extremely Certn Pirates &c Boston Rare 1726 Anonym 2 7/58

Mauroceni Lat MCCCCLXXIII

Musarum Delicia or the Muses Recreatn 1656 2 7/58

Pinto, a Portuguese Bk goth extreme Rare Lisbon 1614 fo 2 7/58 China

Poli R Reformatio Anglia 1562 2 o 4to Aldus 2 7/58

que inter Tunicam utramque recumbentibus glandulis. Exiles hæ admodum ſunt, ut omnino aciem oculi fugiant ſed plerumque ſe poſt diuturnum morbum exceptis tribus, produnt; quæ ex naturali conſtitutione majores, teretes, albicantes, & firmiori carne præditæ, conſpiciuntur.

Maxima earum in Medio meſenterii poſita eſt, & preſſa lac album tenuius; modo craſſius exhibet, quod nil niſi Chylus, idem etiam reliquæ duæ exhibent; quæſitum ſuum plerumque habent in ſiniſtro latere, ſub venâ emulgente ſupra Muſculum Pſoas haud procul à vertebris Lumborum.

Quemadmodum hæ glandulæ plurimas venas lacteas, ita quævis earum ramulum iterum promit, qui mox conjuncti *Venam Lacteam Thoracicam* conſtituunt, quæ modo dicto aſcendens, Chylum cordi ſubminiſtrat.

Pancreas pulvinaris ad inſtar ventriculo ſuccumbit, duodeno inteſtino connexum, in quod ductus ejus noviter inventus ab Auctore *Wirſungianus* dicto, penetrat. Sæpiùs in hoc bilis, nunquam vero ſanguis reperitur.

Lien ſanguinem emendans, humorem acidum continet, quem non per vaſa brevia ad ventriculum, ſed per ramum ſplenicum ad Hepar, ablegat.

Subſtantiâ conſtat rara, tunicâ propriâ, ex Peritonæo minime procedente tecta.

Coloris eſt ex atro rubicundi.

Ventriculi fundo cohæret ope vaſorum brevium, coſtis ſpuriis, reni ſiniſtro, omento atque Peritonæo quoque, & Diaphragmatis parti carneæ, carnoſarum fibrarum beneficio.

Viſcus nullum tam multis abundat Arteriis quam Lien, excepto cerebro.

Nervi,

de Pancreatis usu et usu auctores admodum differunt, id quod succi eius, quam sibi suppo sonasse nemo dubitare oportet. nam 1º pinguia oleosa et mucilaginosa sua saponacitate facit miscibilia aqueis [illegible]bus. 2º diluit crassa 3º omnia aliena [illegible] nostris [illegible] appropriat, quae nostri corporis, et adjuvat g[illegible]itatem assumptorum in nostram [illegible].

[illegible] in auctores lis est, de Lienis usu, id [illegible] est saepe Hepatis et bilis secernenda: attenuare et fluidiorem reddere ne sua spissitudine [illegible] ~~[illegible] et ut~~ bilis secretionem ~~[illegible]~~[illegible].

Nervi ad Lienem magna nervorum copia fertur a plexu splenico facto ex intercostali et vago, qui etiam ad omnia [illegible] pertinent Liens tamen non obseratus exercere m: a: [illegible] debilem m: v: et [illegible] obseruatur, quae [illegible] [illegible] dolem m. v. [illegible] non requiritur nervorum copia [illegible] est, nervos aliquid aliud hic praestare: ut succus nervosus et [illegible] vene Lienali [illegible] invigoret et attenuet sedimenta [illegible] sanguinis, et forsan quod quae [illegible] Eorum liquorum infunditur vasis Lymphaticis ut alibi in corpore.

Lien etiam uti hepar inflammatur vel erysipelate obstructione viscosa ac induratione subjectus est quae ubi suo proprio modo curandi sunt.

in inflatae haemorrhoides fluentes tum
obstructio in veterata et induratio
difficillime St curatu.

Animals,

Cuvier

Pennant / British Zoology

Carpenter

Bewick's Hist Quadrupeds roy 8vo 1807
2 – 8,58 – famous woodcuts

Nervi , quos à pari noſtro ſeptimo accipit , per tunicam potius quam Parenchyma ipſum diſtribuuntur.

Non in parte anteriore ſiniſtri lateris ſitum ſuum habet , ſed poſtica , circa renem ſiniſtrum , coſtis ſpuriis , vertebriſque incumbens, quod accurate obſervandum.

Hepar ſanguinem refrigerans, Venarum magnarum mater , in Hypochondrio reſidet dextro , magnamque ventriculi partem obtegit.

In duas quaſi partes dividit umbilicalem venam , quæ in jam natis pro Ligamento inſervit.

Magna, craſſa, & dura ſubſtantia eſt , rubri coloris.

Duobus Ligamentis ex Peritonæo connectitur Diaphragmati, & ad Muſculos Abdominis per Venam umbilicalem.

Ramos paucos à Celiaca accipit , Nervos varios ex ſpinali

Medullâ & ſeptimo noſtro pari.

Parti ipſius dextræ, inferiùs connectitur veſicula Fellis cum Poro Biliario, utriuſque rami cum ramis venæ portæ veſicula quadam communi Capſula *Gliſſonio* dicta comprehenduntur. Rami hi veſiculæ fellis & ductus coledochi ſive biliarii, in Hepate detenti, parenchyma totum pererrant ubique capſulæ nominatæ incluſi; rubicunda hæc eſt craſſitie Arteriæ ferè ſimilis, à Peritonæo, ut videtur, originem habens.

Rami externi conjuncti duodenum Inteſtinum perforant Arteriolas duas à cæliaca, venaſque ex venâ portâ *gemellas* dictas cum veſicâ ipsâ aſſumentes.

Renes ſanguinem depurantes carne conſtant ſingulari, denſaque tunica propria inveſtita.

Exterius pinguedine, & ampla, laxaque tunica à Peritonæo prodeunte inveſtiuntur.

Muſculis

Agric.
Cyclopedia Edit by Morton 1855

Bacon Ld
Novum Organum 1st print 1620 c

Draughtsmen Celeb

Allom 2 — 7/58 — p

Bartlett —— ——

Harding " "

Cresswick " "

Musculis lumborum incumbunt (sinister tamen dextro altior) intra Peritonæi duplicaturam, & superiùs ipsis accumbunt Glandulæ cavatæ, *Renes succenturiati* sive Capsulæ atrabilariæ dictæ. In has rami à Venis & Arteriis emulgentibus excurrunt, Nervi itidem à *pari vago.*

In Rene aperto carunculæ papillares novem occurrunt, per quas serum in pelvim distillat, per Ureteres ad Vesicam deferendum.

Ureter sive *Meatus Urinarius* hærens adhuc in ipsis renibus mediocris est magnitudinis, sed extra procedens valde angustus est, duabus ubique tunicis prædītus inferiori ipsi propriâ, & exteriori, quam cum Peritonæo communem habet.

Intra Peritonæi duplicaturam deorsum, supra Lumborum musculos, ad vesicam properat, cujus cervici inseritur, mox

mox intra membranas ſurſum aſcendit, ubi interiorem tunicam perforat, eodemque foramine cum alterius lateris uretere veſicam intrat exile hoc admodum, arcteque clauditur, adeo ut valvula hic nulla Urinæ regreſſum impediente, opus fuerit.

Veſica Urinaria membranis itidem duabus conſtat, harum externa craſſior eſt & carnoſa, interna minimè.

Intra Peritonæi duplicaturam in illâ Hypogaſtrii cavitate ſita eſt, quæ pelvis dicitur.

In fæminis vaginæ uteri anteriùs cervice connectitur.

Cervix hæc carnoſa valdè, fibrarumque ope Sphincteris inſtar aperit & claudit veſicam, in viris longior eſt, anguſtior, magiſque incurvata; in fæminis brevior, amplior, & recta magis.

Vaſa ſanguinea veſicæ rami ſunt vaſorum Hypogaſtricorum,

Sculpture

D'. Agincourt

Cunningham Allan Lives of em^t Britis[h]
Sculptors &c See Biog L,

Painters italic

Haydon's life

Hayley's " of Romney

Opie - Lec on Painting

Farquhar's Biog Cat of the Principal Italian painters with table of contemp^y schools in Italy 2 v 1855

Engravers

Pruett Biog thereof

Basire o 1775 | 2 1788 no 118

G & W Cooke o 1816 | " — 6

Raimbach o 1805 — — —

(6

Celeb. Engrs of Woodcuts

Bewicke 2 Jul 58 p 3

Jacksons Bewicke pupil Treatise
Scarce on Wd Engrav 1839 2 - 7/58

Jost Ammon as in Schoppers
De Omnibus Mechan
Artibus 1568 2 7/58

Paint cont p

James Schools of Painty 1822 2

Jervis Lady Painty & celeb Pain
1854 2 7/58

Lanzi's Hist Painty in Italy 1828 2

Hogarth illust p his own mss by J. Irela
1st 7 Bro 8vo 1791-8 2 8/58

• Biog Anecdotes of wh Cat of Wks 1785.
8vo 2 8/58 Pref w.

Baldinucci G. Hist. Paintrs 6 v prob Ita

Bardwell Thos Practice of Painty
Perspective 1756 4to

Barker Rt Inventor of the Panor a
or Birds eye views of extensi

rum, Nervos plurimos ex pari noſtro ſeptimo & oſſe ſacro accipit.

Reſtant adhuc *Vaſa Seminaria* vel *Spermatica*, quæ pro diverſitate ſexûs etiam diversè variant.

In viris primo occurrunt *Venæ* & *Arteriæ Spermaticæ*, utrinque una, ſanguinis ad teſtes deductioni, aliqualique præparationi, inſervientes.

Vena Spermatica dextra ex venæ cavæ trunco deſcendente oritur; Siniſtra ex emulgente ſiniſtrâ. Arteria utraque ex Arteriâ magnâ.

Quatuor hæc vaſa, contorta valdè, ureteribus inſtrata, teſtes accedunt, ſed antequam eos attingunt, circa & in proceſſu Peritonæi multis Anaſtomoſibus & quibuſdam Nervis uniuntur, & Corpus unicum efficiunt quod Pampiniforme vocatur.

Testes ipsi nunc sequuntur seminis Organa, Musculo gaudent Cremastere, tunicisque duabus communibus, & tribus propriis.

Communes sunt.

1. Bursa illa rugosa, quæ *Scrotum* dicitur, cutis nempe, tenuior & mollior quam aliis in partibus.

2. *Dartos*, carnosa, *scil.* Membrana vasis plurimis scatens.

Propriæ sunt

1. *Elythroides*, ex processu Peritonæi.

2. *Elythroides*, ex Musculo Cremastere.

3. *Albuginea* ex vasis Spermaticis.

Substantia testium alba est mollis, rara, glandulis aliquomodo similis.

Incumbit ipsis transverso situ Corpus vermiforme, quod sensim angustiùs redditum, vas ejaculatorium constituit, quod *Epididymus*, sive *Parastata* dicitur.

Vas

Histy

D'Aubigne – Reformatn

Crabbs Univ Hist Dicy 2v 4to 1825 – 7/58

Dibdin T Metrical Hist of Engd 10/- 17/- Julius Caesar 2v 8vo 1813 – 8/58

Bayles Hist Dic trans. Bk 5v fo 1734 – 8 2/6 9/58 ½ cf – 8/

Histns of their own time
Luitprandius
a Roman fl. 950
Printed 1640 fo.

Carew for B Life & Times 1499 – 1575
2 7/58 L

Scarce Bks cont for J

Marsden W. Malayan & Eng Ch.
1812 2 — 7/58

May T. Rn Hen 11. 1633 very 2 – 7/58

Newman Path Lect 1837 " "

Nicholson's Architectural & Engin.
Dic 3v 4to 1835 2 – 7/58

Notes on the 4 Gospels & Acts Picky 18..
2v fcap 8vo 2 7/58

Oorius 5 Bks tr. trans by W Blandie
1576 2 – 7/58

Pantaleone H Lat wk on German
Genealogies 1565 2 – 7/58

Proud's Hist Pennsylvania
very 1797 2 – 7/58

Rowlands' Antiqs of the Isle of Angle.
4to / 1766 2 7/58

Savage Rd Life by Buckingham
1727 2 7/58

Cervantes Don Quixote 1st Eng trans by
2 thick vols sm 4to cp 2 9/58

Vas ejaculatorium album, cavumque inſtar Ureteris, circa Veſicæ cervicem ſemen in veſiculas ſeminales defert ibique ſemen ad tempus commodum ſervatur.

Anteriùs, paululùm procedens, glandulas duas inſignes invenias, quibus liquor oleoſus acrimoniam Urinæ mitigare valens, continetur, hæ *Proſtatæ* vocantur.

Ultimo ſe offert *Penis* ſive *virga* urinæ ſeminiſque evacuationi dicata.

Subſtantia ipſi peculiaris eſt cui ſimilis in univerſo corpore non datur.

Cuticula, imo etiam in pinguiſſimis hominibus pinguedine omnino deſtituitur.

Cute legitur laxa, duplici, & *præputium* conſtituente & *glandem* tegente cui frænuli ope abligatur.

Cuti, panniculoque carnoſo vaſa ſupra deſcripta ſuccumbunt.

Hiſce

Hiſce vicini *Muſculi* quatuor: quorum duo *erectores*, duo *ejaculatores*, muſculis ſubjecta *Corpora* duo *nervoſa*, maximam partem Virgæ conſtituentia, ejuſdemve rigiditatem atque flacciditatem fungoſitate ſuâ procurantia. Infima parte penis *Urethra* occurrit, duabus tunicis conſtans, interiore tenui & valdè ſenſili, & exteriore craſſa, atque carnoſa.

In Fæminis *vaſa Spermatica* in hoc à virilibus differunt, quod breviora ſunt, & minora, ſerpentinoque ductu teſtes accedant, varios itidem ramulos tubis uterinis, ipſique utero communicent.

Teſtes molliores hic ad latera uteri collocati, ſemen elaborandi virtute pollentes: *Tunica* unica tantum teguntur, eaque propriâ.

Paraſtatæ hic nullæ. Veſiculis interius teſtes plurimis ſcatent, quæ & ſemen continent,

&c.

Bibliog:
DeBure
Ebert

Photius 891
Bibliotheca
contn the Subject
of nr 300 Anct
Authors
Be fo. 1653

Aungerville 1483
Lowndes

Burnett Specimens of Eng prose
writers fr earliest time, incl ass
y Notes 3 v p 8vo 1807
Clo 2 — 7/58

Brydges Egerton 2 — 7/58 8vo 143, 4

Corniani I Secoli de la Letteratura
Italiana continuata da Ja Ticozzi
2 — 7/58 1833

Dibdin's Bibliog Decameron 2 7/58
Heavy £9.9.0

Dibdin's Bibliomania 2 — 7/58
over

– Bibliog & Lit –

D'Israeli's Curiosities of Lit – 7/5.0

" Amenities of Eng Lit " "

{ Assemanni J S Bibliotheca
{ D. 1768. Orientalis 4v fo – c

" Italicæ Historiæ Script
cx Bibl. Vat. 4 v 4to

Landi Hist. Lett. de Italié

Aubry 8vo Baptist. L'Histoire des
c Auteurs Sacres & ecclesiast

Retrospective Review a voluminous
Cumety of Criticisms upon,
Analysis of & Extracts fr
Curious Useful & val old Bks
2 – 7/5.0

On Writg

Astle. The Origin & Progress of
Writg as well Hieroglyph
as Elementy. 4to 1784
2nd Edn – 1803

& utero, mediantibus tubis, exhibent.

Tubæ hæ utero omni parte cohærent, teſtibus tantum aliqua.

Cavitatem habent, ex duplici tunicâ conſtantes, veſiculaſque etiam aliquas continent, in quibus ſemen ulterius perfici multi volunt.

Uterus ſeminis, fætuſque receptaculum, in medio Hypogaſtrii ſitum ſuum habet in Pelvi, inter inteſtinum rectum, & veſicam urinariam.

Tunicas poſſidet duas validas, craſſaſque, quarum prima à Peritonæo, altera propria, & utraque fibras plurimas carneas.

Dividitur commodè in Fundum, orificium, & cervicem.


Fundum globoſa uteri pars, Ligamenta quatuor accepit: ſuperiora duo *Lata* ſunt, & membranoſa, oſſi Ilium connexa; inferiora duo rotunda ſunt

ſunt rubicunda, & ad Clittoridem pervia, unde inſtar pedis Anſerini per femoris anteriora ſe diffundunt, cavitate omni privata.

Orificium uteri arctè ſe conſtringens ſuoque tempore valdè iterùm dilatabile, tuberculo præditum eſt inferiore parte, foraminuliſque variis.

Cervix, ſive *Collum uteri* penis receptioni dicatus, rugoſus intus, & fere longitudinem octo digitorum tranſverſorum habens. Diſſecanti primo occurrit *Meatus urinarius*, brevis rectuſque, hinc meatui huic adſita *Clittoris* peni virili mollitie duritieve quodammodo ſimilis.

Huic adjacet Hymen, in ſui medio, ad tranſitum urinæ & menſtrui ſanguinis perforatum, Carunculæ huic quatuor Myrtiformes, quibus ſuccedunt Alæ ſeu Nymphæ deſcendentes & Labia Piloſa.


E
F
B
D
H
A
C
G
h
L
m
m
L
I
I
K
I
N
L
N
L
P
P
O

Homœopathy

(Drury W. V. Homeopathic Guide [illegible]
the Treatmt of Accidts & the [illegible]
of External Remedies pub. 8vo [illegible]

Medical

Barnhausen 1666 - 1723
Historia Medicinæ

Medical Books &c.
Chemists & Druggists

Bearley - Druggists Guide

Dawson - Spermatorrhoea

Barclay A.W.
Beale L.S.
Aitken W

Aspirini
D 1702 wrote
On the life of
the Fœtus in
Utero

Barclay Dr Manual of Medical
Diagnosis by Analysis of
18 57 Symptoms of Disease, thick
fcap 8vo. pub 8/6 2 1/6 ct. Cl. 1/6

Garbeu Aphorisms of Medicine 1770
12mo

Heart Diseases

Bellingham

Consumption - Consumptive
Hosp. Doctors
Cotton R.P.

On the Liver
Glissonii Anatomia Hepatis
1665 rare in Heath cond.
2 - 7/58

c) Engravers
Badolocchi many etchings by him in a v.y masterly style the best. wh is Raphael's Bible He flor. c1600 c
Cumberland's Critical Cat of Rare & val Prints fr the com. practice of the Art wh anecdotes of Engravers 18: 4to pub 42/ 2-8/58 7 ;
Baldinucci. Ital. a/c of the Progress D1696 of Engraving c
Bryan's Dic. Painters & Engravers wh lists of their works &c 2 v 4. 1816 Eng. 2-8/58 q. 47

A *Ventriculus.*
B *Æſophagus.*
C *Ventriculi* pars ſiniſtra & amplior.
D Orificium ſuperius *Ventriculi.*
E *Nervus dextro-externus* ſextæ paris orificium circuens.
F *Nervus ſiniſtro-externus* ejuſdem Paris.
G *Vaſa Gaſtrica* ad fundum Ventriculi ſita.
H *Ventriculi* Orificium inferius.
h Inſertio *Ductus Bilarii* in *Duodenum.*
i Inſertio *Ductus Pancreatici* in *Duodenum.*
lll *Jejunum* & *Ileum* & *Vaſa* inſuper ſerpentia.
K *Cæcum.*
LLLL *Colon.*
M *Valvula* in initio *Coli* aperta.
mmm *Ligamenta* cellulas *Coli* connectentia.
NN *Rectum.*
O *Spincter Ani.*
pp *Levatores Ani.*

CAP.

[illegible] 1839
[illegible]

CAP. IV.

De partibus Thoracis externis.

MEdia corporis Regio, cujus pars suprema *humerus*, anterior *pectus*, Posterior *Dorsum* appellatur, sub integumentis propriis atque communibus Musculos accepit communes propriosque.

Communes sunt, qui imi ventris sunt, & scapulæ, illos supra exhibuimus, hi quatuor sunt.

1. Serratus anticus minor sive antrorsum ducens Scapulam.

2. Trapezius sive Cucullaris, sursum & oblique retrorsum movens.

3. Rhomboides, sive oblique deorsum movens.

4. Levator.

Pro-

Engineering

Binks

[illegible]

Trigonometry

Hall T. G. Treatise on Plane & Spherical
6 ed. 12 8vo Pub. 875 — 6/

Geometry
Euclid's Elem^ts with Color'd Diagrams &
Symbols inst^d of Letters f^r the ease
Learners 1847 2 — 7/58

graciles et transverse locata
Clavicula quae [illegible] medio [illegible] Suffulta
[illegible] frangit^r quod [illegible] brachium [illegible] fere
semper Sub[illegible] [illegible] tradit^r. et ob Subjacentes
[illegible] et [illegible] Subclavii o caret periculo
[illegible] praeparimis in macilentis gnoscit^r [illegible]
brachium difficiles movet^r magisq^r [illegible]
ad pectus.
[illegible] restituit^r humeris [illegible] a ministro
[illegible] posteriq^r [illegible] simul [illegible] genu dorso
ad Spinae sustinebit, [illegible] Enim Chirurgus
Solis digitis claviculam reponere poss^t.
difficilius [illegible] retinet^r, [illegible] cava
Supra et infra Claviculam Spleniis
implenda brachia [illegible] agenda [illegible] dorso
ut anteriq^r moveri negat, [illegible] Sustentan
da mantili [illegible] [illegible].
Observand^r [illegible] an fractura sit prope humer^m
[illegible] magis ad pectus nam in primo casu [illegible]
[illegible] convenit et in secundo casu [illegible]

Proprii Thoracis Musculi sunt duodecim.

1. *Subclavius*, sive extensor.

2. *Serratus anticus Major*, sive costas attollens inferior.

3. *Serratus posticus superior*, sive costas attollens superior.

4. *Serratus posticus inferior*, sive costas deprimens.

5. *Sacrolumbus*, sive Thoracis constrictor.

6. *Triangularis*, Thoracis constrictor alter.

Musculis his decumbunt *Mammæ* copiosa in utroque sexu pinguedine, multis quoque glandulis in muliebri præditæ.

Dorsum & *Lumbi* (quorum musculos hoc loco referre cogimur) quatuor paria musculorum exhibent.

1. *Quadratum*, sive vertebrarum flexorem.

2. *Longissimum*, sive extensorem vertebrarum primum.

3. *Sacrum*, sive extensorem secundum.

4. *Semispinatum*, sive Dorsi elevatorem.

Post Musculos sequuntur Claviculæ, Scapulæ, Sternum, Costæ, & Vertebræ; de Venis enim, Arteriis & Nervis postea dicturi sumus.

Claviculæ, Spongiosa officula, superiori processui scapulæ junguntur, Ligamentorum firmorum, cartilaginumque mobilium interventu.

Scapula, os latum & tenue, costis externis incumbit, ligamentis duabus, processibus tribus, & quinque appendicibus, præditum.

Os Sternum, tineis septem vel octo in infantibus, tribus vel quatuor in adultis distinctum, spongiosum valde est, in extremo cartilagine ensiformi sive mucronata præditum.

Costæ in utroque sexu sunt duodecim, earum septem superiores quæ verè tuberculo duplici junguntur vertebris;

carti-

deligatio de a trunq de ditto a magis propria Clavicula in ambobis extremitate i & deltoid & de humero ligaret post va... in apart symptomata ob tractio et arteria Carotide pres pone et difficulty facit tractio motore retrobant ligat et retrahit fere in fractura (v. ...)

Political Economy

Mill

Malthus

Alison Principles of Pop 2 8vo
L 1840 2 — 8/5 — bds 10/6

Political History

Brougham Ld thereon 3 v 8vo
L 1849 2 — 1/55 1/29 1/

Bindg

Diff^e betw 4to cf & bds 2/ — 7/5d

— p 8vo cla & cf —/ " " —

{ — 8vo " & ½ morocc 1/ (8[illegible]

2 — 8/5d Supplem^t Thomso[illegible]

cartilagine vero offi fterno, duræ funt, rotundæque. Inferiores quinque quæ fpuriæ minores funt, molliores, brevioresque, cartilaginibus circa os fternum gaudentes, minime id tangentibus.

Has inter coftas utroque in latere Mufculi reperiuntur, intercoftales dicti, interni undecim & totidem externi, adeoque in univerfum quadraginta quatuor. Fibræ hic decurfatim collocantur.

In finu cujufvis coftæ, inferiori ejus parte infculpto, vena, arteria & nervus refident, ad medium mufculorum dictorum fe extendentes.

Vertebræ dorfi plerumque duodecim numerantur, nihilque fingularis confiderationis habent.

CAP. V.

De Thoracis partibus internis.

NUnc *Pectus* aperiendum; ut vitæ fontem ſpectare liceat, quem veritas cœleſtis in ſanguine conſtare affirmat. Quare igitur cordi præcipua ſanguificatio non attribuatur, cum paſſim & ab unoquoque vitæ principium nuncupetur?

Interius *Pleura* pectus inveſtitur, quæ deinde duplicatur, & tandem quadruplicatur, ſe à vertebris uſque ad ſternum extendens, & tum *Mediaſtinum* dicitur, quia tanquam ſeptum Pulmones dividit.

Mediaſtino circa jugulum cohæret corpus glandulosum quod *Thymas* appellatur.

Pulmoni aerem trahenti, & cor refrigeranti *Trachea*, ſive

Aſpera

Baldwin Wm wrote a Treatise of Moral Philosophy Print 15..
Balguy Jno author of "The foundation of Moral Goodness or enquiry into the original of our Idea of Virtue 1728

Moral Science
Wayland, Elem^ts

Moral Philosy
Boetius
Consolation Philosy
First Ed Orig^l A. 1476
Best . Wks 2 v fo
— 1570
Tran. by Alfred
Chaucer, Eliz^th. &
Redpath into
Mod^n English

Chalmers Dr Adaptation of External
Nature to the Moral &
Intellectual Constn of Man
Bo Feb Ed 20 Nov 1835
2 8/58 Blue cl 8 12/

2) Theo

Aston Sr Thos Brief Review of
AD 1645. the Instn & Successn & Juris-
diction of Bps

Athenagoras wrote Apology for
Xns printed 1706

Robinson G Travels in Palestine
Syria 2 v p 8vo 1837 2-7/5

Ross Alexr View of all Religns in the
World 1672 / 2-7/58

Augustus Duke of Brunswick AD 16..
pubd an Evangelical Harmony

Butler Bp Analogy of Religion wh ana-
pub 8/58 Pref & Indx by Revd E Steere, 5/

Hinds Bp Rise & Early Prof of Xy
4 ed revised p 8vo pub 8/5

Anti Popish
Popery. Frauds &c 1725. 2 7/5

Aſpera Arteria conceſſa eſt, ut hoc modo inflectur. Hæc *Gulæ* incumbit, & ex cartilagineis annulis, duplicique Membrana conſtat.

Exterior harum Membranarum quæ ſubtilior, à pleura, provenit, interior quæ craſſior à dura meninge originem habet.

Cartilagines annulares ligamentis conjunguntur, & minimè perfectum circulum conſtituunt quarta ſui parte ubi gulam reſpiciunt deſtitutæ.

Ramos trachea hæc per totum diſtribuit Pulmonem, qui hic robuſti quidem ſatis, at minime cartilaginei ſunt.

Pulmo ipſa tunicâ tenui poroſaque tectus, ſubſtantia conſtat molli, rubicunda, & ſpongioſa.

Anteriùs ſterno, poſterius vertebris cohæret præcipuam pectoris partem replens.

Vaſa varia minorave accepit, de quibus ſuo loco dicturi ſumus.

Figura.

Cor, ſanguinis officina, vitæ fons atque principium, etiam ipſis ſacris literis teſtibus capſulæ cuidam includitur, quem *Pericardium* Anatomici vocant, Membranâ conſtat duplici, exterior à Mediaſtino, & interior à vaſis cordis originem trahit. Liquorem continet aqueum, limpidum, nullius acrimoniæ participem, ex Lymphæ ductibus eum adferri non amplius dubitandum.

Cor ipſum, ſubſtantia conſtat carneâ, firma, denſaque quæ *tunica* propria inveſtita, fibriſque omnis generis prædita, muſculi inſtar continuo movetur.

Locum in medio habet pectoris, at mucro ad lævam aliquomodo declinat.

Piniformis figuræ eſt, parte ſuperiore. *Auriculas* duas habens, quæ ſemper corde ipſo prius pulſant.

Concordances &c

Cruden's slightly condensed pub 8/58

Barr J. Complete Index & concise Dic in the Bible new ed 12mo pub. 8/58

The 2 fold Concordce. to the wds & subjects of the Bible incly Dic & Chronl arrangemt 8 8vo pub 8/58

Heb

Bagster's Analytical Heb & Chaldee Lexicon an alphabet arrangemt of evy wd & inflection in the O.T. &c 4to 1848 pub 42/ 2 — 8/58 blue cf. 21/
b

f Quakers &c

Fox G Jl. q[illegible] Life &c 2 p 8vo
1852 | 7/58

Barclay Rt Truth clear'd of
Calumnies 1670 c
" Catechism & Confession
Faith 1675 c

Clergymen

Ritchie J. [illegible] of Lond Clergymen
Teo onlay | 12mo Pub 8/58

In adultis auricula dextra major eſt ſiniſtrâ, contra fit in Infantibus. In ſanguinis expulſione, auricula æque ac cor conſtringuntur, & dilatantur quoties ſanguinem excipiunt. Et hæc dilatatio & conſtrictio pulſum efficiunt.

Ad ſanguinis concoctionem, receptionem, & expreſſionem duæ ipſi cavitates, & vaſa quatuor conceſſa ſunt.

Cavitates carneo ſepto diſtinguuntur, in quo viam nullam, ſanguinis motui ex ventriculo dextro in ſiniſtram dicatam, hactenus invenire potui, licet Anatomicorum nonnulli eam dari multis adſtruere conentur.

In dextram ſiniſtramque cavitatem cavitates hæ dividuntur, *dextra* quæ major *venam cavam* excipit, & *arteriam pulmonalem* ſive *venam arterioſam*. *Siniſtra* quæ minor *Arteriam* recipit *Aortam* ſive *magnam* & *venam pulmona-*

lem ſive *Arteriam venoſam.*

De hiſce vaſis ſimiliter & de nervis, ductuque chylifero, ſive vena lactea Thoracica , libro primo egimus.

Succumbit Tracheæ, in Thoracis cavo, *Oeſophagus* , ſive *Gula* vertebris incumbens.

Circa vertebram quintam dorſi parùm in latus dextrum inclinat , quo cedat aortæ arteriæ uſque ad vertebram undecimam , hinc recto ductu diaphragma tranſit in ventrem imum.

Duplici Membranâ componitur : exterior carnoſa fibras agnoſcit rectas rotundaſque , interior tranſverſas & obliquas , varii addunt tertiam à Peritonæo , & optimè meo quidem judicio.

Diaphragma flabelli inſtar ſe habens , reſpirationique inſerviens , Thoracem ab abdomine ſeparat, coſtis nothis omnibus , oſſiſque ſterni mucronati cartilagini

Oratory —
Hazlitt - Parly Speeches.

Lang.

Baker Wm Remks on the Eng lang.
Being art mem & improper
wh such people fall in speaky
& writy 8vo 1774
Baretti's Introd & European Lang. 8vo
" Eng. Phraseology on Leamy Italian

Bookish Terms

Chromolithography prob. color'd Lithographic plates

làgini adhæret, circa vertebras processus duos carneos ad inferiora ablegans.

Circumferentia ejus carnea est, musculi instar variè mobilis, at centrum membranosum magis, valdeque sensile.

Foramina tria accipit, primum in medio, per quod Vena cava transit, 2. in latere sinistro per quod Gula cum Nervis adjacentibus. 3. Circa vertebras per quod Arteria Aorta cum vena Azygo.

A claviculis ad pedem usque plures accepit. Nervos quam pars ulla corporis, qui non solum ex cerebro à pari vago, sed etiam ex spinali Medullâ, & vertebra cervicis quarta & quinta originem ducunt. De aliis vasis jam supra egimus.

CAP. VI.

De Collo.

COllum ſub cuticula, cute & Membranâ carnoſa, Membrana itidem communi & propria muſculorum, muſculos utroque in latere quatuor habet, ex his

Longus &
Scalenus flectant,
Tranſverſalis &
Spinatus retrorſum & ad latus ducunt.

Venæ reperiuntur quinque *Cervicalis*, *Muſcula ſuperior & inferior*, *Jugularis interna & externa*.

Arteriæ totidem *Cervicalis*, *muſcula ſuperior & inferior*, *Carotis interna & externa*.

Nervi ex pari vago & ſpinali medullâ originem habent.

Ante-

Chemistry
Marcet Mrs, Conversation

Chemistry of Agriculture
Cameron C.A.

{ Tea Grower &
Fortune's journey tth Tea
Countries of China 1852
2 — 7/58

Epiglottis Laringis in qbdr Longiori tpe itt Indurare poet, ut d sol amittant voce d et nil nisi frustas magnas deglutire poss, qdqd tn bibunt v cochleare ediunt in tracheas incidit qa Epiglottis d satis claudi poet. hoc go mal incurabile e.
d rima Epiglottidis aliqndo v cibo v potu v medicatis exagitabunt ut sorg Edere negant qd ft evacuaoem (v v: s. aut purg:) sequentib medicatis: curandi
(℞ lact: vacin: ℥xvj vit: ov: No j sacc: alb ʒiij sepe de die cochleat. v ol dnath: catonia & unguent thuris. croc: suc. lig: gum: mag: sacch. bk: q s tatis diem masticandi et saliva deglutiendi
Qds putant Laringem Inflamare posse d admod e dissimile qa angina tam frequenter curantur quae potius e glabis et ptes musculosis e adscribendae. Etiamsi cartilagines ipsae inflare (qngb pauciss vasis carnentes gaudent) ... Ft Ba

Anteriùs *glandulis* gaudet variis, quæ in mulieribus majores ſunt quam in viris.

Succumbit *Larynx*, ſoni organum, quinque ex Cartilaginibus compoſitum, quæ ſunt

1. *Thyroides*, ſive ſcutiformis.
2. *Cricoides*, ſive annularis.
3. *Aretynoides*, ſive Guttalis.
4. *Glottis.*
5. *Epiglottis.*

Movetur ſex Muſculorum paribus.

1. *Hyothyroidæi*, ſive attollentes.
2. *Bronchii*, ſive deprimentes.
3. *Cricothyroidæi antici*, dilatantes.
4. *Cricothyroidæi laterales*, conſtringentes.
5. *Thyro-arythenoidæi*, aperientes.
6. *Arythenoidæi*, ſive ſphincteres.

Poſt hæc *Amygdalæ* ſive Paristhmia occurrunt aliis Tonſillæ, hinc *Pharynx* cui ſeptem Muſculi competunt, quorum opecibus & potus deglutiuntur.

1, 2. *Sphenopharyngæi*, Pharyngem elevantes.

3, 4. *Cephalopharyngæi*, introrſum moventes.

5, 6. *Stylopharyngæi*, dilatantes.

7. *Conſtrictor*, ſive *Sphincter* eſt Gulæ.

Poſtica colli occupant vertebræ ſeptem, quarum quædam proceſſus habent perforatos, quo vaſis ſanguineis via in cerebrum concedatur.

CAP. VII.

De partibus Capitis externis.

CAput tanquam ſupremus ſuiipſius & ſexcentorum aliorum corporum Dominus, ſeipſum & alia corpora optimè gubernat, cum optimo ſanitatis ſtatu conſtitutum & ſui officii

Complete Works

Smith Adam, Wilers Jul 1/5 4

Johnson Dr. most complete,
Edn 9 v 8vo 1825 2 7/58

Marvell Andw. Whs 3 v 4to 1776 " "

Tepe the Great pub 8/58

Todd's enlgd Students Manual
Index Rerum &c new ed 12mo
Pub 8/58 — 1/

Bolingbroke's Whs BE Sv 8vo 1809
2 — 8/58 1/2 Rusf neatly £1.38/

Bunyan's wh pref by Whitfield
num's Engs Bl — 2 v fo 1767
2 8/58 cf nt 36/

Defoe's wh memoirs of Life & Writings
by W Hazlett 3 v lag 8vo — 1840
Vol nearly all the copies destroy
by fire 2 — 8/58 clo 35/

BEdn of Books of Repute
Grazzini, Novelle 1756 2 — 7/5

✓ – Topog
Milner J. Hist & Antiq of Winchester
BE 20. 4to 1798 2 — 8/18 5 ½ cm
Coates Hist of Reading c Baker 27m

Engd Nov 4th 1802
2 — 8/58 Bds uncut. 5
2 1

ficii cognitione ſit inſtructum: Sed miſerrima illi fruuntur conditione & alii cum ipſis, quibus arte compoſitum caput deeſt, qui nec ejus ſubſtantiam, nec figuram inquirunt neque cognoſcunt.

Figura ipſi Ovalis eſt. Pars ſuperior *vertex*, anterior *frons*, poſtica *occiput*, lateralis *tempora*, reliqua *facies* dicitur: & partibus conſtat ſequentibus.

Primo *cutis* apparet, quæ variis in locis Pilis, ubique vero cuticula prædita eſt.

Deinde ſequuntur *Membrana Carnoſa* & *Pericranium*, originem hoc debet ſuam duræ Meningi, per ſuturas Cranii exeunti, ſicque primo Cranium, & porro oſſa reliqua omnia inveſtienti.

Anatomici paulo curioſiores demonſtrant Pericranium hoc eſſe duplex: exterius, quod antiquum retinet nomen, interius, quod *Perioſtium* appellatur.

Ossa quæ hisce membris subjacent primo in Cranium & Maxillas, & deinde alias partes dividemus.

Cranium octo componitur ossibus, suturis propriis atque communibus conjunctis.

Suturæ propriæ veræ sunt aut spuriæ.

Veræ sunt tres.

1. *Coronalis.*
2. *Sagittalis.*
3. *Lamboidæa.*

Spuriæ sunt ossium temporalium suturæ duæ squamosæ.

Communes tres itidem sunt.

1. *Frontalis.*
2. *Sphænoidea.*
3. *Ethmoidea.*

Ossa ipsa, foraminibus, cavitatibusque variis, ad transitum aeris, venarum, Arteriarum, & Nervorum, prædita, octo sunt.

1. *Os frontis*, in pueris semper, in adultis aliquando usque ad radicem narium ope suturæ sagittalis divisum est.

Acton Cookery

Mr Off.

1858

Sep 26 Boy I think [illegible] . aft[illegible] [illegible] Boy [illegible]

Lity MS

Falkland Viscountess D – 01858
authoress of Chow Chow &c was the
youngest Daughter of Wm IV
(2 – 7/58)

Some Copies of Robertson's Tour
thro the Isle of Man contain the
violent Democratical passage
wh was rapidly suppressed 2-4/58

Priced f. Prized ii iv. 2 – 7/58 (5

2, 3. *Ossa sincipitis*, sive Pregmatis.

4, 5. *Ossa* Temporum, sive Petrosa.

6. *Os Lambdoideum.*

7. *Os Sphænoides*, sive *Cuneiforme.*

8. *Os Ethmoides*, sive *Cribrosum.*

Musculi frontis duo attollentes, occipitis duo deprimentes.

Maxillæ harmoniis variis ita conjunctis ossibus constant ut in adultis corporibus unicum quasi os repræsentent, superior una est, altera inferior.

Superior ex undecim ossibus componitur, ex quibus in utroque latere quinque sunt, undecimum impar est in medio collocatum.

1, 2. *Os Zygomaticum*, orbitæ oculi inferiorem partem, & Apophysi sua os jugale sive Zygoma constituit.

3, 4. *Os Lachrymale*, oculi canthum internum efficiens, foramine ad nares descendente, præditum est.

5, 6. *Os Maxillare*, ossium omnium maximum est, maxillam constituentium.

7, 8. *Os Nasi*, quinque cartilaginibus unitis in fine gaudet.

9, 10. *Os Palati.*

11. *Vomer.* Os speciale supra palatum nasi interstitium sustentans, per Harmoniam eidem conjungitur.

Maxilla superior non nisi cum capite movetur, musculis ideoque propriis nequaquam indigebat.

Maxilla inferior (quæ plerumque annum octavum usque in anteriori parte divisa (duos habet processus, & in iis mediocrem cavitatem venis, arteriis, nervis & ipsi maxillæ & dentibus dicatam, nam hinc nutrimentum, & dentes sensum accipiunt. Nervorum rami

Thevenot[illegible]
Anderson - Royal [illegible]
1734

Physiology
Carpenter, Dr Manual of Physiology
1856 incl. Physiological Anatomy
with 200 engs. in wood 3rd edn
thick f.cap 8vo pub. 12/6
× 2 — 10/58 clo. 7/6

Bur^d. places of Emin^t men &c

Ashmole Elias – 1692 Lambeth Ch

Atkins Ed Kt – 1711 West^r Abbey

c Author of a Hist Gloucest^r &c

Atwood Geo – 1807 Author, St Mary^s West

Bunhill fds a place of interm^t

as early as 1671 when Edwd Bagshaw

an author was bur^d there c

West^r Abby Adm^l Balchen drowned 1744

a mon^t. Commemorats it

mi circa mentum per foramen exiguum maxillæ iterum egrediuntur, & Labiorum musculos intrant.

Movetur sex Musculorum paribus.

1. *Plerygoideus internus* attollens.

2. *Diagastricus* attollens.

3. *Latus* deprimens.

4 *Plerygoideus externus* ad anteriora ducens.

5. *Masseter.*

6. *Musculus temporalis*, qui hoc sibi peculiare habet quod Pericranio investitur.

Utraque maxilla armis necessariis instructa est quæ *dentes* appellantur.

In viris plerunque *triginta duo*, & in fæminis *viginti octo* conspiciuntur.

Quatuor *Primores*, sive *incisores.*

Duo *canini*, sive *Oculares.*

Reliqui omnes *maxillares*, sive *Molares* dicuntur.

Post

Poſt annum 30, 40. aut 80. cum dolore ſæpe duo adhuc in extremo maxillæ prodeunt, quos quidam *Morum* ac *Sapientiæ* dentes nuncupant, alii *Serotinos*.

Antequam ad Muſculos reliquos capitis progrediamur, partes nonnullas, quarum nec dum facta eſt mentio deſcribere neceſſarium ducimus, ſunt hæ, *Oculus*, *Aures*, *Naſus*, *Os*.

Oculus quem palpebræ, integumenta nempe membranoſa, anterius cartilaginea atque piloſa ab externis injuriis defendunt, duplici gaudent *Cantho* ſive *angulo*.

In quovis angulo *Glandula* reſidet: harum, quæ eſt in Cantho minori externo, inſignis ſatis eſt, dura & alba: quæ in Cantho majori interno, minor eſt mollis, rubra, *punctumque Lachrymale* tegens.

Tunicæ quatuor, humores tres continent.

Una

Antiquaries

Astle
Grose

Hist Eng R E
D'Israeli's Life &c Charles I Commentson
5 v. 8vo 1828-31 pub 63/
2 - 8/58 1/2 ref ? 25/-
Cary H Memls of the Gt Civil War in
Engd 1646-52 fr: orig. Letters in
the Bodleian Liby 2 v 8vo - do 9/
pub 28/ 1842 — 9/58

Heraldry

Guillim's Display of Heraldry
Best 1724 2 – 7/5

Chess

Philidor's Studies of Chess contg
a systematic intro the Game &
Analysis of Chess 6th edn pre.
enlarged engd Diagrams 8vo
2 – 10/5 No/ p clo – /c

Una ipſi cum palpebris communis eſt, à Pericranio producta, diciturque *Conjunctiva* ſive *adnata*.

Reliquæ tres propriæ ſunt; enumeranturque

1. *Cornea*, à dura Meninge proveniens.

2. *Vvea*, ex tenui. Hæc modo ſe dilatans, modo ſe iterum contrahens, pupillam conſtituit, oram exhibens variegatam quæ Iris dici ſolet.

3. *Retina*, ex cerebro ipſo, vel potius nervo optico; hæc ulteriùs procedens in *araneam* mutatur.

Tribus hiſce quarta addi poteſt *Vitrea*, à multis malè omiſſa.

Humores oculi ſunt

1. Aqueus.
2. Cryſtallinus.
3. Vitreus.

Secundum Nervorum par Spiritus ipſi adfert ad viſum, tertium vero ad motum.

Arte-

Arteriæ Carotidis internæ & externæ rami sanguinem adducunt nutritium : deinde sanguinem superfluum venæ jugulares internæ externæque reducunt.

Reliquum oculi adeps & Musculi constituunt.

Adeps ad calefactionem, humectationem, melioremque motum conferens, hic copiosus valdè, vasis musculisque passim interjectus.

Musculos *Palpebra* quatuor accepit.

Unum rectum.

Tres orbiculares.

Oculus ipse sex, quorum quatuor recti sunt.

1. *Attollens*, sive *superbus*.

2. *Deprimens*, sive *humilis*.

3. *Adducens*, sive bibitorius: aut Lectorius.

4. *Abducens*, sive indignatorius.

Duo obliqui, qui amatorii dicuntur, horum.

2. *Obli-*

Art. 907

Harding – Star Altar

Costume

Inventions Babylonian 2 – 10/58
Hager
beau. [illegible] & [illegible] subjects; —

Metaphysics among the [illegible]

Hunt Leigh Wks
" The Town or Mem ble characters
ert in Lond 1848 2 — 7/58

1. *Obliquus* internus, ſive Trochlearis, quia Trochleam tranſit.

2. *Obliquus externus.*

Auris externa Cartilaginoſa. oſſi petroſo eſt unita.

Membrana gaudet admodum ſenſili; à parte etiam poſticâ.

Glandulis nonnullis, ad quas humores ſuperfluos caput ablegat.

Vaſa accipit ab externâ internave jugulari atque carotide.

Nervos à cervicis nervorum ſecundo pari, nervorum item cerebri pari ſexto.

Pinguedo hic fere nulla, exiguum quid inferiùs in Lobo conſpicitur.

Muſculos quatuor accepit, quorum tres priores ipſi cum aliis partibus communes ſunt, quartus proprius eſt.

1. *Antrorſum ducens.*

2. *Retrorſum ducens.*

3. *Quadratus, deorſum trahens.*

4. *Tripar-*

4. *Tripartitus attollens.*

Auris interna ad ſonum *Cavitates* accepit quatuor, ad tutelam vero & firmitatem oſſicula totidem.

Cavitates ſunt

1. *Meatus auditorius*, cujus extremum claudit Membrana tenuis, valida & fortis, quæ *Tympanum* aut Membrana Tympani dicitur.

2. *Tympanum.*

3. *Labyrinthus.*

4. *Cochlea.*

Oſſicula, ejuſdem magnitudinis in infantibus cujus in adultis: Sunt

1. *Malleus.*

2. *Incus.*

3. Stapes.

4. Os Orbiculare.

Muſculi hic duo: *Unus* meatui auditorio connectitur, *alter* malleolo.

Naſus cuticula, *cute*, *muſculis*, & *Perioſtio* tectus, *foramina* accipit duo, ſepto cartilagineo ſeparata.

Logarithms	for Astronomers &c
Babbage —	As there seems a very limited no of these Professors & those not easily accessible it seems not desirous to have many Logarithmic Books in ~~Stock~~

Fund!
Comparative display of the Difft
Opinions of the Fr Revolutn 308
1811 2 7/58

parata. Unumquodque horum iterùm in illud, quod ad os ethmoides aſcendit, & aliud quod ſupra palatum ad oris poſteriora ſe extendit, dividitur.

Latera ejus *Alæ* vocantur ſive *Pinnæ*, pars carnea inferior, carnea columna appellatur.

Membrana interius inveſtiuntur tenui, valde ſenſili, à dura Meninge originem accipiente; & hanc Naſus, Os, Palatum, Lingua, Larynx, Gula, ipſeque ventriculus communem habent.

Oſſium cum componentium varia & ſpongioſa ſunt, *carunculis* repleta, ne præter voluntatem *Mucus* exeat.

Arteriæ à Carotidibus nutrimentum ipſi præbent; venæ à jugularibus ſanguinem non ſatis coctum revehunt. *Nervi* à pari primo ſecundum noſtrum ordinem inſerviunt Odoratui, ut illi qui à Pari quinto tactui.

Pinguedo

Pinguedo hic nulla conſpicitur: ejus oſſa jam ſupra enumeravimus: hoſce habet muſculos.

1, 2. *Deprimentes.*

3, 4. *Dilatantes.*

5, 6. *Conſtringentes.*

Naſutis duo alii accedunt, quos *aperientes* dicimus.

Os, tanquam Janua Aeris, loquelæ & nutrimenti, Labia duo accepit; Laterales ejus partes *Genæ* vocantur, ubi pars inferior *mentum* dicitur.

Labia duos acceperunt Muſculos, maxillæ communes.

1. *Quadratum* ſive retrorſum trahentem. In aliis fit hæc actio Zygomatico.

2. *Buccinatorem.*

Superiori Labio. Duo Muſculi dati ſunt *proprii.*

1. *Surſum trahens.*

2. *Deorſum movens.*

Inferiori unicus tantum Datus *deorſum trahens.*

Labio utrique communes ſunt.

1. *Obli-*

Greek works Carrions

Adams Revd H. C

Vowels a (Dipthongs) characteristic
termination of 3rd persons sing. in the
various moods & tenses

μεν pecr termination of verbs
1st persons plural

τε 2 "

σι 3 " pres. tense

ν " " past.

ε- prefixed + past tense ind

Greek Learning

Ammonius fl. a 400.
Compiled Lexicon of
Greek Synonymes
Cond 1497

Clinton's Civil Hist. Chronology of Greece
epitomized 8vo 1851 2 - 8/58 ✓

Greek Testam^t Choice ed^n —
— ex Bibliotheca Regia 2 vol
18mo in 1. 2-7/6 }

1. *Oblique sursum trahens.*

2. *Oblique deorsum trahens.*

3. *Sphincter*, oris constrictor, sive orbicularis.

Oris partes interiores sunt *Dentes*, *Gingiva*, *Palatum*, *Uvula*, *Lingua*, & *Os hyoides*.

De *dentibus* egimus.

Gingiva nil habet consideratione dignum.

Palatum membranâ constat sensili, ventriculo communi, à durâ meninge originem ducens.

Uvula teres corpusculum, ligamentis gaudet duobus, totidemque musculis, at valdè subtilibus.

Lingua (tanquam gladius honorem nostrum benè aut malè scindens, prout à puris aut impuris spiritibus movetur (posteriùs Laryngi, ossi Hyoidi, faucibus, & tonsillis cohæret, anteriùs membranoso cuidam, at robusto corpori, cujus extremum *frænum Linguæ* constituit.

Fræ-

Fræno utrinque adjacet *Glandula ranina* dicta, à vasis vicinis.

Venas assumit duas *Raninas* dictas à jugularibus, *Arterias* duas à temporalibus, *Nervos* duos magnos à pari septimo, varios itidem minores à pari quarto, & quinto.

Pinguedine caret.

Musculi ipsius sunt

1. Genioglossus, sive antrorsum ducens.

2. Styloglossus sive sursum trahens.

3. *Myloglossus*, sive oblique sursum trahens.

4. *Basiglossus*, sive recta introrsum ducens.

5. *Ceratoglossus*, sive deorsum trahens.

Os Hyoides, musculorum ligamentorumque ope processui styloideo ossium temporum, cartilaginique scutiformi Laryngis, connexum, ex quinque ossibus unitis componitur. Horum medium, quod maximum, *Basis*

Swedish Lang. — Books in or abt.
Ahn F.

Palestine
Russell, Bp. new ed. | p. 8vo. pub. 1853 — /

53

CAP. VIII.

De partibus Capitis internis.

NUnc ad Palladis arcem pergimus, sed antequam eam intremus & cerebrum introspiciamus, Cortinæ duæ sunt removendæ, *Meninx*, *Crassa* & *tenuis*.

Dura mater exteriùs asperior quam in interiori parte, cerebrum laxè admodum ambit, ne motus ejus arbitrarius impediatur; idem in partem dextram & sinistram non tantum distinguens duplicaturæ alicujus ope quæ *falx* dicitur, imo & à cerebello ipso separans.

In Falce hac *Sinus* semper inveniuntur quatuor, quandoque septem, in quos Arteriæ carotidis rami plurimi inferuntur jugu-

Surveying - Books on
Alsop S

Commerce Bks on
Ricardo (D.) wks on Currency, Trade
1852 — 7/58

Ideas we | ~~Modes~~
compare | Substances
compound | modes
abstract | Relations

jugularibus post conjungendi.

Hi sinus venarum usum & substantiam habent ; adeo ut non incommodè inter venas recenseri possint.

Pia mater sensilis magis, pluribusque arteriis prædita, quam crassa, non solùm totum cerebrum investit, sed etiam ubique anfractus ejus intrat qui hac de causa etiam facilius separari possunt.

Dividimus cerebrum in tres partes, quæ sunt ; 1. Cerebrum ipsum. 2. Spinalis Medulla. 3. Cerebellum.

Cerebrum coloris cinerei, molliorisque substantiæ medullâ (quæ & albidior & consistens magis) unde etiam corticis nomine venire solet ab *Arteria* carotide ramulos plurimos accipit. *Nervis* adeoque & sensu destitutum.

Gyris sive anfractibus variis gaudet, & satis profundè hi sese dimittunt, imprimis in par-

te anteriore occurrunt, ubi *Fiſſura magna* cerebrum exterius uſque ad medullam dividit.

Medulla nervorum omnium mater, intra Cranium, *Medulla Cerebri* extra illud *Medulla ſpinalis* appellatur.

Cerebellum ex albo cinereum eſt, *arteriaſque* excipit cervicalem atque carotidem, pauciores tamen hinc adſunt rami, quam in cerebro, utpote eo longe minus.

Gyris nullis præditum eſt, at ex laminis quaſi plurimis ſibi incumbentibus conflatur, quæ ſi tranſversè reſecentur, inſtar arboris apparet.

Hiſce ſic conſideratis, partem aliquam cerebri Anatomicus cultro auferat, & illico in conſpectum venient *Corpus calloſum*, ipſique connexus Fornix.

Hiſce lateraliter ſubjacent *ventriculi duo* magni, ſoleæque equinæ figura ſimiles, quos ſeptum lucidum in dextrum & ſi-

niſtrum

Ethics —

Grant Sir Alex^r

Sundries

Bacon. Trans of his philosophical ...
pub 8/6

Boswell's Letters to J Temple non
do 7/ 1st print 8vo 1857 2 8/6

Barbeyrac, two Treatises on amu...
1/2 v for 1709 6

niſtrum, vel primum & ſecundum diſtinguit.

Continetur illis Rete mirabile, ſive Plexus Choroides, multis conſtans glandulis exiguis, nec niſi ex arteriæ temporalis ramulis, retis in modum applicatis compoſitus.

In parte anteriore ventriculi hi uniuntur, *tertiumque* conſtituunt.

In hoc ventriculo tertio *Meatus* duo occurrunt, prior eorum ad *infundibulum*, & *glandulam pituitariam* excurrit, alter ad *Ventriculum quartum* cerebello contentum. Supra hunc prominentiæ quatuor notantur, quæ *Teſtes* & *Nates* vocantur, iiſque adhæret *Glandula Pinealis*, quæ à nonnullis ſedes animæ malè vocatur. Extra ventriculos enim eam reſidere, minime vero in illis jam dudùm Cl. Silvius demonſtravit cui etiam propterea, non niſi pro Glandula habita, idque eo magis


gis quod non raro calculos duos, aut tres, imo quatuor aliquando & ipse & ego in eâ invenimus.


Corporibus his ablatis Nervorum paria octo se offerunt, de quibus supra egimus, quibus parte anteriore adjacet Rete mirabile Galeni, quod arteriarum cervicalium atque carotidum plexus est.

Post hæc Cerebellum occurrit, duplici globo simile, in quorum medio *Processus vermiformis*, & *Pons varolii* cui succumbit ventriculus quartus.

Ultimo *Spinalis Medulla* se exhibet, in sui principio in partes duas divisa, *Calamo scriptorio* haud absimili, hæc ad Dorsum descendens ramos suos toti corpori impertit.

Lector


Fig. 1.
A
A
B
D
D
C
E
F
E
G
G
H
H
K
L
L
I
I
O
M
M
P
P


Fig. 2.
a
b
b
d
m
m
i
h
g

Cautions 24/9/58

Be aware of buying an old Stereotyped B[illegible] wh a new title. Remem[ber] pub Webster[illegible]

Be aware of ~~[illegible]~~ Titles Rem. Die aho[illegible]

Least [illegible] soonest mended Rem [illegible]
[illegible] 9/58

Be aware of laying child wh a table or any thing side of bed that it may slip below. Rem. case of child slipping out bed & being hung by the neck till dead 5/11/58

Rem a Smith of John St. [illegible] deceived him successfully also [illegible] case somewhat similar 5/1/[illegible]

136 Musical Treatises

Callcott Werkop T

Burney Hist

Hawkins Sir J Gt Hist Music fr earliest

in 84 times 5 v 4to 1776 2 7/58

Hogarth G Musical Hist &c " "

Avison C 1736-1770. pub an Essay on

Musical Expression

Busby Dr Gt Hist Music fr the

earliest times 2 v 8vo 1819

2 9/58 S h/c

Hazlitt's W wks

Table Talk 1824 2v 8vo 2-7/6

Lector Benevole,

HAs duas figuras proxime ſequentes aliiſque minutioribus annexis de Externis & Internis Cerebri partibus ex celeberrimo noſtro Williſio exceptas, apprime utiles judicavi, quia Intellectus & ipſius Animæ ſedes, ſummam partium varietatem continent, & hoc loco affixas curavi, ut ſubjecti dignitatis gratiâ, melius apprehendantur, & ſepius ſepiuſque memoriæ inculcentur.

Figura Prima.

Figura Prima.

A A *Limbus cerebri, cerebello contiguus.*

B B *Margo corporis callosi, Glandulæ Pineali contigua.*

C *Fornix.*

D D *Brachia, crura, Medullæ oblongatæ amplectentia.*

E E *Crura Medullæ oblongatæ, cujus extremitates corpora striata dicuntur.*

F *Glandula Pinealis.*

G G *Protuberantiæ orbiculares Nates dictæ.*

H H *Protuberantiæ Minores, Testes vocatæ.*

I I *Processus Medullini, oblique ex Testibus ad Cerebrum ascendentes.*

K *Junctura processuum mediante alio transverso.*

L *Nervorum Patheticorum Ortus, ex juncturis processuum antedictorum.*

M M *Pars Medullæ oblongatæ.*

N *Fora-*

Clocks, &c – Clockmaker &c

(Denison EB

b) – Biog

Wolsey Card^l Life by Cavendish C
No 67 1827 8vo 2 – 8/58 cf ex 14/

Lloyd's State Worthies & Baker S

Fulke Greville's Life of Sr Philip
Sidney 12mo S 1652 2 – 8/58 T

Wood's Athenae Oxonienses a Hist of
writers & Bps educd @ the Univ y
2v fo in 1 1721 2 – 8/58 T

Biog: Britannica by Dr Kippis 5 v f
bds 1777-93 2 – 8/58 18/

Cheever a Biogr of Bunyan &c 2 –
8/58 T

– d Autos

Forman Dr S Celeb Astrolgr 1552-16
AutoBiog sm 4to 1849 2 – 8/58
Only a few Copies print'd f private

Carew's Sir P temp. 1499-1575 Life & Ti
in the orig mss 1857 2 – 8/58

Cunningham Allan Lives of Emt Bri
cf. 1 Painters Sculptors & Architec
15/ 6v 18mo 2 – 8/58 1829

" Lives of ant Englishmen 8v 8v
1856 pub 72/ 2 – 8/58 do. 28/

N *Foramen cavitatis orbicularibus Protuberantiis ſubjacens.*

O O *Annularis protuberantiæ pars.*

P P *Superficies cerebelli exterior ſuperiorque.*

Figura Secunda.

Oculum duabus ſituationibus repræſentans.

b a b *Tunica Cornea.*

c e *Tunica Uvea cujus Foramen pupilla dicitur.*

d *Humor cryſtallinus in ſitu.*

f f *Tunica Choroides.*

g *Nervi Optici portio.*

h *Fibræ minutæ ad extremitatem nervi abſciſſæ.*

1. *Centrum vitrei humoris* & *Retinæ.*

1, 2, 3, 4, 5, &c. *Capillamenta Optici Nervi.*

Figura Secunda.

Basim Cerebri ex Cranio exceptam repræsentat.

A A A A *Lobæ Cerebri anteriores & posteriores.*

B B *Cerebellum.*

C C *Medulla oblongata.*

D D *Nervi Olfactorii vel Par primum.*

E E *Nervi Optici, vel Par secundum.*

F F *Nervi Oculorum Motrices, vel Par tertium.*

G G *Nervi Oculorum pathetici, vel Par quartum.*

H H *Par quintum.*

I I *Par sextum.*

K K k k *Auditus Nervi, Par septimum.*

L L l l l, &c. *Par vagum, vel octavum, ex variis Fibris consistens.*

M M *Nervi Spinales.*

N N *Nonum, vel Par intercostale.*

O O *Par decimum deorsum tendens.*

P P




Fig. 1.
A
A
D
D
A
A
H
H
I
I
a
a
N
N
B
B


Fig 5


Fig. 2.
B
D
C
E


Fig.3.
A
D
F
1
2
3
E
4
B
C


Fig.4.
1
B
2
6
D
C
7

140

Cyclopadias.

Penny Cycl Knights New Edn
30 v. sm fo in 17 — 8/58
new clo. 6.6.0 1858 Supple fo

New Supplemt to the P. Cycl
new clo 4/ 1 vol 1858 sm fo. 2 — 8/58
Supplemt fo. 40
Regardd as completing the former ed. of the P Cycl

In favor of Inspiration
Goulburn Em.

L – Theo

Faussett G. Sacred Chronology 8vo 1855

/ 2 – 8/6 6 //

P P *Truncus Carotydis Arteriæ abscissus.*

Q Q *Ramus inter Lobas Cerebri transiens.*

R *Rami Carotydis anteriores.*

S *Rami Carotydis posteriores.*

T T T *Arteriæ vertebrates, cum ramis tribus ascendentibus.*

V *Arteriarum vertebratium rami.*

W W *Vertebrates & Carotydes Arteriæ unitæ.*

X *Infundibulum.*

Y Y *Glandes Infundibulo postpositæ.*

Figura Secunda.

Incum & Stapem in situ exhibet.

A *Inci pars crassa.*

B *Ramus directus.*

C *Ramus longus.*

D *Stapis Caput.*

E *Musculus Capiti Stapis insertus.*

Figura Tertia.

Malleum, (Os tertium in Cavitate) antrorſum cum Muſculis in Situ exhibet.

A *Mallæi Caput.*
B *Excipulum.*
C *Mallei Muſculus externus.*
D *Inſertio ejus.*
E *Muſculus internus.*
F *Locus Inſertionis.*
1 *Proceſſus Mallæi magnus proſpectu directo.*
2 *Proceſſus exilis, cui externus Muſculus inſeritur.*
3, 4, *Interni Muſculi textura in Medio aperta, ut Muſculus melius videatur.*

Figura Quarta.

Partem veſtibuli, ſive Labyrinthi Introitum (ſecundum Auris cavitatem) cum canalibus tribus ſemicircularibus.

A *Pars veſtibuli inferior.*

Jn Carpenters
Hatfield

Loci

Cullum St. Wm Baker 1742 - 1785
a learned Printer & Author
served his time wth a Mr.
Kippax a Printer there c

Ingram Ct ~~[illegible]~~ Succeeded the
above Mr Kippax in his busi-
ness & removd thither c

B *Canalis ſuperior.*

C *Inferior.*

D *Medius.*

1 *Introitus ſemicircularis canalis ſuperior.*

2 *Canalis Medii Introitus primus.*

3 *Canalis Inferioris Introitus.*

4 *Canalis Medii Introitus alius.*

5. *Canalis ſuperioris inferioriſque introitus communis.*

6 *Foramen primum uno Nervi auditorii ramo meatum præbens.*

7 *Foramen ſecundum alio ramo ejuſdem Nervi meatum dans.*

Figura Quinta

Cochleam exhibet.

CAP. IX.

De Manu.

MAnûs nomine etiam *Brachium* comprehenditur, cujus *integumenta* communia æque

que ac propria, & item ejus vaſa jam ſatis ſunt deſcripta.

In tres partes vulgo dividitur.

1. *Humerum.*

2. *Cubitum.*

3. *Manum proprie dictam.*

Humerus ſive *Brachium* unico oſſe conſtat, at novem Muſculis.

Muſculi ſunt

1, 2. Attollentes duo. *Deltoides*, & *Supraſpinatus.*

3, 4. Deprimentes duo, *Aniſcalpor*, ſive *latiſſimus* & *rotundus major.*

5, 6. Antrorſum ducentes duo, *Pectoralis* & *perforatus*, ſive *coracoidæus.*

7, 8, 9. Retrorſum moventes tres, *Infraſpinatus*, *Rotundus minor*, & *immerſus*, ſive *Subſcapularius.*

Tribus hiſce ultimis ſimul agentibus brachium quaſi circumducitur, & oblique extrorſum attollitur.

Os magnum eſt longumque. Caput ipſius ſive *extremitas ſuperior* cartilagine, ligamento mem-

membranoſo , tendinibuſque quatuor , inveſtitur : ſinu quoque ſingulari præditum, in quo Muſculi Tricipitis tendo recumbit.

Extremitas inferior Trochleæ ſimilis eſt, quæ cubitum inſigniter introrſum incurvari permittit, ſed contra non niſi ad lineam rectam extendi.

Cubitus duobus conſtat oſſibus, quæ à muſculis ſpecialibus ſpeciatim moventur , quos hic licet extra ordinem exhibere cogimur.

Os inferius, quod majus longiuſque altero *Ulna* dicitur.

In externo ſuperiori proceſſus duo triangulares notantur, quos *Roſtra* ſive *Glandes* vocant.

Extremum inferius *Tuberculo* rotundo definit, cui *Proceſſus* acutus qui *Styloides* dicitur, adſtat.

Muſculis quatuor movetur horum duo ſunt Flexores.

1. *Biceps.* 2. *Brachiæus.*

Duo Extenſores.

1. *Longus.* 2. *Bre-*

2. *Brevis.*

Os ſuperius, quod minus & breviùs Radius dicitur; Foſſile minus parte ſuperiore excipitur ab ulnâ, inferiore ulnam excipit, in medio parùm à ſe invicem diſtant, qui tamen locus *Ligamento* tenui repletur.

Muſculis itidem quatuor movetur, quorum duo Prænatores.

1. *Rotundus.*

2. *Quadratus.*

Duo Supinatores.

3. *Longior.*

4. *Brevior.*

Addunt his Muſculos duos alios, ſed rariſſime inveniuntur; & diverſimodè deſcribuntur.

Manus in ſpecie tres in partes dividitur, Carpum, Metacarpum & Digitos.

Carpus Muſculos habet quatuor.

Flexores duos *Cubitæum* & *Radiæum internum.*

Extenſores duos *Cubitæum* & *Radiæum externum.*

Hiſce

Linguist,
Russian
Cornet J.

Heb. Grammar
Bagster's Gesenius' Heb Gram
enlarged & improved by Dr
Rodiger trans by Davis
wh Heb Reading bk 4to 1852
pub 10/ 2 — 1858 cl 7/
Barker Saml D 1760
"De literis consonantibus &
vocalibus et de Pronuncia-
tione Linguae Hebraicae 4to

Autograph

" Letters by Royal & Dist[illegible] Persons of G Britn XV – XIX centy. Facsimile 4to 1849 pub 30/ 2 – 8/6 Clu 187.

" Letters by Illustr & Disting British Wn XIX – [illegible] Cent. upwd 150 facsimile autographs & letters imp. 4to pub 30/ 1838 – 2 – 8/6 74

Hiſce ſubjecta ſunt *oſſicula* octo, innominata hactenùs, cartilaginea primis annis, molliquæ, deinde duriora evadunt.

Ligamentis robuſtis coercentur & conjunguntur.

Metacarpus muſculos habet duos Palmares dictos, *longum* & *brevem*.

Oſſicula quatuor *ligamentorum* cartilaginoſorum ope Carpo connexa.

Digiti oſſiculis quindecim conſtant, quibus nomina certa necdum impoſita, & muſculis 14. Horum

2. Flexores ſunt, *ſublimis* & *profundus*.

2. Extenſores.

4. Adductores, *Lumbricales*.

6. Abductores ſive *Interoſſei* tres *externi*, & totidem *interni*.

Præter hos, *Pollici*, *minimoque digito* & *extenſor* ſingularis datus eſt.

Conſiderabilia inſuper in manu. 1. *Armilla membranoſa*, quæ Liga-

Ligamentum est rotundum, tendines multiplices universæ manûs circulo quasi comprehendens, in varia alia facile divisibile.

2. *Vagina membranosa* quæ tendines manu contentos coercet.

3. *Fissura oblonga* cuivis tendini ad transitum tendinum tertium internodium moventium musculorum insculpta: Hæ Trochleæ vicem gerit.

4. *Ossa Sesamoidea.*

CAP. X.

De Pede.

PEs in tres partes dividitur, in *Femur*, scil. *Crus* & *Pedem extremum.*

Femoris Os unicum est, cujus motui *Musculi quatuordecim* inserviunt.

Flexores duo, *Psoas* & *Iliacus.*

Ex-

Veterinary Surgeons, Farriers, &c.

Dadd G H

Miles J. Practical Directions for the choice Treatment & management of Horses in Health & Disease — 7th edn with Rarey's System of Taming Horses 12mo Phil 1858 —

Mility

Froissart

Head Sr Fra^s on the Defenceless state of G^t Britn 1850
2 7/58

On the War in the Crimea ,,

Robinson Dr Diary of the Crimean War 1856 2 7/58

Napier Sir W History of the War in the Peninsula &c 1807-1814
new 3/ Last Ed. 1852 2 7/58 6 v 8vo

Naval

Extenſores tres *Glutæus major*, *medius*, & *Minimus*.

Adductores tres, Triceps.

Abductores ſex. *Quadragemini*, & *obturatores duo*.

Adductoribus abductoribuſque ſimul agentibus femur circumgyratur.

Femoris os omnium totius corporis maximum & longiſſimum eſt Exterius protuberat, interius incurvatur, ſicque obliquè introrſum ad genua deſcendit.

Proceſſus obtinet tres, in infantibus facilè ſeparabiles.

Crus, duplici oſſe conſtat: horum quod maximum, interiora occupans, *Tibia* dicitur ſive *Focile majus*, quod minus, exteriora ſpectans, *Fibila* ſive *Focile minus*, utrumque oſſibus cubiti valdè ſimile. Diſtant parum à ſe invicem, & Ligamento connexa ſunt.

Motus perficitur ab undecim *Muſculis* qui ſunt.

Extenſores quatuor: *Rectus*, *Curvus*, *vaſti duo*. Fle-

Flexores quatuor, *Biceps*, *semimembranosus*, *seminervosus*. *Gracilis*.

Adductores duo, Longus & Popliteus.

Abductor unus. Fascialis.

Inter femur & Crus, Patella reperitur, in infantibus Cartilagines, in senibus dura, firmaque, articulo exteriùs apposita.

Pes in tres partes dividitur, *Tarsum*, *Metatarsum* & *Digitos*.

Tarsus sex Musculis movetur.

Flexoribus duobus, *Tibiæo antico* & *Peronæo*.

Extensoribus quatuor, Bicipite, duobus Gemellis, & Soleo quibus multi quintum addunt, *Tibiæum posticum*.

Horum extensorum tres tendinem exhibent valde robustum, qui Chorda Hippocratica dicitur.

Ossibus constat septem, quæ sunt.

1 *Talus*, sive *Astragalus*.

2 Calx, sive Os Calcis.

Os

Geog

Guy's School Geog on a new & easy plan — 25th ed. 18mo Bal 8/58

Homer Gr. Opera Omnia (Gr.)
Rare Edition acc to Dibdin

1488, 1504, 17, 24, 3, 5, 34, 42, 50
1541, 51, 37. (" ")

1488	1488	1488
1504	1504	1504
17	17, 23	17
24	24	23
3	5 37	4
5	34, 41, 35.	5
34	42"	34
42"	50	5
50	51"	7
41	9, 61, 66	41
51"	67"	42 "
37	88	50
15 "	1620, 56	51
59	1707	9
67	11	61
61	29	66
7	54, 6	7
6	8	88
88	9	1620, 56
1620	80	1707
56	94, 1800, 2	11
1707	1804, 6	29
11		54, 6
29		8
54		9
6		80
8		94
9		1800
80		2
94		4
1804, 6		6
1800, 2		

3 Os Naviculare, ſive Cymbiforme.

4 Os Teſſeræ, ſive Cuboides.

5, 6, 7 Oſſa tria Cuneiformia, ſive Sphænoidea.

Metatarſus quinque oſſibus conſtat.

Digitorum oſſa 14. ſunt, *Pollex* enim niſi internodia duo habet.

Metacarpus muſculis nullis gaudet, excepto *plantari* qui palmari quodammodo ſimilis eſt.

Digitorum *Muſculi* 17 ſunt.

Duo nempe *Flexores.*

Unus *Extenſor* digitorum quatuor, quem in uſum quadruplici tendine præditus eſt.

Quatuor *Adductores* ſive *Lumbricales.*

Decem *Abductores* ſive Interoſſei.

Pollici ſpeciatim inſerviunt.

Flexor unus.

Extenſor unus.

Adductores duo.

Ab-

Abductor unus.

Hic æquè ac in Manu obſervanda ſunt *Oſſa Seſamoidea*, in adultis ſemper digitorum internodiis adjecta, partim ut articulos firment, partim ut tenues defendant. In ſenibus ſemper, ſed nunquam in pueris, à decem uſque ad viginti numerantur.

C A P. XI.

De Generatione, Pulſu, & Circulatione Sanguinis.

ORigo Sanguinis ex *Chylo* deducta eſt, hic ex Cibo ore recepto, & dentibus maſticato tranſit per *Oeſophagum* in Ventriculum, qui ſeipſum propriorum muſculorum ope ſubito conſtringit, ita ut Orificium ſuperius arctè claudatur, inferius

Ince—

Draw attention to R. 2 — 858 —

Choice & Rare Edtns of Books

1450
1
2
3
4
5
6
7
8
9
60
1
2
3
4
5
6
7
8
9
70
1
2 Auli Gellii Noctes Atticæ fo. VR 2-8/-
Most perfect specimen of Early
3
4
5 Martialis Epigrammata fo. 2-8/58
6 Boethius 1st edn
7
8
9

rius vero paulatim apertum cibus ibi proprio motu & calore ventriculi, cum ſucco à Liene per ramum Cæliacum & Arterias ſplenicas miſſo concoquatur, & reductus in Albugineam materiam quæ Chylus vocatur.

Nunc igitur cibo hoc modo digeſto fit ſtatim poroſus ſive ſpongioſus, & gradatim tranſit ex ventriculo per Pylorum ad inteſtina, ubi Fibrarum ope tantum Chyli premitur quantum bene digeſta reperitur.

Quando chylus *Pylorum* tranſit, inteſtina arctiora & gyrationibus plena inveniuntur, & tria numerantur, *viz.* Jejunum, Duodenum & Ileon, & hac ratione Chylus lentius progreditur, & ibi ſeparatur *Chylus* propriè ſic dictus, nam inibi fixæ ſunt venæ Lacteæ, quæ tenuiores & puriores partes exſugunt & Craſſiores rejiciunt, quæ deinde in rectum tranſ-

miſſæ,

missæ, per *Anum* denuo propelluntur.

Venæ Lacteæ sunt vasa minutissima & tunica pellucida & tantum tenui induta, & copiose per Mesenterium dispersa, ad Chylum deportandum appropriata sunt. Earum origo est ex intima intestinorum Membrana, & variis, & innumeris ramulis sæpenumero transversis & sese intrantibus directe ad Mesenterii glandes particulares transeunt; & quando Chylus hic defertur, *primi generis* vocatur. 2. Ex his Glandulis novæ & Capitales exoriuntur, quæ jamdudum occurrentes, commune *Chyli* & *Lymphæ* receptaculum unà ingrediuntur. Huc transmisso *Secundi generis* numeratur. 3. Et denuo cum per omnes *glandes* transitum fecit, *tertii generis* dicitur.

Chylus, Lymphæ conjunctione, quadam lævitate dotatus, ex prædicto receptaculo unà egrediuntur

072 Caracioli Lat. Huck 4to vR 2 — 8/5 8

1480

1489 Justini Historici Clarissimi fo. R 2 8,

1495 Livii Historiarum <u>th fo</u> R. 2 8/58 woo

1496 Terentius 1st edn 4to. R. 2 8/58
7 Iamblichus de Mysteriis Aegypt. & Aldus
" Theophrasti opera omnia Graece 2 8/5[illegible]
Aldus 2 8

1499 Manilii Astronomicon R Aldine Ed:
" Suidae Lexicon Graecum 1st ed fo 2 8,

diuntur in venas ſiniſtras ſubclaviales, numero ſex vel ſeptem, veniuntque tandem per venam cavam recto Cordis ventriculo, ubi in ſanguinem convertuntur.

Sanguis nunc primo confectus ſtatim ad *Pulmones* properat per *Arteriam Pulmoniacam*; ut hoc modo purior tenuiorque evadat: & regreditur per *Venam* pulmonialem ad ſiniſtrum *Cordis* ventriculum ut melius adhuc & perfectius elaboretur. Exinde iterum ad Arterias magnas *Syſtole* & *Diaſtole* perpetuo ad omnes corporis partes pro perenni nutrimento totius Compaginis fluit. Ita ut primo motu

1. *Cibus* dentibus maſticatus.
2. Tranſit per *Oeſophagum.*
3. Ad *Ventriculum.*
4. Per *Pylorum.*
5. In *jejunum*, *duodenum* & *Ileum.*
6. Fertur per *Venas Lacteas.*

7. Ad *Glandes Mesenteriacas.*

8. Et inde ad *Receptaculum commune.*

9. Ad *Venas subclaviales* sinistras.

10. Exinde ascendit per Venam cavam ad *rectum Cordis Ventriculum* ubi in *Sanguinem* convertitur.

Secundus Motus fit ex *Corde.*

1. Per *arterias Pulmoniales* accedit ad *Pulmones.*

2. Redit per *Venam Pulmonialem* ad *sinistrum* Cordis *Ventriculum.*

3. Exinde per *Aortam*, sive *magnam Arteriam* per totum corpus transmittitur.

Motus Cordis *Pulsus* vocatur. Hic *Diastole* vel dilatatione factus est, qua sanguinem in ventriculos suos recipit. Et Systole sive coutractio quando expellit. *Systole* proprius Cordis est motus, & Diastole nihil aliud quam cessio vel relaxatio istius motûs, nam in Diastole Cordis fibræ

1500

1514 Manutii Lat. wk on Grammar fm
Aldus 2 8/58

1516 Gregorii Orationes Græce Aldus Editio
principes fm 8vo 2 8/58
1517 Ausonius R Aldine fm 8vo " "

1520 Boccacio 2 8/58
1521 Tertullian's wks 1st edn

1525 Whittingtoni Lucubrationes R².

fibræ sunt relaxatæ, durante quo ſanguis ex *Auriculis* in ventriculos diſtillat, ideoque diſtenſum ſive turgidum ſtatim invenitur, *fibræque* rectæ & obliquæ ſeipſos comprimere incipientes cavitates ventriculorum obſtringunt, non tantum latera coarctando, ſed etiam conum Cordis ſuperiorem ſurſum trahendo, unde evenit contractio cavitatum, ita ut ſanguis magno impetu exinde expulſus ſit, cujus motus *Syſtole* vocatur.

Pulſus Arteriam originem ſuam ducunt ad impetum ſanguinis in illas ex Corde unaquaque Syſtole effuſas. Sed harum motuum ratio Authori omnium rerum relinquenda eſt.

Continua *Pulſus* reciprocatione ſanguis ex *Corde* in *Arterias* propulſus eſt, & ex vena cavâ datur ſupplementum; unde ſequitur quod hic *motus* ſit *circula-*

laris viz. Sanguis ex Corde in Arterias continuo expulſus, venis abſorbetur capillariis, quæ per largiores ad Cavam reducunt, & ſic deinde ad *Cor* revertitur.

LIB.

1526
1527 Boccacio Decameron, Celeb ed. cart
the Junta edn excessively Rare see
2 — 9/58 No 132

1530 Taverner's Postils — The Epistles & Gosp
wt a Brief Postyl upon the s
by R Taverner n.d. S 2 8/5

1542 Chaucer's Workes 1st ed. entire wts fo. R 2 8/

1546 Elyot Sir T. Boke named the Governor 12mo R 2
1547 Baldwyn's Moralle Philosy 12mo R. 2 8/
1548 Hall's Chronicle thk fo Ped 2 — 8/58

1550 Carion's 3 Bokes of Chronycles 2 9/58 cn

DE

Generatione, Conceptione, & Nutritione Fætus in Utero, ſecundum Methodum recentiorum.

LIB. III.

Amice Lector.

NEceſſe eſt paucis verbis priuſquam rem ipſam aggrediamur de Generatione, Conceptione & Nutritione *Fætus in Utero*, veniam à te petere, ſi mentionem de quibuſdam partibus *Vaginæ* & *Uteri* hoc curtiori tractatu fecimus, etiamſi forſitan in Libro ſecundo jamdudum nominatæ ſunt; ad quod, non propriâ voluntate

Carion was the Tutor t. Melancthon

nec licentiâ audaci à nobis capta; ſed tui gratiâ, *viz.* Ante oculos tuos Methodo faciliori rem totam dilucidiùs exponere, coacti ſumus.

CAP. I.

Vaſa Spermatica *in Mulieribus ſunt duplicia, Venæ & Arteriæ.*

ARteriæ duæ ſunt, quæ originem ducentes paulo infra emulgentes, deſcendunt ad *Teſtes* ſic dictæ, & multo ſunt breviores quam in Homine, quamvis multis gyrationibus dotatæ.

Venæ etiam duæ ſunt, orientes ut in hominibus, dextra ex Trunco, *Venæ Cavæ* paulo infra emulgentem, ſiniſtra ex ipſo emulgente nec pluribus dantur gyrationibus quam in Homi-

1551

1556 Boorde Breviary of Healthe 1st Ed. sm 4to 8/15
7 Guebara Engl by T North fo. Curious " "

1560 Cooper T. Chronicle Eng &c 4to 5 2 – 8
" Cato's Precepts thick 18mo extremely R " 9

1566 Cranmer's Bible fo. 2 7/58 –

1571 Calvin's Comment's on the Psalms sm 4to 1st Ed

1574 Boaystuau Theatrum Mundi R 2 8/5
5 Tragedies of Tyrants (in the Ch) " " " "

Hominibus, ideoque multo breviores.

Venæ & *Arteriæ* tunica communi ex Peritonæo veſtiuntur, & prope *Ovarium* vel *Teſtes* in duos ramos dividuntur, quorum ſuperior in ipſum *Ovarium* triplici radice implantatus eſt, inferior vero in tres ramulos ſubdiviſus, quorum primus uteri fundum ambit, ſecundus ad *Tubam* & *Ligamentum rotundum*, tertius per uteri latera ſerpens in *Cervice* terminat, ubi in formam Retis unâ cum vaſis Hypogaſtricis plectitur. Hoc meatu per primos menſes *Menſtrua* in gravidis interdum fluunt. Sed eodem tempore major copia ex *Hypogaſtricis* quam *Spermaticis* fluit.

Teſtes Fæmininæ multum à virilibus, nam ſituatione, magnitudine, figura, ſubſtantiâ, & etiam uſu, differunt. Unicam tantum Membranam habent, exceptâ parte ſuperiori, ubi in

aliam involvitur, quæ ex *Peritonæo* ortum ducit. Hac remota interna ſubſtantia ſubalbida apparet. *Teſtes Marium* ex vaſis ſeminariis componuntur, quæ in filamenta longiſſima deduci poſſunt; Fæminarum autem ex plurimis Membranis fibriſque inter ſe laxe unitis conſtant, inter quos *Veſiculæ* quamplurimæ (*Hydatidum* inſtar) aquâ limpida repletæ apparent, quarum Membranas Nervi & vaſa præparantia tranſeuntia, in his veſiculis planè ſunt obliterata.

Liquor hiſce veſiculis contentus, à Sectatoribus *Hippocratis* & Galeni *Semen* vocatur. Nuperiores autem Medici & Anatomiſtæ in contrarium ſummâ cum ratione judicant, illudque Mulieribus deeſſe affirmant. Doctiſſimus & ingenioſiſſimus *Harvæus* primus hujus Sententiæ aſſertor fuit. *De Ovi materia Exercit.* 34. *Quædam Mulieres*

1556 Record R. Castle of Knowsley's C&f2 8/5

1576

7 Guebara Lives 10 Empr Rome Eng by E Hellio
Sm 4to 2—8/58

1580 Calvini Catechismus Sm 8vo R 2—9/58 mi

1581. S(tafford's) W. Briefe Conceipt of Eng. P.
Sm 4to S. 2—8/58

1582 Viret P Epistle to the Faithfull 2—8/58 I

1584 Bellerm! Ed Ariosto's Orlando

1586 [Case Dr J] Praise of Musicke 12mo R 2—8/
" Chrysostomi 1 Bk printed Oxfd " "

1593 Wimbledon R Sermon preach 1388 2—8/58
1594 Abbotts Mirrour of Popish Subtleties Rar
2—8/5

1597 Playfere T. Pathway to Perfectn S 2—8/

res talem humorem, quem Semen dicimus, & etiam sine Conceptionis impedimento non omittunt.

Cognovi quam plurimas sine tali Emissione satis fæcundas, plurimasque quæ emittendo majori fruebantur voluptate, nihilominus tamen minus fæcundæ exinde fuere. Dantur porro infinitæ pene instantiæ, ubi coitu delectantur Mulieres & nihil emittunt, nihilominusque postea concipiunt. Miror maxime eos qui emissionem hanc ad generationem necessariam putant, non animadvertisse Humorem illum foras ejici, & circa Clitoridem Vulvæque orificium ut plurimum effundi, raro intra Vulvam, nunquam vero intra Uterum, ut cum Maris spermate misceatur; esseque consistentia Serosum, sive Ichorosum, non autem genituræ instar lentum atque Unctuosum ut tactu facile innotescat.

Confirmanda est hæc *Opinio* his duobus Argumentis, imprimis quia hic Humor majori

copiâ ejicitur, quam per has *Vesiculas* suppeditari potest. Secundo *Poris* vel *meatibus* destituuntur quibus hic *Liquor* egrediatur.

Necesse est ergo ut subscribamus huic nuperorum sententiæ, quæ has *Vesiculas* nihil seminis continere supponit, sed quod sint *Ova* verissima, Avium vel aliarum Creaturarum analoga, quod *Testes* (sic dictæ) non sint vere Testes, sed *Ovaria*, ubi virtute propriâ *Ova* nutriuntur.

Confirmatur etiam hoc Experimento. Accipe *Vesiculam* unam vel alteram, super ignem pone, & Bulle, & liquor contentus ejusdem coloris, saporis, consistentiæque cum *Ovorum albugine* invenietur. Notandum insuper quod *Ova* unoquoque *Ovario* contenta, numero viginti sunt vel circiter, quorum alia aliis multo minora conspicere licet.

Vasa

1600 Lewkenor's Discourse of all Citie wherein doe flourishe Univrs Eng & For
1 2—8/58 q
2 Ll Stralogans of Jerusalem 2—8/58
3
R· 4 Corderoy's J Short dialogue in wh is prov
5 that no man can b. saved wht g dw
6 2 8/58 b
S— 7 Cleland f Instn of a Yo Nobleman 2—8/58
8
1609 Butler C on Bees 12mo R 2—8/58
10
1611 Browne H. Morall Descripn of Man S 2
" Authorized Version of the Bible
1613 Du Moulin's Accomplisht of the 2-8/58 b Prophecies trans by J Heath
1615 Wright's Summons f. Sleepers R 2-8/58
1618 Garey's Triple Diadie incl treatise on Gunpowder Plot &c Sm 4to 2-8/5
1619 Angel Encomium on ye Brit & Scan 2
1620 Melton's Astrologaster S 4to 2 8/58 f

Vasa deferentia notatu digniora sunt *Tubæ Fallopianæ*, ſic dictæ à *Fallopio* primo inventore. Suntque *Ductus* exiles, anguſti, nervoſi, & albidi, ex *lateribus Uteri* orientes, & inſtar vitis capreoli contorquentes, donec propè ad finem veniunt, ubi valde largiores ſtatim facti, Membranaceæ, & à rubro colore etiam carnoſæ videntur, extremitas cui datur *Foramen* mediocriter amplum, conſciſſa, & dentata invenitur, & dextrè vel ſecundum artem aperta, Æneæ Buccinæ orificio aſſimulatur.

Capacitas horum *Ductuum* valde differt, nam in initio Setam tantum admittit, ſed in Progreſſu ſuo ubi ultimum amplitudinis gradum attingit, digitum auricularem excipiet, ſed in illâ extremitate ubi in dentes conſcinditur, quadrantem tantùm iſtius ſpatii occupat. *Longitudo* etiam valde in-

certa invenitur, nam à quatuor vel quinque digitis ad octo vel novem interdum extenditur.

Usus est, in Fæcundo Coitu, auram Seminalem, vel subtiliorem *Seminis Masculini* partem ad *Testes* deferre, ut irrorentur *Ova*; quorum unum, vel forsitan plura hoc modo fæcundata, à *Testibus* decidunt, & per extremitates *Tubæ* recepta, ad internam *Uteri* *cavitatem* exinde prolata sunt. *Harvæus* affirmat, quod *Motum Peristalticum* intestinorum instar habent, & ideo quamvis *Testibus* vel *Ovario* non adhærent, perpetuo tamen facilique motu ad *Ova* convertuntur; & *partes* omnes *genitales* in coitu turgidæ factæ, *Tubæ* hæ aliquo modo eriguntur, & aperto ore *Testibus* inhiantes, non tantum seminali aurâ per Ductus suos transpirantes, *Ova* impraægnant, sed impraægnata orificio suo etiam recipiunt,

The Wks of the extraordy Giordano Bruno ~~wh~~ are of excessive rarity & high pr. One of them alone "Spaccio de la Bestia Trion-fante" has bn sold as high as £ 60. 1/8 of Spec is entirely devoted to the ~~Subject~~. He was burnt by the Inquisitn 1600 Fr 2 9/55 8 — an ante Xn martyr — A cheap Collected ed. has been publ. in Italy 1830 Fr 2

1626
7 Character of a Xn 12mo 2 8/58 No: 4
8 Virgil's Georgics Engd in verse by T. May
Vs. 18 pro 2 8/58 7
9
30
1
2
3
4
5
6
7
8 Bacon
1629. Canon N. pict of a Wh'd Polisher.
(ns
40
1
2
3
1644 Bulwer on the Art of manna
Rhetoric. Sm 8vo 2 9/58
1646 Gregory E. Hist Anaty of Xn Melanch
12mo S 2 8/58 4 9 6/5
1647-8 Fuller's Hist Holy Warre S 2 in
5 2 8/58 of nt 16/

cipiunt, & ad proprium locum, *viz.* ad *Uterum* deferunt, ut ibi ampliùs nutriantur, maturentur, & in perfectionem perducantur.

Objici forsan potest, *Tubas* has arctiores esse quam huic usui inservire liceant. Respondeamus, Quicunque arctuositatem Cervicis Uteri in Virginibus gravidisque perpendat, & tamen se hac in occasione tanto dilatare ut Infanti ex utero egressum permittat, nullo modo mirari debeat foramina hæc adeo extendi ut *Ova* per *Tubas* recipiantur, quando comparatione factâ multo major disproportio in uno quam in altero invenitur.

Hactenus de *Præparantibus* tractati sumus, veniemus nunc postea ad ipsum *Uterum*, *Ovorum repositorium*, ubi ipsa Conceptio formata est, & *Fœtus* maturitatem usque ad *Partum* acquirit.

Uterus

Uterus in tres partes dividitur. *Fundus*, *Os internum* vel *Cervix*, *Vagina*, & *Sinus Pudoris*.

Fundus propriè dicitur *Uterus*, nam ejus causâ cætera facta videntur. In *Hypogaſtrio* poſita eſt inter *Veſicam* & *Inteſtinum rectum*, adeo ut inter *Urinam* & *Stercus* natus, ſi Originem noſtram meditemur, humilitatis Argumentum exinde deducere licet. Pars ejus externa nullo modo connectitur, ut ſecundum *Fætus* incrementum commodius extendi poſſit. Subſtantia ejus alba, nervoſa, vel potius Membranacea eſt, in virginibus denſa & compacta, in gravidis aliquantulum Spongioſa & Mollis.

In Virginibus duo digitos amplus, & tres longus exiſtit, illis vero paulo major quæ virum cognoverint, aliquantulum adhuc major illis quæ infantes

165 (Vaughan T) Lumen de Lumine a new magic light 8 2 – 8/58
2
3 Webbe G Practise of Quietnes 8 2 – 8/58
4
5 —
6
7 Æsopi
8
9 Bramhalls chlerg defended R 2 – 91
60
1
2
3
4
5 Webster J The White Devil a Tragedy R sm 4to 2 8/58
6
7
8
9
70
1 Boethius
2
3
4 Camden

ſantes produxerunt. Forma ejus eſt *Pyro* ſimilis, ſed in *Gravidis* rotundior evadit. Cavitas ejus adeo exilis ut in *Virginibus*, Carium Ponticum, in aliis juglandem vix continebit. In cellulas ut in Brutis viviparis non dividitur, ſed tantum ſuturâ *Scroto* ſimilis in dextrum ſiniſtrumque latus.

Arteriæ partim ex *Spermaticis*, partim ex *Hypogaſtricis* oriuntur; & utroque latere aliæ aliis inoſculantur. Si etenim *Truncum* aliquem harum *arteriarum* inſtrumento inflas, omnes rami ſtatim vento inflati videntur. Nec curſu directo *Uterum* peragrant, ſed flexo & curvato, ut cum *Fœtus* cavitatem dilatat, facilius ſine læſu partium diſtendi poſſunt. Per has Arterias *Menſes* fluunt, ſed præcipuè ex illis quæ *fundum Uteri* intrant, minori quantitate ex cervicem ambientibus.

Ratio Philosophica *Menstrualis Fluxus* inventu valdè difficilis est. Hoc certo constat, redundantiam sanguinis non solam esse causam hujus effectus, quia tunc citius vel tardius secundum Mensuram Diætæ parciorem vel repletiorem fluant; sed è contra vidimus, experientia teste, si Fæmina sit sana, paucitas vel abundantia ciborum nullo modo regularem istius *Fluxus* motum impedit. Quapropter multo magis credibile est *Fermentationem Sanguinis* in causam esse principaliorem; & quando hac Fermentatione Sanguis in *Arterias Uterinas* tanta quantitate fluit, ut Circulatione communi per Venas recedere non possit, extremitatibus Arteriarum tam diu erumpit, donec quantitas diminuatur, & Fermentatio plane quiescit, quod in Spatio trium vel quatuor dierum maxima ex parte evenit,

1676 Venables
7 Addison L Modest plea f th Clergy 2 8
8 Walton's Ist Life Bp Sanderson 1st Ed
5 2 8/58
9
80 Bible print: wh vs R 2 9/58 8vo
1
2
3 Wharton's Astrology C 2 8/58
1684 Butler's Hudibras Early Ed cont'g m
free passages expunged in mod'n ones 8
(Date 1682-4 R 2 8/58 M.30
1685 Valentine & Orson Vf. " " 6

1695 Milton's Paradise &c 6th Ed 4to 2 8/58

evenit. In gravidis rarissimè fluunt; vel quia (secundum Veterem Hypothesin (*Sanguis Menstrualis* redundans Fœtui nutrimentum præbet; vel (secundum novam) quia *Chylus* vel *Succus nutritius* ab infante consumptus, quod reliquum est valde tenue & depauperatum evadit, quod in causa est cur Nutrices etiam raro habent.

Nervi ex Plexu Mesenterii maximo Paris intercostalis & ex osse sacro originem ducunt. Hysterica Passio his plexibus sita est, nam affectus in hoc morbo sunt proprie convulsivi, & sine uteri culpa sæpissimè eveniunt, & illud Symptoma quasi Pilæ ex fundo Ventris Surgentis, & circa Umbilicum fortiter Pulsantis, nihil aliud est quam horum plexus motus convulsivus, quod multo magis credibile videbitur, quando etiam in viris eadem Symptomata aliquando observantur.

Cer-

Cervix, five Os internum, pars fundi videtur propriè fic dicta, in virginibus ne plus quam pennam ampla, in gravidis autem aut planè claufa invenitur, aut materia flavefcenti & vifcofa adeo oblinita, ut (exceptâ quadam fuperfætatione in Libidinofis) totum ingreffum recufat. Cavitas ejus Pollicis longitudinis; os habet Tincæ affimulandum. Membranas & Vafa cum Utero habet, rugofa etiam valde, Hydatidum inftar, quod madefaciendæ Vaginæ, majorique voluptati excitandæ infervit.

Vagina eft Tuba mollis & laxa, parte interiore rugis orbicularibus inæqualis, nervofæ & fpongiofæ fubftantiæ feptem circa digitorum longa: Quæ tamen longitudine, & laxitate fecundum ætatem vel Libidinem differt. In Virginibus, vel raro coeuntibus

rugæ

1709 Tertullian's Apology Eng^d

1715 Clemens Al by Potter 2 v f


1718 Tertullian's Apology Fr.

1722 Justin Martyr Bl

rugæ hæ multo majores existunt, ſed in meretricibus, vel parturientibus pene obliteratæ inveniuntur. Arterias & Venas multas habet, quarum aliquæ inter ſe inoſculantur, per has aliquando in gravidis Plethoricis Menſes fluunt, nam ex ipſo utero niſi Abortione ſequente nullo modo poſſunt. Vaſa hæc copiam ſanguinis congreſſu Vereneo his partibus deferunt, & hac ratione vagina calore & tumeſcentiâ excitatur, quod non tantum voluptatem auget, ſed impedit ne frigeat ſemen antequam ad proprium locum deferatur. Parte ſuperiore inter Nymphas Veſicæ urinariæ cervicem Sphinctere circumdatam recipit, & parte alterâ vel inferiore Sphincteri Inteſtini recti fortiter ligata eſt. Urethra circa unciam longa, craſſitudinem pennæ æmulat.

Hymen eſt tenuis & Nervoſa Membrana, Fibris carnoſis intertexta, & multis arteriolis venuliſque induta, tranſverſimque per ductum Vaginæ diſperſa, Cervici veſicæ poſtponitur, & Foramen in medio magnitudinis digiti auricularis admittit, per quod Menſes liberum exeundi curſum obtinent, Zona Caſtitatis vocatur, & quibus Methodo deſcriptâ Hymen invenitur, certiſſimum Virginitatis ſignum præbet. Sed primo hominis congreſſu violari neceſſe eſt, & affuſio ſanguinis maximâ ex parte ſequitur, & Flos Virginitatis vulgo dicitur. Poſt Menſes relaxatur, ſed ſemel rupta nunquam reficitur. In aliquibus autem Foramen deeſt & ex conſequentiâ Menſium exeundi copia, ubi hoc evenit in magnum vitæ periculum incidunt, niſi inſtrumentis Chirurgicis auxilium datur.

Puden-



1726

7

8 Bunyan's Pilg. Prog. S. 8vo 2 — 9/58 — 9 ; 9

9

30

1 Browne Nags he ordinatus — 2 — 8/58 R Hamon 2 — 9/58

1744 Cervantes Don Quixote S. 4 v 12mo 2

Pudendum muliebre, Cunnus, Vulva, Fiſſura, & aliis nominibus ſecundum libitum cujuſcunque nuncupatur. Ex inferiore latere oſſis Pubis fere ad ipſum Anum extenditur, à Natura larga facta eſt, quia cutis exterior nullo modo tam facile diſtendi valeat quam Vagina & Collum minus. Labia habet duo, quæ verſus Pubes craſſiora & magis protuberantia Montem Veneris conficiunt. Interior ſubſtantia hujus montis eſt pinguedo, & ſub hac Sphincter ille jacet, qui conſtringendi orificium Vaginæ poteſtatem obtinet, & ab Ani Sphinctere ortum ducit. Spatium inter Anum & infimam Vulvæ partem eſt tantum unius unciæ, ſub illo ad *Fœtum* latere *lævis* valdè, ſed è contra *Tuberculoſa*, quibus *Utero* firmè & immediate adhæret: ſed cui, vel parti anteriori vel poſteriori inter *Anatomiſtas* contenditur,

tur. Quando etiam *Uterus Gemellis* gaudet, an Una, vel pluribus *Membranis* dividitur, acriter inter eos disputatur.

Ex *Utero* Originem deducit & rudimenta prima externâ superficie exterioris Membranæ primo ictu oculi specie cujusdam Lanæ visum præbent. Hæc carnosa mollisque substantia brevi sed inæqualiter crescit, & circa Hebdomadem decimam secundam vel tertiam valde conspicua est. Usque ad hoc tempus *Fœtus* in *Amnios* natans, ex illo Crystallino & Albugineoso liquore ibi contento nutrimentum accipit; sed Mole aliquantulùm auctus, *Vasa Umbilicalia* gradatim crescere incipiunt, & ex *Umbilico*, *Placentam* versus extenduntur, ut ex illa succum firmiorem extrahant.

Post *Placentam Membranæ* sequuntur, *Chorion* exterior, & *Amnios* interior, *Fœtum* involventes.

1751

2 Ballard

" Bunyan's Holy War Rare Ed 2 7/58

3

4

5

6

7 Smith W Hist Province New Yk Vs 2 8/58

8

1759 Butler's Genuine Remns BL 2 v 8vo 2

-60 Capell's Select pieces Anct poetry Vs 2 8/58 8vo of 8/6

1761 Fables of Esop & others Dodsley's 2 v 8vo 5

" Ascham's Wks in Eng 4to 2 9/58 5

1772 Ariosto Baskerv Ed of his Orlando

ventes. Inter hos autem (ſecundum Sententiam Doctoris Needam) tertia datur *Allantoides Fætum* etiam includens.

Membrana exterior *Chorion* dicitur. Unica tantum gemellis datur, quamvis particulari *Amnios* diſtincte gaudent. *Ovum* in radice ſua inveſtit, & poſtea Humiditatem uteri imbibit, nam *Ovo* dilapſo, nullique connexo, ſecundum modum Gallinarum creſcit: de qua re vide *Harvæum de Generatione animalium*. Hæc *Membrana*, poſtquam *Placenta* & *Vaſa Umbilicalia* formata ſunt, ita denſa & compacta evadit, ut amplius imbibere nequaquam capax, copiam dat creſcendi ad *Allantoides*, cujus liquor indies poſtea in majorem Quantitatem coaleſcit.

Membrana ſecunda quæ *Amnios* dicitur, immediatè *Fætum* continet, & nullibi *Chorioni* ligata, niſi in illa parte, ubi *Umbi-*

Umbilicalia in *Placentam* intrant. Eſt valde tenuis, mollis, lævis, & pellucida; fætumque laxe circuit. Hæc *Membrana*, priuſquam *Ovum* vitali ſemine imprægnatur, Liquorem Limpidum continet, quæ poſtquam Materia eſt ex quâ *Embryo* formata eſt. In hac *vis plaſtica* reſidet, potentia agendi vivida, & quamvis ejuſdem coloris conſiſtentiæque cum *Sero Sanguinis*, Liquor hic noſtris oculis apparet, toto cælo re ipſâ differunt, nam ſi paululùm de priore in cochleari ſuper ignem detines, nunquam ſicut *Serum* coagulabit.

Membrana tertia quæ Fætum inveſtit dicitur *Allantoides*. Hanc in *Ovo*, ante Conceptionem, exiſtentiam habuiſſe, valde credibile videtur, Veſtigia tamen nulla apparent donec *Vaſa Umbilicalia* & *Placenta* formantur. Liquor contentus eſt Fætûs Urina, huc per *Urachum* deducta

ta. Ex medio Abdominis aſcendit, & uſque ad *Placentam* ambit, ſed & Sutura Perinæum vocatur.

Nymphæ ſic dictæ quia proxime ad orificium *Veſicæ* ſtant, prohibentque ne aliquando in *Labia* illabatur *Urina*, magnitudine creſcunt ſecundum propriam ætatem Virginum. Sed in Parturientibus vel re Venerea multum utentibus multo ampliores quam in aliis inveniuntur.

Clitoris aliter Virga fæminina dicta, quoniam non tantum Erectione & Spirituum repletione, ſed etiam *Subſtantia*, *figura*, & *ſituatione* reſpondet. *Septum*, *Glandem*, *Muſculos*, & eadem vaſa cum *Pene* habet, in quibuſdam autem differt, 1. *Imprimis* magnitudine, quia erecta magnitudinem digiti auricularis nullo modo ſuperat. 2. *Clitoris Urethra*, & *Glans foramine* caret. 3. Unicum tantum

1801
2
3
4 Davies E on Lang. de Anct Britons 2 8, 1
5 —
6 Pliny Jr Bl in orig.
7
8
9
10 Brand
1
2 Biog Dram b.e. Willis ap 58
3
4
5 Ascham Roger Eng Wks very scarce 2
6
7
8 —
1819 Fitzclarence Earl of Munster Jt of Route across Ind thro Egypt to Engl. 4to 1819 vy Sc 2 8/58 4/6

1824 Lee's Mem of Bib Soc Scot 3/2 9/58 6
No 110

tum *Parem Musculorum* habet. In aliquibus pars unita in tantam longitudinem interdum excrescit, ut ex labiis *Pudendorum* promineat. Multæ etiam Mulierum Historiæ dantur, quibus tam magna longaque *Clitoris* aliquando accidebat, ut coeundi cum aliis capaces fuerint, & tales *Fricatrices* vel *Hermaphroditæ* vulgo dicuntur: quamvis interea utriusque sexûs participes prorsus improbabile videtur. Sed potiùs credendum quod *Testes* in *Labia* procidentes, & *Clitoris* præternaturaliter extensa, hujus differentiæ & Erroris occasionem præbet.

CONCLUSO jamdudum Discursu de *Generationis partibus*, nunc de Materiâ ipsa *Generationis* dicendum est, & imprimis *Semen Masculinum*, principium activum sive causa efficiens generationis occurrit. Sed quia illius naturam (videlicet

ex sanguine arteriali & spiritibus animalibus consistere) partim diximus, & secundum meritum subjecti compendio explicare, valde difficile vel potiùs impossibile videtur omissum de toto relinquimus.

Principium passivum est *Ovum Fæmininum* ex semine Maris imprægnato; sed quoniam Conceptionis gradus ex *Ovo* ad *Embryonem* in Utero nullo modo observare licet, necesse est, ut ex Analogia aliarum creaturarum rem ipsam ex ipso fundamento deducamus. Ad hanc rem meliùs cognoscendum, consulendus est Dr. *Harvæus de Generatione Animalium*; sed quia Errores aliqui forsitan irrepsere ignorantiâ hujus de *Ovo Hypothesis* in id tempus prorsus incognitæ, videat Curiosus Lector observationes curiosissimas *de Monsieur Graef*, & diligenter pendat experimenta quæ in Lucem edidit, utpote

non

5

1826 Allen
" Bayley
7 Reprint of the R Bk of S Albans on Angling . 2
8
9
30
1
2
3 Corbaux's Natl & Mathematic Laws con
4 popn &c wh Tables V.f 2 8/58
5 ———
6
7 Brenton
8
9
40
1
2 Bischoff Scarce 2 Jnl 58
3
4
5 Bingham
6
7 Bell Sir C Anaty & Philos of Expresn 2 8/5.
8
9 Allier Rev J in V. I. V.f 2 8/58 7

	Gr	Fr	Ital	Lat	Gk	2879/58
1 Above	Oben	Sur	Sopra	Super	υπερ υπερ	
2 About		Environs	Circa	Circum	περι	
3 After	nach	apres	dopo	post	μετα or μετ'	
4 Again	wieder	encore	ancora	iterum	παλιν	4/10/68
2/10/68 Against	wider	contre	contro	contra	εις	
Air	lufft	air	aria	aer	αυρα	4/10/68
Ale	al	aile	cervoïa	cerevisia	Ζυθος	6/10/68
All	alle	tout-e	tutto	Omnis-e	πας-α-παν	7/
Alone	allein	seul	solo	solus	μονος.	8/
Any	einig	quelque	qualche	ullus	τις	
Apple	apfel	pomme	pomo	pomum	μηλον	11/
Arm	der arm	bras m	braccio	brachium n. 2.	βραχιων	
Ask	fordern	demander	domandare	rogare	Δεομαι	14/
Aunt 14	muhme f	tante	zia	avuncula		16/
15 Back	Rücken n	Dos m	Dorso	Dorsum 2. n.	νωτος	20/10/
Bad	Uebel	mauvais	pravo	pravus	κακος	22/
Bag	Sack	sac	sacco	saccus	σακκος	29/
Bake	Backen	Boulanger	Impastare			5/11/
Ball	Bal	Paume	Palla	Pila pill	Σφαιρα	10/11/
Band	Band	Bande	Benda			
Beard	Bart	Barbe	Barba	Barba.		13/11/
Hair	Haare	Cheveu	Capello	~~Crinis~~ Capillus		17/
Head	Kopff	Tete	Capo	Caput		/182
Eye	Auge	Oeil	Occhio	Oculus		19/

	Gm	Lat	Fr	Ital.	
Nose	Nase	Nasus	Nez	Naso	20/4.15
Ear	Ohr	Auris	Oreille	Orechia	[illegible]
Mouth	Mund	Os	Bouche	Bôcca	27/
Tooth	Zahn	Dens	Dent	Dente	
Tongue	Zaume	Lingua	Langue	Lingua	
Chin	Kinn	Mentum	Menton	Mento	1/12/
Neck	Hals	Collum	Cou	Collo	

Pag. 181.







non tantum ad probandum Hypothesin, sed etiam ipsæ veritati consonantiores. Verumenimvero circumstantiæ conceptionis Mulieribus aliisque creaturis pluribus assimilantur, differunt autem tantum tempore, vel formatione Uterorum inter se, ideoque pergam ad partes quæ *Fætum* complectuntur, & Methodum nutriendi inquirendum.

Figura Prima

Situationem Fætûs in Utero repræsentat.

A *Caput deorsum positum, adeo ut Nasus inter Genua lateat.*
BB *Nates quibus calces affixi inveniuntur.*
CC *Brachia.*
D *Chorda Umbilicalis Cervicem transiens, & super Frontem circumligata.*

Figura Secunda repræſentat

Fætum ex Utero exceptum, ſed adhuc Placentæ ligatum ubi vaſa Umbilica ſeparantur.

AAA *Abdomen abſciſſum.*
B *Hepar Fætus.*
C *Veſica Urinaria.*
DD *Inteſtina.*
E *Vena Umbilicalis.*
FF *Arteriæ Umbilicales.*
G *Urachus.*
H *Vaſa Umbilicalia unita; & Communi tunica inveſtita.*
I. *Funiculus Umbilicalis ad Placentam extendens.*
KKKK *Venæ & Arteriæ per Placentam diſperſæ.*
LLL *Uteri Placenta.*

Figura Tertia

Embryonem in propria dimenſione monſtrat.

a *Os latum cum lingua.*
b *Chorda Umbilicalis.*
c *Femora & Crura, cum Coccyge,*
d *Quaſi caudæ aſpectum præbens.*

Diſſecto

1851

1854 Boileau Scarce 2 7/58
5 Bacon's Novum Organum Kans 2 8/58

Monumental

Boutell Rev Brasses of Eng wh
½ morocc descriptns illg wd engravg
30/ fo. 1849 pub 63/ 2/9 8758

Diſſecto gravidarum Utero primo ſe offert *Placenta Uterina*, & ob ſimilitudinem ſubſtantiæ *Hepar Uterinum* dictum. Subſtantia ejus *Lieni* ſimilis, ſed quodammodo tenacior, mollis cum *Fibris* innumeris, *Vaſculis* minutis, & *Parenchymate* glanduloſo. Formæ variæ, variis creaturis invenitur, Mulieribus vero circularis, in extremâ tamen circumferentiâ inæqualis. In medio duorum digitorum craſſa, ad Marginem tenuior, & quando parturiabundus eſt *Fœtus*, longitudinem Spithamæ æmulat. Viam valdè dubiam & incertam incedit, nam aliquando Cervicem ad dextram aſcendens, & circuendo ambiens, ad *Placentam* deſcendit, & è contra: quandoque vero *Cervicem* neutiquam attingit, ſed paululum *Thoracem* verſus inclinans, ad *Dorſum* convertitur, & exinde ad *Placentam* deſcendit. *Chorda* hæc viribus fortiſſimis

induta eſt, ut motu etiam quàm maximo Infantis irrupta maneat, & ut *Secundina* etiam quaſi *fune appropriato* meliùs extrahantur.

Vaſa continet quatuor, Unicam *venam*, *Arterias* duas, & *Urachum*.

Vena binis *Arteriis* amplior eſt; & ex *Hepate Fœtus* originem ducit, & *Umbilico* egrediens in *Placentam* tranſit, cui innumeris radicibus implantatur. Uſus eſt *ſuccum nutritium* ex matris Arteriis in Placenta ſeparatum Fœtui deferre. Quomodo ſeparatio hæc imprimis facta, & deinde in ſanguinem converſa videantur *Anatomicorum* libris, quo Lectorem benevolum referimus, quia hoc compendio niſi curtiori pede quam decet, nullo modo attingere poſſumus.

Arteriæ duæ ſunt, & ex internis ramis Iliacis Arteriæ magnæ oriuntur, & *Latera Veſicæ* tranſeuntes ad *Umbilicum* ſurgunt,

ex

ex qua cum *Uracho* admirabil Textura retiformi ad *Placentam* conducuntur. Non ſanguis ſpirituſque vitalis illis mediantibus ex ipſa matre ad Fætum deferuntur, ſecundum veterem opinionem, ſed è contra prædictos ſpiritus ex corde Infantis pulſu propulſos, ad nutrimentum placentæ deferent & deinde *Sanguis* ſuperfluus *ſucco* novo impregnatus, per *Venam Umbilicalem* retro circulat, ut partes neceſſariæ non tantum calore, ſpiritibuſque reficiantur, ſed etiam Fætui perenne detur ſupplementum, uſque dum ad ſufficientem maturitatem perducatur.

Vas Umbilicale quartum eſt *Urachus*. *Tuba* eſt *exilis*, *Membranacea*, & *rotunda*, *Cavitate* ſed arcta valde induta, & ex fundo Veſicæ ortum ducens ad Umbilicum ſurgit, & exinde in *Allantoides* tranſit. Plus pervia in Brutis quam in hominibus, po-

steriores non desunt Anatomici qui totam Cavitatem denegant. Hallucinantur tamen quia in Abortionibus *Embryonis Vesica*, semper Urinâ plena invenitur, ex qua si postea nullo modo exoneretur irrupta Vesica dissiliret. Insuper autem ut sine omni contradictione confirmetur hæc veritas, accuratissimus. Dr. *Needham* dicit, quod Liquor in *Allantoides* contentus, in *Vesicam* per *Urachum* premi potest, aut è contra Ventum cum Tuba ex Vesica per eundem Meatum in *Allantoides* sufflari posse.

Quatuor hæc *Vasa* communi *Tunica* vestiuntur, quæ partes, & vasa inibi contenta etiam separat, & ne in aliquo loco contingant, prohibet. *Intestinulum* & *Funiculus* vocatur. Membranacea, rotunda, & Cava, mediocriter crassa, & ex duplici Tunica consistens. Interdum ipse solus, aliquando autem aliis contorquetur.

Fætus

(L) Theo.

Bp Jewel wrote in Lat, an Apolog for the Ch of Eng Tr Eng'd by Anne Brother of Ld Bacon she (£ 01600 < Bacon Anne

Priestley wrote Hist of the Corruptions of Xty
See < Badcock

Hooker's Wks compl 4 or 8vo — 1836 BL
Y — 2 — 8/58 8 | new of ext gl. — 2/

Jewel Bp Wks compl Bibl Eo — 4 or 8vo
1848 2 — 8/58 6 new < Ex gl. 8/-

Macbride's Lectures expl of the Diatessaron or Hist of Jesus Xt in a continuous narrative
1848 B.L thick 8vo 2 — 8/58 6

Hist. Kerr < Patriarchal Evid of Revealed Relign in Hist Geog Arabia
1844 2 to 8vo. 5 — 1/58 … 25

Cassini Instn of K Religion trans d … atradged to 8vo 1585 2 — 9/58

Calvin Harmonie upon the Evang. Jesti wh Commentarie trans by Paget 8y thick Sm 4to
1584 2 — 9/58 Cu 2/

Baltus Jno Fra^s Jesuit arro
Same who in Fr. in
c Defense of the Xⁿ Prophe
Barker Thos. C 1809
Prophecies conc. Messiah
c methodyzed wh the accom-
plishm^t 8vo

Fœtus ab *Adultis* in multis differunt.

1 In *Exiguitate* omnium partium.

2 In *rubedine* totius.

3 In *Ossium mollitie*, quorum multa *Cartilaginosa* & *Flexibilia* sunt.

In *Capite* diversitas maxima invenitur.

1 Caput in respectu Corporis *prægrande*, faciemque deformem habet.

2 *Ossa* Cranii molliora sunt.

3 *Os Frontis* & *Maxillæ inferioris* in partes separantur, & *Os cuneiforme* in quatuor dividitur.

4 *Os occipitis* in tria, quatuor, vel quinque ossa distinguuntur.

5 *Cerebrum* mollius & magis fluidum.

6 *Dentes* latebris maxillarum occultantur.

7 *Ossa* quæ Auditûs sensui inserviunt magna & durissima inveniuntur.

In *Thorace.*

1 *Mamillæ* turgent & aliquando lac serosum etiam sponte fluit.

2 *Dorsi Vertebræ* processibus spinosis carent.

3 *Cor prægrande* & ejus *Auriculæ* ampliores.

4 *Glans Thymus* largiora, & quasi ex tribus Glandibus consistit.

In *Abdomine.*

1 *Vasa Umbilicalia* extra Abdomen gradiuntur.

2 *Ventriculus* angustior, & cum lacte vel liquore albo modice repletus.

3 *Intestina* septies Corpori longiora vel plura.

4 *Hepar* prægrande, non solum *Hypochondriam* dextram implens, sed etiam in sinistram extendit, & superiorem partem *Ventriculi* tegit. Unicum plus quam in Adultis meatum habet. *Canalis Venosus* dictus, qui ex sinu Portæ orien

maximam illorum partem, quæ ex Umbilico proveniunt, pleno ore in Cavam projicit. Sed quamprimum Infans ſit natus, & nihil amplius ex venâ prædicta veniat, Canalis hic ſtatim concluditur, & vena ipſa in Ligamentum convertitur.

5 *Renes* etiam majores & ſuperficie inæquales, quaſi compoſitio *Glandularum* oculis apparent.

6 *Renes ſuccenturiati* maxime diffuſi, non tantum renibus ut in adultis contigui, ſed illis incumbunt & eorum partem ſuperiorem largo quaſi ſinu complectuntur.

7 *Urethra* ampla eſt, & *Veſicæ* urina diſtenſa.

8 In *Femellis* uterus depreſſus, Tubæ longæ, & Teſtes valde diffuſæ.

In *Membris* differentia conſiſtit.

1 In *oſſium* Flexibilitate & Mollitie.

2 *Oſſicula*

2. *Ossicula* Carpi & Tarsi sunt tantum Cartilaginosa, & neutiquam firmiter juncta.

Verum enim quoniam *infantem* in Lucem tandem proferamus, status ejus à nobis in utero breviter considerandus est, & secundum Harvæum hoc modo situatur.

Genua ad ventrem abstracta sunt, crura reversa, Pedes transversi, Manus ad Caput allatæ, unam ad Aurem, aliam ad genam detinet : Spina dorsi circumflectitur, Caput versus Genua propendet, & Facies ad Tergum Matris incumbit. Verumtamen autem circa Partum Infantis situm mutat ; & pedibus sursum inclinatis, Caput ad uteri cervicem devolvit. Tunc Uterus deorsum subsidens orificium ejus relaxatur, & Fætus excruciatus, huc & illuc seipsum movens palpitansque, Membranas quibus inclusus fuit dilacerat, adeo ut aquæ exinde fluen-

Defoe's Life & Times wh Review of writgs by Walter Wilson 3v 8vo 1830 2 — 8/58 ½ cf no 29

Brewster's Memls Sr I. Newton 2v 8vo 1855 2 — 9/58 do 1

Ballard Geo auth of Memoirs of Brith Ladies who have bn celeb for thr Writgs or Skill in the learnd langs 1752 4to Reprinted in 8vo 1775 Both Edns scarce

Banks Jno 1709 - 1751
Critical Review of the Life of Oliver Cromwell 8vo

tes *Vaginam* lentiorem reddentes, faciliorem exitum *infanti* præbeant. Eodem tempore juncturæ *Offis ſacri pectiniſque* cum *coxendice* & *Offium Pubis* in tanto relaxatæ ſunt, ut huic effectui multum ſubſerviant. Horum motus Uterum perturbat, Spirituſque animales per Nervos ad Fibras conſtrictorias & Muſculos Abdominis dimittunt, & iſtiuſmodi vires omnes unà conjungentes, *Infantem* poſt novem Menſes vel circiter tandem expellunt.

FINIS.

Unc [illegible] cont[illegible] [illegible] Tit. 40.
Chambers [illegible] has some of remarks on
the exciting effect of Music Lingl [illegible]
the paper on Private Duties of Lyf[illegible]

Moral Sense V. Educ

Bell Smith doubl his fists on
contemplating Jivedi's Arch-villany

Aonian Punishment

Ancil -

R. ROBARTUS *Medicinæ Studiosus Novi Collegii Socius.*

Consule quid sacro medicamine possit, & arte
Casæus Medicâ; Nam provida quicquid ubique
In gremio Natura suo, Medicinaque longâ
Arte instructa tenet, quicquid veteresque novique
Noverunt Medici; tuus inserit Author & omne
Huic chartæ exiguæ instillat doctoque libello:
Macte tuis igitur studiis musisque beatis;
Det Deus, ut posthac, toties dum magna Casæi
Calce premis celeri vestigia, vimque modumque
Ex Authore tuo monstras ægrota levandi
Corpora, tot gratos habeas æquosque Favores
Quot mox lectores Liber hic renovatus habebit.

Epigramma.

Longa olim fuit Ars & vita brevissima, verum
Ars brevis hoc parvo, vitaque longa libro est.

Sept. 24. 1694.

Sundr 206

10/11/58 Ruckett & Smith report by W. H. S. & have 30 estabs. Off & on by top.

+ / Poetry 207
Campbell's Specimens of the
British Poets fr Chaucer
to Anstey wh Biog &
Critical notes & his select
Essay on Eng Poetry 7 vols
1819 2 9/58 hf morocco 38/

Ost arm dir to thee Arm Kus nah
Hef Ohr Sie she Aal Rad wie
Sau Ehe Mauwas wir we Amt Sau nun
Hut Bal euch us Art See gar
Ell Ton wer who Axt Ton auf
Bad Oel wem to whom Bad Bar Tag aus
Ege Ein wen whom Bal Uhr als
Hetty Rad wes whose Eis Weg auf
See Art what was what Eke Elf neu ehe
Wolf Lob ihr, her its Ein alt wie
Aal Tag their or your Hut arm hin
uhr Art ye Heu ein und aus
Mire Lob hin her
Ort ohr [illegible]

ich bog I bowed
" bat " strove
" bat " begged
" aß " ate
" ess " eat impera
ich gab I gave
geh go impe
ich hob I heaved
" kam " came
" lud " loaded
" las " read pret
" lag " lay "
" litt " lied
mag am or is willing
soff sucked
sah saw
thu do imp
wob I weaved
zog " drew

nur but the | um at the ~~in the~~
fur | an into
zur | am in the
| im " "
| de
| wo where, if the

Memem report that Franklin
by a few words oft. effectively
opposed a fine speech

[illegible] 4 E

